

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

### SECTION 1. IDENTIFICATION

Product name : Deltamethrin Pour-On Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1  
Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapors.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version 4.1      Revision Date: 11/03/2023      SDS Number: 657095-00021      Date of last issue: 10/20/2023  
Date of first issue: 05/02/2016

P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	$\geq 10 - < 20$
Deltamethrin (ISO)	52918-63-5	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version 4.1      Revision Date: 11/03/2023      SDS Number: 657095-00021      Date of last issue: 10/20/2023  
Date of first issue: 05/02/2016

Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.  
Advice on safe handling : Use only with adequate ventilation.  
Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.  
Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.  
Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Hand protection	adequate protection.
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution, suspension
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 112.14 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

#### Components:

##### Propylene glycol:

Acute oral toxicity	:	LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### Deltamethrin (ISO):

Acute oral toxicity	:	LD50 (Rat): 66.7 mg/kg  LD50 (Rat): 9 - 139 mg/kg  LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 2,000 mg/kg  LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 2.5 mg/kg Application Route: Intravenous  LD50 (Mouse): 10 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

---

Application Route: Intraperitoneal

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Propylene glycol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

##### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### Deltamethrin (ISO):

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	negative



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

---

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Dermal
Species	:	Humans
Result	:	positive

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	------------------------------------------------------------------------

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Deltamethrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	------------------------------------------------------------------------

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
----------------------	---	-----------------------------------------------------------------------------------------------

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

#### Deltamethrin (ISO):

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 104 weeks
NOAEL	: 8 mg/kg body weight
LOAEL	: 4 mg/kg body weight
Result	: positive
Target Organs	: Lymph nodes

Species	: Rat, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative

Species	: Dog, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
NOAEL	: 1 mg/kg body weight
Result	: negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### Propylene glycol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Mouse

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility.  
Target Organs: Testes

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on fetal development.

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

### STOT-single exposure

Not classified based on available information.

#### Components:

##### Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

##### Deltamethrin (ISO):

Routes of exposure : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Propylene glycol:

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### Deltamethrin (ISO):

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

Species : Rat  
LOAEL : 3 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 wk / 5 d/wk / 6 h/d  
Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

Species : Mouse  
LOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 12 Weeks  
Target Organs : Immune system  
Symptoms : immune system effects

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Deltamethrin (ISO):**

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching  
Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions  
Ingestion : Symptoms: muscle pain, Small pupils

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Propylene glycol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h  
Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Toxicity to microorganisms : NOEC (*Pseudomonas putida*): > 20,000 mg/l  
Exposure time: 18 h

### Deltamethrin (ISO):

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Mysidopsis bahia* (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h

EC50 (*Daphnia magna* (Water flea)): 0.0035 mg/l  
Exposure time: 48 h

LC50 (*Gammarus fasciatus* (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d

NOEC (*Pimephales promelas* (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.0041 µg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

#### Propylene glycol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

#### Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 % (30 d)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

### Bioaccumulative potential

#### Components:

##### Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

##### Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

### Mobility in soil

#### Components:

##### Deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(deltamethrin (ISO))

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Deltamethrin (ISO))

Class : 9

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Deltamethrin (ISO))  
Remarks : Above applies only to containers over 119 gallons or 450 liters.  
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Water	7732-18-5
Propylene glycol	57-55-6
Formaldehyde	50-00-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including Formaldehyde, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/03/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/20/2023
4.1	11/03/2023	657095-00021	Date of first issue: 05/02/2016

---

US / Z8