

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

SECTION 1. IDENTIFICATION

Product name : Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary medicine

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 2 (Cardio-vascular system)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements :

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Cardio-vascular system)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6 Revision Date: 09/30/2023 SDS Number: 5491648-00012 Date of last issue: 04/04/2023
Date of first issue: 03/10/2020

through prolonged or repeated exposure if swallowed.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P342 + P311 If experiencing respiratory symptoms: Call a doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	D-Streptamine, O-2-deoxy-2-	5490-27-7	$\geq 30 - < 60$ *

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6 Revision Date: 09/30/2023 SDS Number: 5491648-00012 Date of last issue: 04/04/2023
Date of first issue: 03/10/2020

	(methylamino)-.alpha.-L-glucopyranosyl-(1->2)-O-5-deoxy-3-C-(hydroxymethyl)-.alpha.-L-lyxofuranosyl-(1->4		
2-(4-Aminobenzyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate	No data available	6130-64-9	$\geq 30 - < 60$ *
Procaine hydrochloride	Benzoic acid, 4-amino-, 2-(diethylamino)ethyl ester, hydrochloride (1:1)	51-05-8	$\geq 1 - < 5$ *
Chlorphenamine hydrogen maleate	No data available	113-92-8	$\geq 1 - < 5$ *
Dexamethasone	No data available	50-02-2	$\geq 0 - < 0.1$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6	Revision Date: 09/30/2023	SDS Number: 5491648-00012	Date of last issue: 04/04/2023 Date of first issue: 03/10/2020
----------------	------------------------------	------------------------------	---

Most important symptoms and effects, both acute and delayed	: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6 Revision Date: 09/30/2023 SDS Number: 5491648-00012 Date of last issue: 04/04/2023
Date of first issue: 03/10/2020

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dihydrostreptomycin sulphate	5490-27-7	TWA	OEB 2 ($\geq 100 < 1000 \mu\text{g}/\text{m}^3$)	Internal
		TWA	$0.4 \text{ mg}/\text{m}^3$	Customer derived OEL
Chlorphenamine hydrogen maleate	113-92-8	TWA	$10 \mu\text{g}/\text{m}^3$ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	$100 \mu\text{g}/100 \text{ cm}^2$	Internal
Dexamethasone	50-02-2	TWA	$10 \mu\text{g}/\text{m}^3$ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	$100 \mu\text{g}/100 \text{ cm}^2$	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6	Revision Date: 09/30/2023	SDS Number: 5491648-00012	Date of last issue: 04/04/2023 Date of first issue: 03/10/2020
----------------	------------------------------	------------------------------	---

When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	5.0 - 6.0 No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.17 - 1.21 g/cm ³ No data available
Solubility(ies) Water solubility	:	No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 709.59 mg/kg Method: Calculation method
---------------------	---	---

Components:

Dihydrostreptomycin sulphate:

Acute oral toxicity	:	LD50 (Rat): 430 mg/kg Remarks: Based on data from similar materials
---------------------	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg

Procaine hydrochloride:

Acute oral toxicity : LD50 (Rat): 200 mg/kg

Chlorphenamine hydrogen maleate:

Acute inhalation toxicity : LC50 (Rat): 0.61 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 89 mg/kg

Dexamethasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 6,500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Result : No skin irritation

Chlorphenamine hydrogen maleate:

Species : Rabbit
Result : No skin irritation

Dexamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Components:

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Result : No eye irritation

Chlorphenamine hydrogen maleate:

Species : Rabbit
Result : Severe irritation

Dexamethasone:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Dihydrostreptomycin sulphate:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Species : Humans
Result : positive
Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : positive
Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans

Assessment : Probability of respiratory sensitization in humans based on animal testing

Chlorphenamine hydrogen maleate:

Routes of exposure : Dermal

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 2.6	Revision Date: 09/30/2023	SDS Number: 5491648-00012	Date of last issue: 04/04/2023 Date of first issue: 03/10/2020
----------------	------------------------------	------------------------------	---

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Procaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Chlorphenamine hydrogen maleate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Dexamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro test
Test system: mouse lymphoma cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Components:

Chlorphenamine hydrogen maleate:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	30 - 60 mg/kg body weight
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	20 - 50 mg/kg body weight
Result	:	negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Dihydrostreptomycin sulphate:

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	---

Chlorphenamine hydrogen maleate:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 20 mg/kg body weight Result: No effects on fertility., No effects on fetal development.
----------------------	---	--

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Reduced embryonic survival, No malformations were observed. Remarks: The significance of these findings for humans is not certain.
------------------------------	---	--

	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No significant adverse effects were reported
--	---	--

Dexamethasone:

Effects on fetal development	:	Test Type: Development Species: Mouse Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight
------------------------------	---	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 0.025 mg/kg body weight
Result: Specific developmental abnormalities.

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: ≥ 0.062 mg/kg body weight
Result: Specific developmental abnormalities.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: ≥ 0.02 mg/kg body weight
Result: Skeletal and visceral variations ., Retardations.

Reproductive toxicity - Assessment : May damage the unborn child.

STOT-single exposure

Not classified based on available information.

Components:

Chlorphenamine hydrogen maleate:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

Components:

Chlorphenamine hydrogen maleate:

Target Organs : Cardio-vascular system
Assessment : May cause damage to organs through prolonged or repeated exposure.

Dexamethasone:

Routes of exposure : Oral
Target Organs : Adrenal gland, Immune system, thymus gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Chlorphenamine hydrogen maleate:

Species : Rat
NOAEL : 10 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Application Route : Oral
Exposure time : 6 Weeks
Remarks : No significant adverse effects were reported

Species : Monkey
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 105 Weeks
Target Organs : Heart

Dexamethasone:

Species : Rat
NOAEL : 0.0015 mg/kg
Application Route : Oral
Exposure time : 7 d
Target Organs : Liver
Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0.003 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Blood, Adrenal gland, thymus gland
Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0.125 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland
Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0.4 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system
Remarks : Significant toxicity observed in testing

Species : Dog
LOAEL : 8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system
Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Experience with human exposure

Components:

Dihydrostreptomycin sulphate:

General Information : Target Organs: ear
Symptoms: hearing loss

Chlorphenamine hydrogen maleate:

Inhalation : Symptoms: central nervous system effects
Remarks: May cause respiratory tract irritation.
Skin contact : Remarks: May irritate skin.
Eye contact : Symptoms: Eye irritation
Remarks: May cause irreversible eye damage.
Ingestion : Symptoms: central nervous system effects
Remarks: Based on Human Evidence

Dexamethasone:

Ingestion : Target Organs: Immune system
Target Organs: Adrenal gland
Target Organs: Bone
Symptoms: muscle weakness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dihydrostreptomycin sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50: > 0.01 - 0.1 mg/l
Remarks: Based on data from similar materials

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Procaine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Dexamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 56 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Dexamethasone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 3.54 d
Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

Dihydrostreptomycin sulphate:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 3.16

Partition coefficient: n-octanol/water : log Pow: -7.51

Procaine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 1.389

Dexamethasone:

Partition coefficient: n-octanol/water : log Pow: 1.83

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Dihydrostreptomycin sulphate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Dihydrostreptomycin sulphate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passen-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

ger aircraft)
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Dihydrostreptomycin sulphate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Dihydrostreptomycin sulphate)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Dihydrostreptomycin sulphate)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.6	09/30/2023	5491648-00012	Date of first issue: 03/10/2020

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8