according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

SECTION 1. IDENTIFICATION

Product name : Diflubenzuron Formulation Other means of identification : Magnum (A007704)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

Specific target organ toxicity

- repeated exposure

: Category 2 (Blood, spleen, Liver)

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H373 May cause damage to organs (Blood, spleen, Liver)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P280 Wear eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

P314 Get medical attention if you feel unwell.

Disposal:

P501 Dispose of contents and container to an approved waste

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|---|--|------------|-----------------------|
| Propylene glycol | 1,2-Propanediol | 57-55-6 | 6 |
| Nonylphenol, ethox- ylated | Poly(oxy-1,2- ethanediyl), .alp ha (nonylphenyl)- .omega hydroxy- | 9016-45-9 | 3 |
| N-[[(4- chloro- phe- nyl)amino]carbonyl]- 2,6-difluorobenzamide | Benzamide, N- [[(4- chloro- phe- nyl)amino]carbo nyl]-2,6-difluoro- | 35367-38-5 | 2.5 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Causes serious eye damage.

and effects, both acute and delayed

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

Exposure to combustion products may be a hazard to health.

Carbon oxides
Chlorine compounds

Nitrogen oxides (NOx)
Fluorine compounds

Metal oxides

Phosphorus compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|-------------------------------------|--|-----------|
| Propylene glycol | 57-55-6 | TWA (Va- pour and aerosols) | 50 ppm 155 mg/m³ | CA ON OEL |
| | | TWA (aero-sol) | 10 mg/m ³ | CA ON OEL |
| N-[[(4- chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide | 35367-38-5 | TWA | 100 µg/m3 (OEB 2) | Internal |

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

: Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dispensely suite) to suite expensed skip surfaces.

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution, suspension

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4,640 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Nonylphenol, ethoxylated:

Test Type : Maximization Test Routes of exposure : Skin contact

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Species : Guinea pig Result : negative

Remarks : Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Routes of exposure : Ingestion

Target Organs : Blood, spleen, Liver

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Routes of exposure : Skin contact

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >20 to 200 mg/kg bw.

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 y

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
LOAEL : 81 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rabbit

NOAEL : > 322 mg/kg

Application Route : Skin contact

Exposure time : 28 Days

Species : Rat NOAEL : > 0.1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

Toxicity to microorganisms

NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13

mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00026 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

plants Exposure time: 72 h

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.1 mg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n- : log Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

Nonylphenol, ethoxylated:

Partition coefficient: n- : log Pow: 4.48

octanol/water

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-

octanol/water

: log Pow: < 4

Mobility in soil
No data available

Other adverse effects

No data available

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-

difluorobenzamide)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version Revision Date: SDS Number: Date of last issue: 11/22/2023 2.1 01/25/2024 10808137-00005 Date of first issue: 07/05/2022

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 01/25/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8