According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Dihydrostreptomycin Sulfate Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1 longed or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

Hazard pictograms



Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or

repeated exposure.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this prod-

uct.

P280 Wear eye protection/ face protection.

Response:

P314 Get medical advice/ attention if you feel unwell. P337 + P313 If eye irritation persists: Get medical advice/

attention.

Hazardous components which must be listed on the label:

Dihydrostreptomycin sulphate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Dihydrostreptomycin sulphate	5490-27-7	STOT RE 1; H372	>= 30 - < 50
	226-823-7	(ear, Kidney, inner	
[]		ear)	
Sodium metabisulphite	7681-57-4	Acute Tox. 4; H302	>= 1 - < 3
	231-673-0	Eye Dam. 1; H318	
	016-063-00-2		

For explanation of abbreviations see section 16.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

fighting

Hazardous combustion prod: :

ucts

Carbon oxides Sulphur oxides

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Do not breathe decomposition products.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dihydrostreptomy-	5490-27-7	TWA	4 mg/m3 (OEB 1)	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

cin sulphate				
	Further information: OTO			
Sodium metabisul- phite	7681-57-4	TWA	5 mg/m3	GB EH40

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sulphur dioxide	7446-09-5	TWA	0.5 ppm 1.3 mg/m3	GB EH40
		STEL	1 ppm 2.7 mg/m3	GB EH40
		TWA	0.5 ppm 1.3 mg/m3	2017/164/EU
	Further information: Indicative			
		STEL	1 ppm 2.7 mg/m3	2017/164/EU
	Further information: Indicative			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
			16013	
Sodium metabisul- phite	Workers	Inhalation	Long-term systemic effects	225 mg/m3
	Consumers	Inhalation	Long-term systemic effects	66 mg/m3
	Consumers	Ingestion	Long-term systemic effects	8.6 mg/kg bw/dav

Predicted No Effect Concentration (PNEC)

	` ,	
Substance name	Environmental Compartment	Value
Sodium metabisulphite	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Sewage treatment plant	75 4 mg/l

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter should conform to BS EN 14387

Filter type : Combined particulates and inorganic gas/vapour type (B-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : No data available
Colour : No data available
Odour : No data available
Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition : Sulphur dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg

LD50 Oral (Mouse): 30,000 mg/kg

Sodium metabisulphite:

Acute oral toxicity : LD50 (Rat): 1,540 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium metabisulphite:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Sodium metabisulphite:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

Components:

Sodium metabisulphite:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: negative

Sodium metabisulphite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Subcutaneous Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Sodium metabisulphite:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

ment

Dihydrostreptomycin sulphate:

Effects on foetal develop: Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-foetal development

Species: Guinea pig

Application Route: Intramuscular

General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body

weight

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and

adverse effects on the offspring were detected.

Sodium metabisulphite:

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Dihydrostreptomycin sulphate:

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Dihydrostreptomycin sulphate:

Species : Guinea pig

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

LOAEL 40 mg/kg Application Route Oral Exposure time 90 d Target Organs ear

Symptoms hearing loss

Species Cat

LOAEL 100 mg/kg Application Route Oral Exposure time : 60 d Target Organs

Symptoms ataxia, hearing loss, Reduced body weight

Species Cat

LOAEL 300 mg/kg Application Route Oral Exposure time 21 d Target Organs ear

Symptoms ataxia, hearing loss, Reduced body weight

Sodium metabisulphite:

Species Rat NOAEL 110 mg/kg LOAEL 220 mg/kg : Ingestion Application Route Exposure time 104 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Dihydrostreptomycin sulphate:

General Information Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting,

Headache, hypotension

SECTION 12: Ecological information

12.1 Toxicity

Components:

Sodium metabisulphite:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 178 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 89 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 43.8 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

plants Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 33.3 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 30.8 mg/l

Exposure time: 17 h

Toxicity to fish (Chronic tox-

city)

NOEC: >= 316 mg/l Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: >= 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained :

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.02.2025

 7.0
 14.04.2025
 9374503-00011
 Date of first issue: 27.08.2021

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage

STOT RE : Specific target organ toxicity - repeated exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 11.02.2025 7.0 14.04.2025 9374503-00011 Date of first issue: 27.08.2021

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method STOT RE 1 H372 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN