according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Revision Date: SDS Number: Date of last issue: 14.08.2024 Version 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Diminazene / Phenazone Formulation

Manufacturer or supplier's details

Company : MSD

Address Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

+1-908-740-4000 Telephone

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Veterinary product Recommended use Not applicable Restrictions on use

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Skin corrosion/irritation Category 2

Specific target organ toxicity - :

single exposure (Oral)

Category 1 (Brain)

Specific target organ toxicity - : Category 1 (Brain)

repeated exposure (Oral)

GHS label elements

Hazard pictograms

Signal word Danger

Hazard statements H315 Causes skin irritation.

H370 Causes damage to organs (Brain) if swallowed.

H372 Causes damage to organs (Brain) through prolonged or

repeated exposure if swallowed.

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.08.2024

 3.0
 28.09.2024
 4834918-00011
 Date of first issue: 10.09.2019

Precautionary statements : Prevention:

P260 Do not breathe mist or vapours.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P332 + P317 If skin irritation occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diminazene	536-71-0	>= 30 - < 50
Phenazone	60-80-0	>= 5 - < 10

4. FIRST AID MEASURES

In case of eye contact

If swallowed

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

: If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel.

Get medical attention.

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Revision Date: Version SDS Number: Date of last issue: 14.08.2024 28.09.2024 4834918-00011 Date of first issue: 10.09.2019 3.0

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and Causes skin irritation.

Causes damage to organs if swallowed.

delayed

Causes damage to organs through prolonged or repeated

exposure if swallowed.

First Aid responders should pay attention to self-protection, Protection of first-aiders

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate contain-

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine this beautiful as a second to be a second to be

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diminazene	536-71-0	TWA	150 μg/m3 (OEB 2)	Internal

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Material : Particulates type

: Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow-orange

Odour : No data available

Odour Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

flammability limit

No data available Vapour pressure

Relative vapour density No data available

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions Conditions to avoid None known.

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

Acute oral toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Diminazene:

Acute toxicity (other routes of : LD50 (Rat): 663 mg/kg

administration)

Application Route: Subcutaneous

LD50 (Mouse): 258 mg/kg

Application Route: Subcutaneous

LDLo (Dog): 20 mg/kg

Application Route: Intramuscular

Phenazone:

Acute oral toxicity LD50 (Cat): 1,250 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Diminazene:

Species Rabbit Result Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Diminazene:

Genotoxicity in vitro Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test Type: Micronucleus test

Test system: Mouse Result: negative

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Revision Date: Version SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Phenazone:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Diminazene:

Effects on foetal develop-Test Type: reproductive and developmental toxicity study

ment

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 800 mg/kg body weight Developmental Toxicity: LOAEL: 800 mg/kg body weight Symptoms: Skeletal malformations, Embryo-foetal toxicity

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 400 mg/kg body weight Developmental Toxicity: NOAEL: 400 mg/kg body weight

Reproductive toxicity - As-

sessment

Experiments have shown reproductive toxicity effects on la-

boratory animals.

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

П

Phenazone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Causes damage to organs (Brain) if swallowed.

Components:

Diminazene:

Exposure routes : Oral Target Organs : Brain

Assessment : Shown to produce significant health effects in animals at con-

centrations of 1000 mg/kg bw or less.

STOT - repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Components:

Diminazene:

Exposure routes : Oral Target Organs : Brain

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Diminazene:

Species : Rat

NOAEL : 63 mg/kg

Application Route : Oral

Exposure time : 3 Months

Species: RatNOAEL: 300 mg/kgApplication Route: OralExposure time: 9 Months

Species : Dog
LOAEL : 60 mg/kg
Application Route : Oral
Exposure time : 9 Months
Target Organs : Brain, Testis
Symptoms : Disorder

Phenazone:

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

Species: DogNOAEL: 63 mg/kgApplication Route: IngestionExposure time: 6 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diminazene:

Ingestion : Target Organs: Stomach

Symptoms: Vomiting

Target Organs: Central nervous system

Symptoms: paralysis

Target Organs: Immune system

Symptoms: Fever

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Phenazone:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): >= 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1,000

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 16,900 mg/l

Exposure time: 48 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

Persistence and degradability

Components:

Phenazone:

Biodegradability : Result: Not inherently biodegradable.

Biodegradation: 50 % Exposure time: 20 d

Bioaccumulative potential

Components:

Phenazone:

Partition coefficient: n-

octanol/water

log Pow: 0.38

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

according to the Globally Harmonized System



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.08.2024 3.0 28.09.2024 4834918-00011 Date of first issue: 10.09.2019

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN