according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

SECTION 1. IDENTIFICATION

Product name : Diminazene / Phenazone Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Specific target organ toxicity

- single exposure (Oral)

Category 1 (Brain)

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (Brain)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H370 Causes damage to organs (Brain) if swallowed.

H372 Causes damage to organs (Brain) through prolonged or

repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P307 + P311 IF exposed: Call a doctor.

P332 + P313 If skin irritation occurs: Get medical attention.

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 08/14/2024 4834924-00011 Date of first issue: 09/10/2019 3.6

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diminazene	536-71-0	37.5
Phenazone	60-80-0	7

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of contact, immediately flush skin with plenty of water In case of skin contact

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Causes skin irritation.

Protection of first-aiders First Aid responders should pay attention to self-protection.

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 08/14/2024 4834924-00011 Date of first issue: 09/10/2019 3.6

Water spray Suitable extinguishing media

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diminazene	536-71-0	TWA	150 μg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

: Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow-orange

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : Oxidizing agents

No hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Method: Calculation method

Components:

Diminazene:

Acute toxicity (other routes of:

administration)

LD50 (Rat): 663 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 258 mg/kg

Application Route: Subcutaneous

LDLo (Dog): 20 mg/kg

Application Route: Intramuscular

Phenazone:

Acute oral toxicity : LD50 (Cat): 1,250 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Diminazene:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Diminazene:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test Type: Micronucleus test

Test system: Mouse Result: negative

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Phenazone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Diminazene:

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 800 mg/kg body weight Developmental Toxicity: LOAEL: 800 mg/kg body weight Symptoms: Skeletal malformations., Embryo-fetal toxicity.

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 400 mg/kg body weight Developmental Toxicity: NOAEL: 400 mg/kg body weight

Reproductive toxicity - As-

sessment

Experiments have shown reproductive toxicity effects on

laboratory animals.

Phenazone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Causes damage to organs (Brain) if swallowed.

Components:

Diminazene:

Routes of exposure : Oral Target Organs : Brain

Assessment : Shown to produce significant health effects in animals at con-

centrations of 1000 mg/kg bw or less.

STOT-repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Components:

Diminazene:

Routes of exposure : Oral Target Organs : Brain

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Diminazene:

Species : Rat
NOAEL : 63 mg/kg
Application Route : Oral
Exposure time : 3 Months

Species : Rat

NOAEL : 300 mg/kg Application Route : Oral Exposure time : 9 Months

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Species : Dog
LOAEL : 60 mg/kg
Application Route : Oral
Exposure time : 9 Months
Target Organs : Brain, Testis
Symptoms : Disorder

Phenazone:

Species : Dog
NOAEL : 63 mg/kg
Application Route : Ingestion
Exposure time : 6 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diminazene:

Ingestion : Target Organs: Stomach

Symptoms: Vomiting

Target Organs: Central nervous system

Symptoms: paralysis

Target Organs: Immune system

Symptoms: Fever

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Phenazone:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): >= 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1,000

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 100 mg/l

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 16,900 mg/l

Exposure time: 48 h

Persistence and degradability

Components:

Phenazone:

Biodegradability : Result: Not inherently biodegradable.

Biodegradation: 50 % Exposure time: 20 d

Bioaccumulative potential

Components:

Phenazone:

Partition coefficient: n-

octanol/water

log Pow: 0.38

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

 Water
 7732-18-5

 Diminazene
 536-71-0

 Phenazone
 60-80-0

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information


according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 3.6 08/14/2024 4834924-00011 Date of first issue: 09/10/2019

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act

according to the OSHA Hazard Communication Standard



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 08/14/2024 4834924-00011 Date of first issue: 09/10/2019 3.6

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 08/14/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8