

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Embutramide / Mebezonium / Tetracaine Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

**GHS label elements**

Hazard pictograms :



Signal word : Danger

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

Hazard statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H360D May damage the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

# Embutramide / Mebezonium / Tetracaine Formulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 1714267-00024      Date of last issue: 2024/12/04  
 Date of first issue: 2017/05/25

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylformamide	68-12-2	$\geq 30$ - $< 60$
Embutramide	15687-14-6	$\geq 20$ - $< 25$
Mebezonium iodide	7681-78-9	$< 10$
tetracaine hydrochloride	136-47-0	$< 1$

## 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye irritation. May cause drowsiness or dizziness. May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire.

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	2025/04/14	1714267-00024	2024/12/04
			Date of first issue: 2017/05/25

---

Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# Embutramide / Mebezonium / Tetracaine For- mulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 1714267-00024      Date of last issue: 2024/12/04  
Date of first issue: 2017/05/25

## 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	NAB	10 ppm 30 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals, Skin				
		TWA	5 ppm	ACGIH
Embutramide	15687-14-6	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		STEL	30 µg/m <sup>3</sup>	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
		STEL	3 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

# Embutramide / Mebezonium / Tetracaine Formulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 1714267-00024      Date of last issue: 2024/12/04  
Date of first issue: 2017/05/25

tetracaine hydrochloride	136-47-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: DSEN, Skin			
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	Total N-Methylformamide	Urine	End of shift (As soon as possible after exposure ceases)	30 mg/l	ACGIH BEI
		N-Acetyl-S-(N-methylcarbamoyl) cysteine	Urine	End of shift at end of work-week	30 mg/l	ACGIH BEI

## Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, ammonia/amines and organic vapour type

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

## Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : 5 - 6

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 81 °C

Evaporation rate : No data available

**Embutramide / Mebezonium / Tetracaine Formulation**

Version 6.0	Revision Date: 2025/04/14	SDS Number: 1714267-00024	Date of last issue: 2024/12/04 Date of first issue: 2017/05/25
----------------	------------------------------	------------------------------	---

---

Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: Not applicable
Particle characteristics Particle size	: Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.



**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed, in contact with skin or if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,590 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 19.41 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1,942 mg/kg  
Method: Calculation method

**Components:****N,N-Dimethylformamide:**

Acute oral toxicity : LD50 (Rat): 3,010 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Embutramide:**

Acute oral toxicity : LD50 (Rat): 1,550 mg/kg

Acute toxicity (other routes of administration) : LD50 (Dog): 31 mg/kg  
Application Route: Intravenous

TDLo (Dog): 15.5 mg/kg

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

Application Route: Intravenous  
Symptoms: narcosis

LD50 (Horse): 20 mg/kg  
Application Route: Intravenous

LD50 (sheep): 80 mg/kg  
Application Route: Intravenous

LD50 (Pig): 100 mg/kg  
Application Route: Intravenous

**Mebezonium iodide:**

Acute oral toxicity : LD50 (Rat, female): 200 - 300 mg/kg

Acute toxicity (other routes of administration) : LC50 (Dog): 15 mg/kg  
Application Route: Intravenous

**tetracaine hydrochloride:**

Acute toxicity (other routes of administration) : LD50 (Rat): 6 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 6 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****N,N-Dimethylformamide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

**Respiratory sensitisation**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

**tetracaine hydrochloride:**

Exposure routes	:	Dermal
Result	:	Sensitiser

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
	Genotoxicity in vivo	:
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat Application Route: inhalation (vapour) Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Intraperitoneal injection Result: negative

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

**tetracaine hydrochloride:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative
	:	Test Type: Chromosomal aberration
	:	Result: equivocal
Genotoxicity in vivo	:	Test Type: Micronucleus test
	:	Species: Rat
	:	Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 451
Result	:	negative

Species	:	Mouse
Application Route	:	inhalation (vapour)
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451
Result	:	negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****N,N-Dimethylformamide:**

Effects on fertility	:	Test Type: Two-generation study
	:	Species: Mouse
	:	Application Route: Ingestion
	:	Result: negative
	:	Test Type: One-generation reproduction toxicity study
	:	Species: Rat
	:	Application Route: Skin contact
	:	Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development
	:	Species: Rabbit
	:	Application Route: inhalation (vapour)
	:	Method: OECD Test Guideline 414
	:	Result: positive

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	2025/04/14	1714267-00024	2024/12/04
			Date of first issue: 2017/05/25

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Skin contact  
Method: OECD Test Guideline 414  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**tetracaine hydrochloride:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Subcutaneous  
Fertility: NOAEL: 7.5 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 5 mg/kg body weight  
Result: No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:****Embutramide:**

Assessment : May cause drowsiness or dizziness.

**Mebezonium iodide:**

Target Organs : Nervous system, muscle  
Assessment : May cause damage to organs.

**tetracaine hydrochloride:**

Target Organs : Central nervous system, Cardio-vascular system  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

Not classified based on available information.

**Embutramide / Mebezonium / Tetracaine For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

**Repeated dose toxicity****Components:****N,N-Dimethylformamide:**

Species	: Rat
NOAEL	: 238 mg/kg
LOAEL	: 475 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 0.08 mg/l
LOAEL	: 0.3 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Embutramide:**

Inhalation	: Target Organs: Central nervous system Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath
------------	---

**Mebezonium iodide:**

Inhalation	: Symptoms: Weakness, Fatigue, Breathing difficulties
------------	---

**tetracaine hydrochloride:**

Inhalation	: Target Organs: Cardio-vascular system Target Organs: Central nervous system Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting
Skin contact	: Symptoms: Redness, pruritis

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****N,N-Dimethylformamide:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 7,100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 13,100 mg/l Exposure time: 48 h

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,500 mg/l  
Exposure time: 21 d

**Embutramide:**

Toxicity to fish : LC50 : 21 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 24 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****N,N-Dimethylformamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301E

**Bioaccumulative potential****Components:****N,N-Dimethylformamide:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.3 - 1.2  
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: -0.93  
Remarks: Calculation

**Mobility in soil**

No data available

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable



**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : N,N-Dimethylformamide

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use	: N,N-Dimethylformamide
Prohibited substances	: Not applicable
Restricted substances	: Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS	: not determined
DSL	: not determined
IECSC	: not determined

---

**16. OTHER INFORMATION**

Revision Date : 2025/04/14

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Embutramide / Mebezonium / Tetracaine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

## Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/12/04
6.0	2025/04/14	1714267-00024	Date of first issue: 2017/05/25

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN