

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

SECTION 1. IDENTIFICATION

Product name : Embutramide / Mebezonium / Tetracaine Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Eye irritation : Category 2A
Reproductive toxicity : Category 1B
Specific target organ toxicity : Category 2 (Nervous system, muscle)
- single exposure
Specific target organ toxicity : Category 3
- single exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H227 Combustible liquid.
H302 + H312 + H332 Harmful if swallowed, in contact with skin
or if inhaled.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360D May damage the unborn child.
H371 May cause damage to organs (Nervous system, muscle).

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, sparks, open flame and hot surfaces. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a doctor.
P308 + P313 IF exposed or concerned: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version 5.3 Revision Date: 08/27/2024 SDS Number: 1714276-00021 Date of last issue: 09/30/2023
Date of first issue: 05/25/2017

N,N-Dimethylformamide	68-12-2	$\geq 50 - < 70$
Embutramide	15687-14-6	$\geq 20 - < 30$
Mebezonium iodide	7681-78-9	$\geq 5 - < 10$
tetracaine hydrochloride	136-47-0	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage the unborn child.
May cause damage to organs.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

- Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version 5.3 Revision Date: 08/27/2024 SDS Number: 1714276-00021 Date of last issue: 09/30/2023
Date of first issue: 05/25/2017

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	TWA	5 ppm	ACGIH
		TWA	10 ppm 30 mg/m ³	NIOSH REL
		TWA	10 ppm 30 mg/m ³	OSHA Z-1
Embutramide	15687-14-6	TWA	10 µg/m ³ (OEB 3)	Internal
		STEL	30 µg/m ³	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m ³ (OEB 4)	Internal
		STEL	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
tetracaine hydrochloride	136-47-0	TWA	5 µg/m ³ (OEB 4)	Internal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version 5.3 Revision Date: 08/27/2024 SDS Number: 1714276-00021 Date of last issue: 09/30/2023
Date of first issue: 05/25/2017

Further information: DSEN, Skin			
	Wipe limit	50 µg/100 cm²	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N,N-Dimethylformamide	68-12-2	Total N-Methylforma- mide	Urine	End of shift (As soon as possible after exposure ceases)	30 mg/l	ACGIH BEI
		N-Acetyl-S- (N- methylcarba- moyl) cysteine	Urine	End of shift at end of work- week	30 mg/l	ACGIH BEI

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions,

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Skin and body protection	: mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: 5 - 6
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 178 °F / 81 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable

Other information

Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version 5.3	Revision Date: 08/27/2024	SDS Number: 1714276-00021	Date of last issue: 09/30/2023 Date of first issue: 05/25/2017
----------------	------------------------------	------------------------------	---

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Combustible liquid.
Vapors may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin contact

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Ingestion
Eye contact

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,224 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 19.41 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1,942 mg/kg
Method: Calculation method

Components:

N,N-Dimethylformamide:

Acute oral toxicity : LD50 (Rat): 3,010 mg/kg

Acute inhalation toxicity :
Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment
Remarks: Based on national or regional regulation.

Acute dermal toxicity :
Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgment
Remarks: Based on national or regional regulation.

Embutramide:

Acute oral toxicity : LD50 (Rat): 1,550 mg/kg

Acute toxicity (other routes of administration) : LD50 (Dog): 31 mg/kg
Application Route: Intravenous

TDLo (Dog): 15.5 mg/kg
Application Route: Intravenous
Symptoms: narcosis

LD50 (Horse): 20 mg/kg
Application Route: Intravenous

LD50 (sheep): 80 mg/kg
Application Route: Intravenous

LD50 (Pig): 100 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Application Route: Intravenous

Mebezonium iodide:

Acute oral toxicity : LD50 (Rat, female): 200 - 300 mg/kg

Acute toxicity (other routes of administration) : LC50 (Dog): 15 mg/kg
Application Route: Intravenous

tetracaine hydrochloride:

Acute toxicity (other routes of administration) : LD50 (Rat): 6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 6 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

N,N-Dimethylformamide:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

tetracaine hydrochloride:

Routes of exposure : Dermal
Result : Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: inhalation (vapor)
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

tetracaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Carcinogenicity

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 451
Result	:	negative

Species	:	Mouse
Application Route	:	inhalation (vapor)
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451
Result	:	negative

IARC	Group 2A: Probably carcinogenic to humans N,N-Dimethylformamide	68-12-2
-------------	--	---------

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
------------	--

Reproductive toxicity

May damage the unborn child.

Components:

N,N-Dimethylformamide:

Effects on fertility	:	Test Type: Two-generation study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	---

	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
--	---	--

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: inhalation (vapor) Method: OECD Test Guideline 414 Result: positive
------------------------------	---	--

	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: Skin contact
--	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

tetracaine hydrochloride:

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
Application Route: Subcutaneous
Fertility: NOAEL: 7.5 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 5 mg/kg body weight
Result: No teratogenic effects.

Test Type: Development
Species: Rabbit
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects.

STOT-single exposure

May cause drowsiness or dizziness.
May cause damage to organs (Nervous system, muscle).

Components:

Embutramide:

Assessment : May cause drowsiness or dizziness.

Mebezonium iodide:

Target Organs : Nervous system, muscle
Assessment : May cause damage to organs.

tetracaine hydrochloride:

Target Organs : Central nervous system, Cardio-vascular system
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Repeated dose toxicity

Components:

N,N-Dimethylformamide:

Species	:	Rat
NOAEL	:	238 mg/kg
LOAEL	:	475 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Species	:	Rat
NOAEL	:	0.08 mg/l
LOAEL	:	0.3 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Embutramide:

Inhalation	:	Target Organs: Central nervous system Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath
------------	---	--

Mebezonium iodide:

Inhalation	:	Symptoms: Weakness, Fatigue, Breathing difficulties
------------	---	---

tetracaine hydrochloride:

Inhalation	:	Target Organs: Cardio-vascular system Target Organs: Central nervous system Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting
Skin contact	:	Symptoms: Redness, pruritis

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N,N-Dimethylformamide:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 7,100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 13,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,500 mg/l
Exposure time: 21 d

Embutramide:

Toxicity to fish : LC50 : 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 24 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

Persistence and degradability

Components:

N,N-Dimethylformamide:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 21 d
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

N,N-Dimethylformamide:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.3 - 1.2
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: -0.93
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (N,N-Dimethylformamide)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	no
Remarks	:	THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine For- mulation

Version 5.3 Revision Date: 08/27/2024 SDS Number: 1714276-00021 Date of last issue: 09/30/2023
Date of first issue: 05/25/2017

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
N,N-Dimethylformamide	68-12-2	100	176

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels
established by SARA Title III, Section 313:

N,N-Dimethylformamide	68-12-2	>= 50 - < 70 %
-----------------------	---------	----------------

US State Regulations

Pennsylvania Right To Know

N,N-Dimethylformamide	68-12-2
Embutramide	15687-14-6
Water	7732-18-5
Mebezonium iodide	7681-78-9

California Prop. 65

WARNING: This product can expose you to chemicals including N,N-Dimethylformamide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

N,N-Dimethylformamide	68-12-2
-----------------------	---------

California Permissible Exposure Limits for Chemical Contaminants

N,N-Dimethylformamide	68-12-2
-----------------------	---------

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemi-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
5.3	08/27/2024	1714276-00021	Date of first issue: 05/25/2017

icals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 08/27/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8