according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

#### **SECTION 1. IDENTIFICATION**

Product name : Enramycin Formulation Other means of identification : No data available

## Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

## Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Combustible dust : Category 1

**GHS** label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Talc	Talc (Mg3H2(SiO3)4)	14807-96-6	>= 80 - <= 100 *
ENRAMYCIN B	No data availa- ble	34304-21-7	>= 5 - < 10 *

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

: Contact with dust can cause mechanical irritation or drying of

and effects, both acute and

the skin.

Dust contact with the eyes can lead to mechanical irritation.

delayed
Protection of first-aiders

No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

emove undamaged containers nom me area

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling

Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc	14807-96-6	TWAEV (respirable dust)	2 mg/m³	CA QC OEL
		TWA (Respirable particulates)	2 mg/m³	CA AB OEL
		TWA (Respirable)	2 mg/m³	CA BC OEL

according to the Hazardous Products Regulations



# **Enramycin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 4.1
 09/26/2023
 24576-00022
 Date of first issue: 10/22/2014

		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m³	CA ON OEL
		TWA (Respirable particulate matter)	2 mg/m³	ACGIH
ENRAMYCIN B	34304-21-7	TWA	5 mg/m3 (OEB 1)	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : light brown

Odor : characteristic

Odor Threshold : No data available

pH : 5 - 8.5

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : Dust can form an explosive mixture in air.

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

tions

Conditions to avoid : Avoid dust formation.

Incompatible materials : None.

Hazardous decomposition : No hazardous decomposition products are known.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

### **Components:**

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

**ENRAMYCIN B:** 

Acute oral toxicity : LD50 (Mouse): > 5,000 mg/kg

LD50 (Rat): > 10,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

# **Components:**

Talc:

Species : Rabbit

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

Talc:

Species : Rabbit

Result : No eye irritation

**ENRAMYCIN B:** 

Species : Rabbit

Result : No eye irritation

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

#### Components:

Talc:

Routes of exposure : Skin contact Species : Humans Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Talc:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Species: Rat

Application Route: Ingestion

Result: negative

**ENRAMYCIN B:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

## Carcinogenicity

Not classified based on available information.

### Components:

Talc:

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years
Result : negative

#### Reproductive toxicity

Not classified based on available information.

### Components:

Talc:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

**Application Route: Ingestion** 

Result: negative

## STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### **Components:**

### **ENRAMYCIN B:**

Species : Rat

NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 6 Months

## **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### Components:

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l

Exposure time: 24 h

**ENRAMYCIN B:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 18 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.96

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.083 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.045 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 438.5 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

EC10: 0.045 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

## Persistence and degradability

**Components:** 

**ENRAMYCIN B:** 

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Bioaccumulative potential

No data available

Mobility in soil
No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 4.1 09/26/2023 24576-00022 Date of first issue: 10/22/2014

Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(ENRAMYCIN B)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**TDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(ENRAMYCIN B)

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

according to the Hazardous Products Regulations



# **Enramycin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 4.1
 09/26/2023
 24576-00022
 Date of first issue: 10/22/2014

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

according to the Hazardous Products Regulations



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 03/20/2023 09/26/2023 24576-00022 Date of first issue: 10/22/2014 4.1

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

**Revision Date** 09/26/2023 Date format mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8