according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

### **SECTION 1. IDENTIFICATION**

Product name : Estradiol (with Peanut Oil) Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity

- repeated exposure

: Category 1 (Liver, Bone, Blood, Endocrine system)

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H319 Causes serious eye irritation.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Liver, Bone, Blood, Endocrine

system) through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention.

#### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Peanut oil	No data availa- ble	8002-03-7	>= 80 - <= 100 *
Benzyl alcohol	Benzenemetha- nol	100-51-6	>= 10 - < 30 *
Estradiol	No data availa- ble	50-28-2	>= 0.1 - < 1 *

Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes serious eye irritation.
May cause cancer.

May damage fertility. May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Peanut oil	8002-03-7	TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL	
Estradiol	50-28-2	TWA	0.05 μg/m3 (OEB 5)	Internal	
	Further information: Skin				

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Wipe limit 0.5 μg/100 cm<sup>2</sup> Internal

**Engineering measures** : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into

the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type

Material

Hand protection

: Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aqueous solution

Color : yellow

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.920 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 4150759-00011 Date of first issue: 04/15/2019 1.10

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

: Acute toxicity estimate: > 5 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

### **Components:**

Peanut oil:

Acute oral toxicity LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

#### **Estradiol:**

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of : LD50 (Rat): > 300 mg/kg

administration) Application Route: Subcutaneous

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

Peanut oil:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

Peanut oil:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

**Estradiol:** 

Result : No eye irritation

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

### **Components:**

## Benzyl alcohol:

Test Type : Maximization Test Routes of exposure : Skin contact

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

**Estradiol:** 

Routes of exposure : Skin contact Species : Guinea pig

Assessment : Does not cause skin sensitization.

Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Peanut oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

. Application Route: Intraperitoneal injection

Result: negative

**Estradiol:** 

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: mammalian cells

Result: positive

Test Type: Chromosome aberration test in vitro

Test system: mammalian cells

Result: positive

Test Type: Chromosomal aberration Test system: mammalian cells

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow

Result: negative

Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Result: negative

Carcinogenicity

May cause cancer.

**Components:** 

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

**Estradiol:** 

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
LOAEL : 100 µg/kg
Result : positive

Target Organs : female reproductive organs

Species : Rat

Application Route : Subcutaneous Exposure time : 13 weeks

LOAEL : 20 mg/kg body weight

Result : positive

Target Organs : Endocrine system

Carcinogenicity - Assess-

ment

: Positive evidence from human epidemiological studies

### Reproductive toxicity

May damage fertility. May damage the unborn child.

**Components:** 

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

**Estradiol:** 

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Fertility: LOAEL: 0.5 mg/kg body weight

Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study

Species: Rat

Duration of Single Treatment: 90 d Fertility: LOAEL: 0.69 mg/kg body weight

Result: Effects on fertility.

Test Type: Two-generation study

Species: Mouse Application Route: Oral

Fertility: LOAEL: 0.1 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse, female

Application Route: Subcutaneous

Teratogenicity: LOAEL: 4 mg/kg body weight Symptoms: Malformations were observed. Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Subcutaneous

Teratogenicity: LOAEL: 2.5 µg/kg body weight

Symptoms: Reduced body weight

Result: positive, Embryotoxic effects and adverse effects on

the offspring were detected.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.2 mg/kg body weight Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight Result: Embryotoxic effects and adverse effects on the

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - As-

sessment

May damage fertility. May damage the unborn child.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

#### Components:

### **Estradiol:**

Target Organs : Liver, Bone, Blood, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

#### Repeated dose toxicity

### **Components:**

### Benzyl alcohol:

Species : Rat

NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

**Estradiol:** 

Species : Rat

LOAEL : >= 0.17 mg/kg
Application Route : Ingestion
Exposure time : 90 d

Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone,

Endocrine system, Blood, Testis

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

**Estradiol:** 

Inhalation : Symptoms: tingling, Nose bleeding

Skin contact : Symptoms: Skin irritation, Redness, pruritis

Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizzi-

ness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irreg-

ularities

### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

### Components:

Peanut oil:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

according to the Hazardous Products Regulations



# Estradiol (with Peanut Oil) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 4150759-00011 Date of first issue: 04/15/2019 1.10

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

**Estradiol:** 

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.7 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l

Exposure time: 160 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.2 mg/l

Exposure time: 21 d

Toxicity to microorganisms EC50: > 100 mg/lExposure time: 3 h

> Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 100 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 4150759-00011 Date of first issue: 04/15/2019 1.10

Persistence and degradability

**Components:** 

Benzyl alcohol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

**Estradiol:** 

Biodegradability Result: rapidly degradable

> Biodegradation: 84 % Exposure time: 24 hrs

Bioaccumulative potential

**Components:** 

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

**Estradiol:** 

Partition coefficient: n-

octanol/water

log Pow: 4.01

Mobility in soil

**Components:** 

**Estradiol:** 

Distribution among environ-

mental compartments

: log Koc: 3.81

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

UN number UN 3082

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**TDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Estradiol, 2,6-Di-tert-butyl-p-cresol)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

according to the Hazardous Products Regulations



# **Estradiol (with Peanut Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.10 09/30/2023 4150759-00011 Date of first issue: 04/15/2019

compile the Material Safety

**Data Sheet** 

eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8