

**Ethion Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.3                10/01/2022                10597660-00005            Date of first issue: 01/28/2022

---

**SECTION 1. IDENTIFICATION**

Product name                                : Ethion Formulation

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                       : 1-908-423-6000  
E-mail address                               : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                          : Pharmaceutical

Restrictions on use                         : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral)                        : Category 2  
Acute toxicity (Inhalation)                 : Category 3  
Acute toxicity (Dermal)                     : Category 2  
Serious eye damage                         : Category 1  
Specific target organ toxicity               : Category 1 (Central nervous system)  
- single exposure  
Specific target organ toxicity               : Category 1 (Central nervous system)  
- repeated exposure

**GHS label elements**

Hazard pictograms                         : 

Signal Word                                 : Danger

Hazard Statements                         : H300 + H310 Fatal if swallowed or in contact with skin.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H370 Causes damage to organs (Central nervous system).  
H372 Causes damage to organs (Central nervous system)  
through prolonged or repeated exposure.

Precautionary Statements                : **Prevention:**  
P260 Do not breathe mist or vapors.

---

**Ethion Formulation**

Version 2.3      Revision Date: 10/01/2022      SDS Number: 10597660-00005      Date of last issue: 04/09/2022  
Date of first issue: 01/28/2022

---

P262 Do not get in eyes, on skin, or on clothing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER. Rinse mouth.  
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P307 + P311 IF exposed: Call a doctor.  
P352 + P310 Wash with plenty of soap and water. Immediately call a POISON CENTER.  
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Ethion	563-12-2	87.38
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	3.79

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

---

## Ethion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

- for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Destroy contaminated shoes.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Fatal if swallowed or in contact with skin.  
Causes serious eye damage.  
Toxic if inhaled.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulfur oxides  
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

## Ethion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable liquids  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures

## Ethion Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 10597660-00005      Date of last issue: 04/09/2022  
 Date of first issue: 01/28/2022

Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethion	563-12-2	TWA	4 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	40 µg/100 cm <sup>2</sup>	Internal
		TWA (Inhalable fraction and vapor)	0.05 mg/m <sup>3</sup>	ACGIH
		TWA	0.4 mg/m <sup>3</sup>	NIOSH REL

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- 

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available
- Relative density : No data available
- Density : No data available

**Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Fatal if swallowed or in contact with skin.  
Toxic if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 14.87 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 0.515 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

---

## Ethion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

Acute dermal toxicity : Acute toxicity estimate: 70.95 mg/kg  
Method: Calculation method

### **Components:**

#### **Ethion:**

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.450 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

#### **Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 3,340 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Ethion:**

Species : Rabbit  
Result : Mild skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **Ethion:**

Result : No eye irritation

#### **Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

Result : Irreversible effects on the eye

#### **Respiratory or skin sensitization**

##### **Skin sensitization**

Not classified based on available information.

##### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Ethion:**

Routes of exposure : Skin contact  
Species : Guinea pig



## Ethion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethion:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

Test Type: In vivo micronucleus test  
Species: Mouse  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Ethion:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 Months  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## Ethion Formulation

Version 2.3	Revision Date: 10/01/2022	SDS Number: 10597660-00005	Date of last issue: 04/09/2022 Date of first issue: 01/28/2022
----------------	------------------------------	-------------------------------	---

---

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **Ethion:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Causes damage to organs (Central nervous system).

#### Components:

##### **Ethion:**

Assessment : Causes damage to organs.

### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

#### Components:

##### **Ethion:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Ethion:**

Species : Dog  
NOAEL : 0.05 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Aspiration toxicity

Not classified based on available information.

**Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

**Experience with human exposure****Components:****Ethion:**Ingestion : Symptoms: Blurred vision, Dizziness, Headache

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ethion:**Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 hToxicity to daphnia and other : EC50: 0.056 - 7.7 µg/l  
aquatic invertebrates Exposure time: 48 h**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**Toxicity to fish : LC50: > 1 - 10 mg/l  
Exposure time: 96 hToxicity to daphnia and other : EC50 (Daphnia sp. (Water flea)): > 1 - 10 mg/l  
aquatic invertebrates Exposure time: 48 hToxicity to algae/aquatic : EC50: > 1 - 10 mg/l  
plants Exposure time: 72 hToxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1  
icity) mg/l  
Exposure time: 30 d  
Remarks: Based on data from similar materialsToxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Remarks: Based on data from similar materials**Persistence and degradability****Components:****Ethion:**

Biodegradability : Result: not rapidly degradable

**Alcohols, C11-14-iso-, C13-rich, ethoxylated:**

Biodegradability : Result: Readily biodegradable.

## Ethion Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 10597660-00005      Date of last issue: 04/09/2022  
Date of first issue: 01/28/2022

---

### Bioaccumulative potential

#### Components:

##### **Ethion:**

Partition coefficient: n-octanol/water : log Pow: 5.07

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion)  
Class : 6.1  
Packing group : II  
Labels : 6.1

#### **IATA-DGR**

UN/ID No. : UN 2810  
Proper shipping name : Toxic liquid, organic, n.o.s.  
(Ethion)  
Class : 6.1  
Packing group : II  
Labels : Toxic  
Packing instruction (cargo aircraft) : 662  
Packing instruction (passenger aircraft) : 654

#### **IMDG-Code**

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion)  
Class : 6.1  
Packing group : II  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

# SAFETY DATA SHEET



## Ethion Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 10597660-00005      Date of last issue: 04/09/2022  
Date of first issue: 01/28/2022

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 2810  
Proper shipping name : Toxic, liquids, organic, n.o.s.  
(Ethion)  
Class : 6.1  
Packing group : II  
Labels : TOXIC  
ERG Code : 153  
Marine pollutant : yes(Ethion)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethion	563-12-2	10	11

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethion	563-12-2	10	11

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
Ethion	563-12-2	1000

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Ethion 563-12-2  
Water 7732-18-5  
Alcohols, C11-14-iso-, C13-rich, ethoxylated 78330-21-9

#### California List of Hazardous Substances

Ethion 563-12-2

## Ethion Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 10597660-00005      Date of last issue: 04/09/2022  
 Date of first issue: 01/28/2022


**California Permissible Exposure Limits for Chemical Contaminants**

Ethion

563-12-2

**The ingredients of this product are reported in the following inventories:**

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>	*	<b>4</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals

## Ethion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	10597660-00005	Date of first issue: 01/28/2022

---

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8