

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

SECTION 1. IDENTIFICATION

Product name : Florfenicol Liquid Formulation
Other means of identification : NUFLOR LA INJECTABLE SOLUTION (52201)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2
Eye irritation : Category 2A
Reproductive toxicity : Category 1B
Specific target organ toxicity - single exposure : Category 3
Specific target organ toxicity - repeated exposure : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version 8.0 Revision Date: 11/30/2023 SDS Number: 26263-00025 Date of last issue: 09/29/2023
Date of first issue: 10/29/2014

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical attention.
P332 + P313 If skin irritation occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Florfenicol	No data available	73231-34-2	$\geq 30 - < 60$ *
N-Methyl-2-pyrrolidone	1-Methylpyrrolidinone	872-50-4	$\geq 10 - < 30$ *
Propylene glycol	1,2-Propanediol	57-55-6	$\geq 10 - < 30$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version 8.0 Revision Date: 11/30/2023 SDS Number: 26263-00025 Date of last issue: 09/29/2023
Date of first issue: 10/29/2014

Materials to avoid : Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
: Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal
N-Methyl-2-pyrrolidone	872-50-4	TWA	400 mg/m ³	CA ON OEL
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aerosol)	10 mg/m ³	CA ON OEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection : Chemical-resistant gloves

Material :

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution
Color	: gold
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Florfenicol:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg
LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 100 mg/kg
Application Route: Intravenous

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Florfenicol:

Species : Rabbit
Result : No skin irritation

N-Methyl-2-pyrrolidone:

Result : Skin irritation

Propylene glycol:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Florfenicol:

Species	:	Rabbit
Result	:	Mild eye irritation

N-Methyl-2-pyrrolidone:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Florfenicol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

N-Methyl-2-pyrrolidone:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Hamster Application Route: Ingestion Method: OECD Test Guideline 475

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Result: negative

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Florfenicol:

Species : Rat
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Liver, Testes

Species : Mouse
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Testes, Blood

N-Methyl-2-pyrrolidone:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : inhalation (vapor)
Exposure time : 2 Years
Result : negative

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Florfenicol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight Result: No teratogenic effects., Fetotoxicity. Remarks: The effects were seen only at maternally toxic doses. Test Type: Embryo-fetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

N-Methyl-2-pyrrolidone:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive Test Type: Fertility/early embryonic development Species: Rat Application Route: inhalation (vapor) Result: positive Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

	Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

Propylene glycol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------	---

STOT-single exposure

May cause respiratory irritation.

Components:

N-Methyl-2-pyrrolidone:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT-repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs	: Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Florfenicol:

Species	: Dog
NOAEL	: 3 mg/kg
Exposure time	: 13 Weeks
Target Organs	: Liver, Testis, Brain, Spinal cord

Species	: Mouse
NOAEL	: 200 mg/kg
Exposure time	: 13 Weeks
Target Organs	: Liver, Testis

Species	: Rat
NOAEL	: 30 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

Exposure time	: 13 Weeks
Target Organs	: Liver, Testis

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: 12 mg/kg
Exposure time	: 52 Weeks
Target Organs	: Liver, gallbladder

Species	: Rat
NOAEL	: 1 mg/kg
LOAEL	: 3 mg/kg
Exposure time	: 52 Weeks
Target Organs	: Testis

N-Methyl-2-pyrrolidone:

Species	: Rat, male
NOAEL	: 169 mg/kg
LOAEL	: 433 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Species	: Rat
NOAEL	: 0.5 mg/l
LOAEL	: 1 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 96 Days
Method	: OECD Test Guideline 413

Species	: Rabbit
NOAEL	: 826 mg/kg
LOAEL	: 1,653 mg/kg
Application Route	: Skin contact
Exposure time	: 20 Days

Propylene glycol:

Species	: Rat, male
NOAEL	: >= 1,700 mg/kg
Application Route	: Ingestion
Exposure time	: 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact	: Symptoms: Skin irritation
--------------	-----------------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Florfenicol:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11 LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01 NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01 IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253 NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l Exposure time: 72 h Method: ISO 10253 EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

	EC50 (Anabaena flos-aquae): 0.066 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae): 0.051 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

N-Methyl-2-pyrrolidone:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: DIN 38412
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 12.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 600 mg/l Exposure time: 30 min Method: ISO 8192

Propylene glycol:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

|| Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

N-Methyl-2-pyrrolidone:

|| Biodegradability : Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Propylene glycol:

|| Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Florfenicol:

|| Partition coefficient: n-octanol/water : log Pow: 0.373
pH: 7

N-Methyl-2-pyrrolidone:

|| Partition coefficient: n-octanol/water : log Pow: -0.46
Method: OECD Test Guideline 107

Propylene glycol:

|| Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

Components:

Florfenicol:

|| Distribution among environmental compartments : Koc: 52
Method: FDA 3.08

Other adverse effects

No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | |
|------------------------|---|
| Waste from residues | : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | |
|---------------------------|--|
| UN number | : UN 3082 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol) |
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| Environmentally hazardous | : yes |

IATA-DGR

- | | |
|--|--|
| UN/ID No. | : UN 3082 |
| Proper shipping name | : Environmentally hazardous substance, liquid, n.o.s.
(Florfenicol) |
| Class | : 9 |
| Packing group | : III |
| Labels | : Miscellaneous |
| Packing instruction (cargo aircraft) | : 964 |
| Packing instruction (passenger aircraft) | : 964 |
| Environmentally hazardous | : yes |

IMDG-Code

- | | |
|----------------------|--|
| UN number | : UN 3082 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol) |
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| EmS Code | : F-A, S-F |
| Marine pollutant | : yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

- | | |
|----------------------|--|
| UN number | : UN 3082 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

	N.O.S. (Florfenicol)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Florfenicol)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
CA ON OEL	: Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA ON OEL / TWA	: Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
8.0	11/30/2023	26263-00025	Date of first issue: 10/29/2014

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/30/2023
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8