

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

### SECTION 1. IDENTIFICATION

Product name : Florfenicol Premix Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version 6.1      Revision Date: 09/30/2023      SDS Number: 437319-00020      Date of last issue: 04/04/2023  
Date of first issue: 01/06/2016

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Calcium carbonate	Carbonic acid calcium salt	471-34-1	$\geq 80 - \leq 100$ *
Florfenicol	No data available	73231-34-2	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version 6.1      Revision Date: 09/30/2023      SDS Number: 437319-00020      Date of last issue: 04/04/2023  
Date of first issue: 01/06/2016

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup> (Calcium carbonate)	CA AB OEL
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version 6.1      Revision Date: 09/30/2023      SDS Number: 437319-00020      Date of last issue: 04/04/2023  
Date of first issue: 01/06/2016

		STEL	20 mg/m <sup>3</sup>	CA BC OEL
Florfenicol	73231-34-2	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection**

**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

**Color** : white

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Calcium carbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Florfenicol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg  
LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg  
Application Route: Intraperitoneal

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

---

LD50 (Mouse): 100 mg/kg  
Application Route: Intravenous

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Calcium carbonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### Florfenicol:

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Calcium carbonate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

##### Florfenicol:

Species	:	Rabbit
Result	:	Mild eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Calcium carbonate:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative

##### Florfenicol:

Test Type	:	Maximization Test
-----------	---	-------------------



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Calcium carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

#### Florfenicol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Florfenicol:

Species : Rat  
Application Route : oral (gavage)  
Exposure time : 2 Years

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Result : negative  
Target Organs : Liver, Testes

Species : Mouse  
Application Route : oral (gavage)  
Exposure time : 2 Years  
Result : negative  
Target Organs : Testes, Blood

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### **Calcium carbonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

##### **Florfenicol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 12 mg/kg body weight  
Result: decreased pup survival, reduced lactation

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
General Toxicity Maternal: NOAEL: 4 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight  
Result: No teratogenic effects., Fetotoxicity.  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: 120 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

### Components:

#### Florfenicol:

Target Organs	:	Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Calcium carbonate:

Species	:	Rat
NOAEL	:	> 1,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 422

#### Florfenicol:

Species	:	Dog
NOAEL	:	3 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis, Brain, Spinal cord

Species	:	Mouse
NOAEL	:	200 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Rat
NOAEL	:	30 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	12 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Liver, gallbladder

Species	:	Rat
NOAEL	:	1 mg/kg
LOAEL	:	3 mg/kg
Exposure time	:	52 Weeks

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

Target Organs : Testis

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Calcium carbonate:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to microorganisms	: NOEC: 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209  EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

#### Florfenicol:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11  LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): > 330 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01  NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01  IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253  NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l Exposure time: 72 h Method: ISO 10253  EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l Exposure time: 7 d Method: OECD Test Guideline 221  NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l Exposure time: 7 d Method: OECD Test Guideline 221  EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  EC50 (Anabaena flos-aquae): 0.066 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Anabaena flos-aquae): 0.051 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

### Persistence and degradability

No data available

### Bioaccumulative potential

### Components:

#### Florfenicol:

Partition coefficient: n-octanol/water	:	log Pow: 0.373 pH: 7
--	---	-------------------------

### Mobility in soil

### Components:

#### Florfenicol:

Distribution among environmental compartments	:	Koc: 52 Method: FDA 3.08
---	---	-----------------------------

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

#### IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo)	:	956

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

aircraft)  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(Florfenicol)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	09/30/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.1	09/30/2023	437319-00020	Date of first issue: 01/06/2016

---

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8