

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Flunixin Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Kidney, Blood)

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

H318 Causes serious eye damage.
H331 Toxic if inhaled.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
L-Menthol	2216-51-5	>= 10 -< 25
2-Pyrrolidone	616-45-5	>= 10 -< 30
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 3 -< 10

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed.
Causes serious eye damage.
Toxic if inhaled.
May damage fertility. May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides
Fluorine compounds
Nitrogen oxides (NO _x) |
| Specific extinguishing method | : Use extinguishing measures that are appropriate to local cir- |

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/09/30	437365-00021	2023/04/04
			Date of first issue: 2016/01/28

ods

cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for firefighters Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m ³ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	400 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : red
- Odour : amine-like
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Relative density : No data available

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.
Toxic if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 638.55 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 0.6145 mg/l

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**L-Menthol:**

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg
LD50 (Mouse): 176 - 249 mg/kg
LD50 (Guinea pig): 488.3 mg/kg
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Components:**L-Menthol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

2-Pyrrolidone:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rabbit
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**L-Menthol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Method	:	OECD Test Guideline 405

2-Pyrrolidone:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**L-Menthol:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Result : negative

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**L-Menthol:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro assay
Test system: mouse lymphoma cells
Result: positive

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: positive

Test Type: in vitro assay
Test system: Escherichia coli
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**L-Menthol:**

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative
Remarks : Based on data from similar materials

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	: Rat
Application Route	: oral (feed)
Exposure time	: 104 w
LOAEL	: 2 mg/kg body weight
Result	: negative
Target Organs	: Gastrointestinal tract
Remarks	: Significant toxicity observed in testing

Species	: Mouse
Application Route	: oral (feed)
Exposure time	: 97 w
NOAEL	: 0.6 mg/kg body weight
Result	: negative
Target Organs	: Gastrointestinal tract
Remarks	: Significant toxicity observed in testing

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**L-Menthol:**

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Result: negative

2-Pyrrolidone:

Effects on fertility	: Test Type: One-generation reproduction toxicity study
	Species: Rat
	Application Route: Ingestion
	Result: positive
	Remarks: Based on data from similar materials

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Result: positive

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	--

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Oral
	General Toxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weight
	Symptoms: No foetal abnormalities

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 2 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 3 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT - single exposure

Not classified based on available information.

Components:**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Components:**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****L-Menthol:**

Species : Mouse
NOAEL : 1,250 mg/kg
Application Route : Ingestion
Exposure time : 91 Days
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

2-Pyrrolidone:

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Species	: Rat
NOAEL	: 207 mg/kg
Application Route	: Ingestion
Exposure time	: 3 Months
Method	: OECD Test Guideline 408

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	: Rat
NOAEL	: 2 mg/kg
LOAEL	: < 4 mg/kg
Application Route	: Oral
Exposure time	: 6 w
Target Organs	: Gastrointestinal tract

Species	: Rat
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Gastrointestinal tract, Kidney

Species	: Monkey
NOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Gastrointestinal tract, Blood

Species	: Rabbit
LOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Symptoms	: Severe irritation

Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Inhalation	: Symptoms: respiratory tract irritation
Skin contact	: Symptoms: Skin irritation
Eye contact	: Symptoms: Severe irritation
Ingestion	: Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/09/30	437365-00021	2023/04/04
			Date of first issue: 2016/01/28

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:**L-Menthol:**

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): 15.6 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1. |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 26.6 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2. |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): 21.4 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Desmodesmus subspicatus (green algae)): 9.65 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3. |
| Toxicity to microorganisms | : | EC50: 237 mg/l
Exposure time: 96 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209 |

2-Pyrrolidone:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l
Exposure time: 72 h |
| Toxicity to microorganisms | : | EC50: > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209 |

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

- | | | |
|------------------|---|---|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l
Exposure time: 96 h
Method: FDA 4.11 |
|------------------|---|---|

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 15 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l
plants : Exposure time: 13 d
Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 96 mg/l
Exposure time: 12 d

Persistence and degradability**Components:****L-Menthol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Stability in water : Hydrolysis: 0 %(28 d)

Bioaccumulative potential**Components:****L-Menthol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.5 - 15
Exposure time: 6 Weeks
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n- : log Pow: 3.15
octanol/water

2-Pyrrolidone:

Partition coefficient: n- : log Pow: -0.71
octanol/water : Method: OECD Test Guideline 107

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n-octanol/water : log Pow: 1.34

Mobility in soil**Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Distribution among environmental compartments : log Koc: 1.92

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

Revision Date : 2023/09/30

Further informationSources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET



Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	437365-00021	Date of first issue: 2016/01/28

ID / EN