

**Flunixin Paste Formulation**

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Flunixin Paste Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207  
Telephone : +1-908-740-4000  
Emergency telephone number : +1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

---


**2. HAZARDS IDENTIFICATION****Manufacture, Storage and Import of Hazardous Chemicals Rules 1989****Classification**

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

**GHS Classification**

Acute toxicity (Oral) : Category 4  
Serious eye damage/eye irritation : Category 1  
Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Kidney, Blood)  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H318 Causes serious eye damage.

---

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
 Date of first issue: 02.05.2016

H373 May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.  
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P280 Wear eye protection/ face protection.

**Response:**

P301 + P317 + P330 IF SWALLOWED: Get medical help.  
 Rinse mouth.  
 P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.  
 P319 Get medical help if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 5 - < 10

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	657179-00012	Date of first issue: 02.05.2016

---

Most important symptoms and effects, both acute and delayed	:	<p>Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Harmful if swallowed. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure.</p>
Protection of first-aiders	:	<p>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	:	<p>Treat symptomatically and supportively.</p>

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	<p>Water spray Alcohol-resistant foam Carbon dioxide (CO<sub>2</sub>) Dry chemical</p>
Unsuitable extinguishing media	:	<p>None known.</p>
Specific hazards during fire-fighting	:	<p>Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	:	<p>Carbon oxides Fluorine compounds Nitrogen oxides (NO<sub>x</sub>) Metal oxides</p>
Specific extinguishing methods	:	<p>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.</p>
Special protective equipment for firefighters	:	<p>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.</p>

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	<p>Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).</p>
Environmental precautions	:	<p>Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</p>
Methods and materials for containment and cleaning up	:	<p>Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding</p>

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
 Date of first issue: 02.05.2016

certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.  
 Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection

**Flunixin Paste Formulation**

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	paste
Colour	:	white to off-white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 638.55 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Remarks: Inhalation is not regarded as possible exposure

---

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

path.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg  
LD50 (Mouse): 176 - 249 mg/kg  
LD50 (Guinea pig): 488.3 mg/kg  
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 164 - 363 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Test Type : Maximisation Test  
Exposure routes : Dermal

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	657179-00012	Date of first issue: 02.05.2016

---

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: in vitro assay Test system: mouse lymphoma cells Result: positive
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
		Test Type: in vitro assay Test system: Escherichia coli Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	104 w
LOAEL	:	2 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing
Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	97 w
NOAEL	:	0.6 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract



## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

Remarks : Significant toxicity observed in testing

**Reproductive toxicity**

Not classified based on available information.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weight  
Symptoms: No foetal abnormalities  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 2 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 3 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**STOT - single exposure**

Not classified based on available information.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

**Repeated dose toxicity****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat  
NOAEL : 2 mg/kg  
LOAEL : < 4 mg/kg  
Application Route : Oral  
Exposure time : 6 w  
Target Organs : Gastrointestinal tract

Species : Rat  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey  
NOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit  
LOAEL : 80 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Symptoms : Severe irritation

Species : Dog  
LOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 9 d  
Target Organs : Gastrointestinal tract  
Symptoms : Vomiting

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Inhalation : Symptoms: respiratory tract irritation  
Skin contact : Symptoms: Skin irritation  
Eye contact : Symptoms: Severe irritation  
Ingestion : Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

## Flunixin Paste Formulation

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 15 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae/aquatic : NOEC ( Microcystis aeruginosa (blue-green algae)): 97 mg/l  
plants : Exposure time: 13 d  
Method: FDA 4.01

NOEC ( Selenastrum capricornutum (green algae)): 96 mg/l  
Exposure time: 12 d

**Persistence and degradability****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Stability in water : Hydrolysis: 0 %(28 d)

**Bioaccumulative potential****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Partition coefficient: n- : log Pow: 1.34  
octanol/water

**Mobility in soil****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Distribution among environ- : log Koc: 1.92  
mental compartments

**Other adverse effects**

No data available

**Flunixin Paste Formulation**

Version 3.4      Revision Date: 10.10.2020      SDS Number: 657179-00012      Date of last issue: 23.03.2020  
Date of first issue: 02.05.2016

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

**Flunixin Paste Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	657179-00012	Date of first issue: 02.05.2016

---

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN