

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
 Date of first issue: 02.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Flunixin Paste Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Veterinary product

1.3 Details of the supplier of the safety data sheet

Company : MSD
 20 Spartan Road
 1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :   

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
 H318 Causes serious eye damage.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
 Date of first issue: 02.05.2016

Precautionary statements : **Prevention:**
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear eye protection/ face protection.

Response:
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
 P314 Get medical advice/ attention if you feel unwell.

Hazardous components which must be listed on the label:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7 255-836-0	Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 1; H372 (Gastrointestinal tract, Kidney, Blood) Aquatic Chronic 2; H411	>= 3 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

- Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

- Hazardous combustion products : Carbon oxides
Fluorine compounds
Nitrogen oxides (NO_x)
Metal oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
 Date of first issue: 02.05.2016

Hygiene measures : environment.
 : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.
 Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
 Strong oxidizing agents
 Organic peroxides
 Explosives
 Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA OEL-RL (particulate)	10 mg/m ³	ZA OEL
Further information: Recommended Limit				
		TWA OEL-RL (Vapour + particulates)	150 ppm 470 mg/m ³	ZA OEL
Further information: Recommended Limit				
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m ³

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
 Date of first issue: 02.05.2016

	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57,2 mg/kg
	Soil	50 mg/kg

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste
 Colour : white to off-white

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	No data available
Particle size	:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 638,55 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: Inhalation is not regarded as possible exposure path.

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg
LD50 (Mouse): 176 - 249 mg/kg
LD50 (Guinea pig): 488,3 mg/kg
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0,52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59,4 - 185,3 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

Skin corrosion/irritation

Not classified based on available information.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro assay
Test system: mouse lymphoma cells
Result: positive

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: positive

Test Type: in vitro assay

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

	Test system: Escherichia coli
	Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test
	Species: Mouse
	Application Route: Oral
	Result: negative
Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	: Rat
Application Route	: oral (feed)
Exposure time	: 104 w
LOAEL	: 2 mg/kg body weight
Result	: negative
Target Organs	: Gastrointestinal tract
Remarks	: Significant toxicity observed in testing

Species	: Mouse
Application Route	: oral (feed)
Exposure time	: 97 w
NOAEL	: 0,6 mg/kg body weight
Result	: negative
Target Organs	: Gastrointestinal tract
Remarks	: Significant toxicity observed in testing

Reproductive toxicity

Not classified based on available information.

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Oral
	General Toxicity - Parent: LOAEL: 1 - 1,5 mg/kg body weight
	Symptoms: No foetal abnormalities
	Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	: Test Type: Development
	Species: Rat
	Application Route: Oral
	General Toxicity Maternal: LOAEL: 2 mg/kg body weight
	Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight
	Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Flunixin Paste Formulation

Version 3.4 Revision Date: 10.10.2020 SDS Number: 656916-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 3 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT - single exposure

Not classified based on available information.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat
NOAEL : 2 mg/kg
LOAEL : < 4 mg/kg
Application Route : Oral
Exposure time : 6 w
Target Organs : Gastrointestinal tract

Species : Rat
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey
NOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit
NOAEL : 80 mg/kg
Application Route : Dermal

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

Exposure time	: 21 d
Symptoms	: Severe irritation
Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation	: Symptoms: respiratory tract irritation
Skin contact	: Symptoms: Skin irritation
Eye contact	: Symptoms: Severe irritation
Ingestion	: Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l
	Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Oncorhynchus mykiss (rainbow trout)): 5,5 mg/l
	Exposure time: 96 h Method: FDA 4.11
Toxicity to algae/aquatic plants	: EC50 (Daphnia magna (Water flea)): 15 mg/l
	Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	: NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l
	Exposure time: 13 d Method: FDA 4.01
	: NOEC (Selenastrum capricornutum (green algae)): 96 mg/l
	Exposure time: 12 d

12.2 Persistence and degradability

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

Stability in water : Hydrolysis: 0 %(28 d)

12.3 Bioaccumulative potential

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n- : log Pow: 1,34
octanol/water

12.4 Mobility in soil

Components:

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environ- : log Koc: 1,92
mental compartments

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H301 : Toxic if swallowed.
H318 : Causes serious eye damage.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H372 : Causes damage to organs through prolonged or repeated exposure.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
STOT RE : Specific target organ toxicity - repeated exposure
STOT SE : Specific target organ toxicity - single exposure
ZA OEL : South Africa. Hazardous Chemical Substances Regulations, Occupational Exposure Limits
ZA OEL / TWA OEL-RL : Long term occupational exposure limits - recommended limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - Interna-

Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.4	10.10.2020	656916-00012	Date of first issue: 02.05.2016

tional Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
Eye Dam. 1	H318
STOT RE 2	H373
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN