

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Fluralaner / Moxidectin Liquid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

1.3 Details of the supplier of the safety data sheet

Company : MSD
Shotton Lane
NE23 3JU Cramlington NU - Great Britain

Telephone : 44 1 670 59 30 00

Telefax : 908-735-1496

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version 5.0 Revision Date: 15.10.2020 SDS Number: 657384-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

Hazard statements : H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H360D May damage the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

N,N-Dimethylacetamide
Moxidectin

Additional Labelling

Restricted to professional users.

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 20 %

2.3 Other hazards

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5 204-826-4 616-011-00-4	Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Repr. 1B; H360D	>= 30 - < 50
Fluralaner	864731-61-3	Repr. 2; H361d Aquatic Chronic 1; H410 M-Factor (Chronic	>= 25 - < 30

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version 5.0 Revision Date: 15.10.2020 SDS Number: 657384-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

		aquatic toxicity): 1.000	
N,N-Diethyl-m-toluamide	134-62-3 205-149-7 616-018-00-2	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	$\geq 10 - < 20$
Acetone	67-64-1 200-662-2 606-001-00-8	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	$\geq 10 - < 20$
Moxidectin	113507-06-5	Acute Tox. 3; H301 Acute Tox. 4; H332 Eye Irrit. 2; H319 Repr. 2; H361d STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000	$\geq 1 - < 2,5$
2,6-Di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 0,1 - < 0,25$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

- Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
Causes serious eye irritation.
May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Chlorine compounds

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Fluorine compounds
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures, which in contact with water, emit flammable gases |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version 5.0 Revision Date: 15.10.2020 SDS Number: 657384-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N,N-Dimethylacetamide	127-19-5	TWA	10 ppm 35 mg/m ³	FOR-2011-12-06-1358
	Further information: The EU has set an indicative limit value for this substance, Chemicals that can be absorbed through the skin.			
		STEL	20 ppm 72 mg/m ³	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	10 ppm 36 mg/m ³	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
	Further information: Skin			
		Wipe limit	1000 µg/100 cm ²	Internal
Acetone	67-64-1	TWA	125 ppm 295 mg/m ³	FOR-2011-12-06-1358
	Further information: The EU has set an indicative limit value for this substance			
		TWA	500 ppm 1.210 mg/m ³	2000/39/EC
	Further information: Indicative			
Moxidectin	113507-06-5	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N-Dimethylacetamide	Workers	Inhalation	Long-term systemic effects	36 mg/m ³
	Workers	Inhalation	Acute systemic effects	36 mg/m ³
	Workers	Skin contact	Acute systemic effects	13,6 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	7 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version 5.0 Revision Date: 15.10.2020 SDS Number: 657384-00012 Date of last issue: 23.03.2020
Date of first issue: 02.05.2016

	Consumers	Skin contact	Long-term systemic effects	2,7 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1 mg/kg bw/day
Acetone	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
	Workers	Inhalation	Acute local effects	2420 mg/m3
	Workers	Skin contact	Long-term systemic effects	186 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	200 mg/m3
	Consumers	Skin contact	Long-term systemic effects	62 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	62 mg/kg bw/day
2,6-Di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N,N-Dimethylacetamide	Fresh water	0,5 mg/l
	Marine water	0,0966 mg/l
	Intermittent use/release	5 mg/l
	Sewage treatment plant	485 mg/l
	Fresh water sediment	2,27 mg/kg
	Soil	0,15 mg/kg
Acetone	Fresh water	10,6 mg/l
	Marine water	1,06 mg/l
	Intermittent use/release	21 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	30,4 mg/kg dry weight (d.w.)
	Marine sediment	3,04 mg/kg dry weight (d.w.)
	Soil	29,5 mg/kg dry weight (d.w.)
2,6-Di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	Intermittent use/release	0,02 µg/l
	Marine water	0,02 µg/l
	Sewage treatment plant	0,17 mg/l
	Fresh water sediment	0,0996 mg/kg dry weight (d.w.)
	Marine sediment	0,00996 mg/kg dry weight (d.w.)
	Soil	0,04769 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

		dry weight (d.w.)
	Oral (Secondary Poisoning)	8,33 mg/kg food

8.2 Exposure controls

Engineering measures

- Use explosion-proof electrical, ventilating and lighting equipment.
- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
- Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
- Minimize open handling.

Personal protective equipment

- | | |
|--------------------------|--|
| Eye protection | : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Hand protection | |
| Material | : Chemical-resistant gloves |
| Remarks | : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection. |
| Skin and body protection | : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to NS EN 137 |
| Filter type | : Self-contained breathing apparatus |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|-----------------------------------|----------------------------|
| Appearance | : liquid |
| Colour | : Colorless to pale yellow |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling | : No data available |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

range	
Flash point	: 2 °C Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1,06
Density	: 1,08 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: 7,5 mm ² /s
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	: Not applicable
Particle size	: Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Highly flammable liquid and vapour.
---------------------	---------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

N,N-Dimethylacetamide:

Acute oral toxicity : LD50 (Rat): 4.800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg
Method: Expert judgement
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

	Remarks: No mortality observed at this dose. No significant adverse effects were reported
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: No significant adverse effects were reported

N,N-Diethyl-m-toluamide:

Acute oral toxicity	: LD50 (Rat): 1.950 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 5,95 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 5.000 mg/kg

Acetone:

Acute oral toxicity	: LD50 (Rat): 5.800 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 76 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 7.426 mg/kg

Moxidectin:

Acute oral toxicity	: LD50 (Rat): 106 mg/kg LD50 (Mouse): 42 - 84 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 3,28 mg/l Exposure time: 5 h Test atmosphere: dust/mist LC50 (Rat): 2,87 - 4,06 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: No significant adverse effects were reported
Acute toxicity (other routes of administration)	: LD50 (Rat): 394 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 84 mg/kg Application Route: Intraperitoneal LD50 (Rat): > 640 mg/kg Application Route: Subcutaneous LD50 (Mouse): 263 mg/kg Application Route: Subcutaneous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity	: LD50 (Rat): > 6.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

N,N-Dimethylacetamide:

Species	: Rabbit
Result	: No skin irritation

Fluralaner:

Species	: Rabbit
Result	: No skin irritation

N,N-Diethyl-m-toluamide:

Species	: Rabbit
Result	: Skin irritation

Acetone:

Assessment	: Repeated exposure may cause skin dryness or cracking.
------------	---

Moxidectin:

Species	: Rabbit
Result	: Mild skin irritation

2,6-Di-tert-butyl-p-cresol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

N,N-Dimethylacetamide:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Fluralaner:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Species	: Rabbit
Result	: Mild eye irritation

N,N-Diethyl-m-toluamide:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Acetone:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Moxidectin:

Species	: Rabbit
Result	: Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Fluralaner:

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Acetone:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Moxidectin:

Test Type	: Buehler Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

2,6-Di-tert-butyl-p-cresol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat Application Route: Inhalation Method: OECD Test Guideline 478 Result: negative

Fluralaner:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Mouse Lymphoma Result: negative Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

N,N-Diethyl-m-toluamide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Acetone:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
-----------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Genotoxicity in vivo	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Moxidectin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
	Test Type: in vitro assay Test system: Escherichia coli Result: negative
	: Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative
	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Cell type: Liver cells Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Carcinogenicity

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Species	: Rat
Application Route	: inhalation (vapour)
Exposure time	: 18 month(s)
Result	: negative

Fluralaner:

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

N,N-Diethyl-m-toluamide:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative

Acetone:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 424 days
Result	: negative

Moxidectin:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 4,5 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 4,5 mg/kg body weight
Result	: negative

Species	: Dog
Application Route	: Oral
Exposure time	: 1 Years
NOAEL	: 0,5 mg/kg body weight
Result	: negative

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 22 Months

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

N,N-Dimethylacetamide:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Inhalation Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Inhalation Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

Fluralaner:

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 50 mg/kg body weight General Toxicity F1: LOAEL: 100 mg/kg body weight Result: No effects on fertility, Postimplantation loss., Adverse neonatal effects. Test Type: One-generation reproduction toxicity study Species: Dog Application Route: Oral Fertility: NOAEL: 75 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. Remarks: No significant adverse effects were reported
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations, Visceral malformations Remarks: Maternal toxicity observed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Test Type: Development
Species: Rabbit
Application Route: Dermal
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Skeletal malformations

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

N,N-Diethyl-m-toluamide:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Acetone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (vapour)
Result: negative

Moxidectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity F1: LOAEL: 0,8 mg/kg body weight
Symptoms: Reduced foetal weight, foetal mortality
Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity F1: LOAEL: 0,8 mg/kg body weight
Symptoms: Reduced foetal weight, foetal mortality
Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 10 mg/kg body weight
Embryo-foetal toxicity: LOAEL: 10 mg/kg body weight
Result: Skeletal malformations
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 5 mg/kg body weight
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects, No embryotoxic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Acetone:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Moxidectin:

Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species : Rat
NOAEL : 90 mg/m³
LOAEL : 360 mg/m³
Application Route : inhalation (vapour)
Exposure time : 24 Months

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Fluralaner:

Species	: Dog
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

Species	: Juvenile dog
LOAEL	: 56 - 280 mg/kg
Application Route	: Oral
Exposure time	: 24 Weeks
Symptoms	: Diarrhoea

Species	: Rat
LOAEL	: 400 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver, thymus gland

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Dermal
Exposure time	: 90 Days
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

Acetone:

Species	: Rat
NOAEL	: 900 mg/kg
LOAEL	: 1.700 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Species	: Rat
NOAEL	: 45 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 8 Weeks

Moxidectin:

Species	: Mouse
NOAEL	: 3,9 mg/kg
LOAEL	: 15,4 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Symptoms	: Tremors

Species	: Rat
NOAEL	: 3,9 mg/kg
LOAEL	: 7,9 mg/kg
Application Route	: Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Exposure time	: 13 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, Salivation
Species	: Dog
NOAEL	: 0,3 mg/kg
LOAEL	: 0,9 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system
Symptoms	: Tremors, Lachrymation, Salivation
Species	: Dog
NOAEL	: 0,3 mg/kg
LOAEL	: 0,87 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, Lachrymation

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
NOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 22 Months

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

|| Not applicable

Acetone:

|| The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Fluralaner:

Skin contact	: Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.

Moxidectin:

Inhalation	: Remarks: No human information is available.
Skin contact	: Remarks: No human information is available.
Eye contact	: Remarks: No human information is available.
Ingestion	: Remarks: No human information is available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

SECTION 12: Ecological information

12.1 Toxicity

Components:

N,N-Dimethylacetamide:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC10 : > 1.995 mg/l Exposure time: 30 min

Fluralaner:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0,015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0,08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC: >= 0,049 mg/l Exposure time: 21 d Species: Zebrafish Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,000047 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1.000

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

N,N-Diethyl-m-toluamide:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 110 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h

Acetone:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 5.540 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 8.800 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 7.000 mg/l Exposure time: 96 h
Toxicity to microorganisms	: EC50 : 61.150 mg/l Exposure time: 30 min Method: ISO 8192
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: >= 79 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Moxidectin:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0006 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0002 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,00003 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0,087 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10.000
M-Factor (Chronic aquatic toxicity)	: 10.000

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 0,57 mg/l
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

	Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 : > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0,053 mg/l Exposure time: 30 d Species: Oryzias latipes (Japanese medaka) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,316 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1

12.2 Persistence and degradability

Components:

N,N-Dimethylacetamide:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 70 % Exposure time: 28 d Remarks: The 10 day time window criterion is not fulfilled.
------------------	--

N,N-Diethyl-m-toluamide:

Biodegradability	: Result: Not readily biodegradable.
------------------	--------------------------------------

Acetone:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 28 d
------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

||

2,6-Di-tert-butyl-p-cresol:

|| Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4,5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

Fluralaner:

|| Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79,4
Method: OECD Test Guideline 305

|| Partition coefficient: n-octanol/water : log Pow: 4,5

N,N-Diethyl-m-toluamide:

|| Partition coefficient: n-octanol/water : log Pow: 2,02

Acetone:

|| Partition coefficient: n-octanol/water : log Pow: -0,27 - -0,23

Moxidectin:

|| Partition coefficient: n-octanol/water : log Pow: 4,7

2,6-Di-tert-butyl-p-cresol:

|| Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 330 - 1.800

|| Partition coefficient: n-octanol/water : log Pow: 5,1

12.4 Mobility in soil

Components:

Fluralaner:

|| Distribution among environmental compartments : log Koc: 3,4

12.5 Results of PBT and vPvB assessment

Components:

Fluralaner:

|| Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|--|
| Product | : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product. |

SECTION 14: Transport information

14.1 UN number

- | | |
|------|-----------|
| ADN | : UN 1090 |
| ADR | : UN 1090 |
| RID | : UN 1090 |
| IMDG | : UN 1090 |
| IATA | : UN 1090 |

14.2 UN proper shipping name

- | | |
|------|---|
| ADN | : ACETONE, SOLUTION |
| ADR | : ACETONE, SOLUTION |
| RID | : ACETONE, SOLUTION |
| IMDG | : ACETONE, SOLUTION
(Fluralaner, Moxidectin) |
| IATA | : Acetone, solution |

14.3 Transport hazard class(es)

- | | |
|------|-----|
| ADN | : 3 |
| ADR | : 3 |
| RID | : 3 |
| IMDG | : 3 |
| IATA | : 3 |

14.4 Packing group

- | | |
|-----|--|
| ADN | |
|-----|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3

ADR

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3

IMDG

Packing group : II
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo aircraft) : 364
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft) : 353
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3
N,N-Dimethylacetamide (Number on list 72, 30)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : N,N-Dimethylacetamide

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
P5c	FLAMMABLE LIQUIDS	5.000 t	50.000 t

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H336	: May cause drowsiness or dizziness.
H360D	: May damage the unborn child.
H361d	: Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
FOR-2011-12-06-1358 / TWA	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Fluralaner / Moxidectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.0	15.10.2020	657384-00012	Date of first issue: 02.05.2016

Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Flam. Liq. 2	H225
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Repr. 1B	H360D
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN