

**Imidocarb Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
1.8                10/01/2022                7677539-00009            Date of first issue: 12/15/2020

---

**SECTION 1. IDENTIFICATION**

Product name                                : Imidocarb Formulation  
Other means of identification            : No data available

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
                                                      : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                      : 1-908-423-6000  
E-mail address                               : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                          : Veterinary product  
  
Restrictions on use                         : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Reproductive toxicity                      : Category 2  
  
Specific target organ toxicity            : Category 1 (Central nervous system)  
- single exposure (Oral)  
  
Specific target organ toxicity            : Category 1 (Liver, Kidney)  
- repeated exposure (Oral)

**GHS label elements**

Hazard pictograms                         :



Signal Word                                 : Danger

Hazard Statements                         : H361d Suspected of damaging the unborn child.  
H370 Causes damage to organs (Central nervous system) if  
swallowed.  
H372 Causes damage to organs (Liver, Kidney) through  
prolonged or repeated exposure if swallowed.

Precautionary Statements                : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection

## Imidocarb Formulation

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
 Date of first issue: 12/15/2020

and face protection.

**Response:**

P308 + P311 IF exposed or concerned: Call a doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propylene glycol	1,2-Propanediol	57-55-6	38.835
Imidocarb	No data available	27885-92-3	6.0714

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
 Causes damage to organs if swallowed.  
 Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Imidocarb Formulation**

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
Date of first issue: 12/15/2020

---

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

---

## Imidocarb Formulation

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
 Date of first issue: 12/15/2020

Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.  
 Advice on safe handling : Use only with adequate ventilation.  
 : Do not breathe mist or vapors.  
 : Do not swallow.  
 : Avoid contact with eyes.  
 : Avoid prolonged or repeated contact with skin.  
 : Wash skin thoroughly after handling.  
 : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 : Do not eat, drink or smoke when using this product.  
 : Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
 : Store locked up.  
 : Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 : Strong oxidizing agents  
 : Self-reactive substances and mixtures  
 : Organic peroxides  
 : Explosives  
 : Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
Imidocarb	27885-92-3	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material :

**Imidocarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Color	:	Colorless to pale yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	4.0 - 5.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available

**Imidocarb Formulation**

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
Date of first issue: 12/15/2020

---

Density : 0.900 - 1.100 g/cm<sup>3</sup>  
No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Propylene glycol:**

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

---

**Imidocarb Formulation**

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
Date of first issue: 12/15/2020

---

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Imidocarb:**

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg  
LD50 (Mouse): 544 - 702 mg/kg  
LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 32.7 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 22.3 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Imidocarb:**

Remarks : No data available

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Imidocarb:**

Remarks : No data available

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### Imidocarb:

Remarks	:	No data available
---------	---	-------------------

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Propylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	------------------------------------------------------------------------

Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
-------------------------------------------------------------------------------------------------------

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

##### Imidocarb:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	------------------------------------------------------------------------

Test Type: In vitro mammalian cell gene mutation test Result: negative
---------------------------------------------------------------------------

Test Type: Chromosome aberration test in vitro Result: equivocal
---------------------------------------------------------------------

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative
----------------------	---	-----------------------------------------------------------------------------------------------------------------------------------------------



## Imidocarb Formulation

Version 1.8      Revision Date: 10/01/2022      SDS Number: 7677539-00009      Date of last issue: 04/09/2022  
Date of first issue: 12/15/2020

---

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Imidocarb:**

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 240 mg/kg body weight  
Result : negative  
Target Organs : Mammary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Imidocarb:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 135 mg/kg body weight  
Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

Fertility: NOAEL: 45 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 76 mg/kg body weight  
 Result: Effects on fetal development., No teratogenic effects.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 20 mg/kg body weight  
 Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

#### Components:

##### **Imidocarb:**

Target Organs : Central nervous system  
 Assessment : Causes damage to organs.

### STOT-repeated exposure

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

#### Components:

##### **Imidocarb:**

Target Organs : Liver, Kidney  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Propylene glycol:**

Species : Rat, male  
 NOAEL : >= 1,700 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 y

##### **Imidocarb:**

Species : Rat

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

LOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver
Species	:	Rat
NOAEL	:	76 mg/kg
LOAEL	:	415 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver
Species	:	Dog
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, Kidney
Symptoms	:	muscle twitching, Salivation, recumbency, ataxia, splayed legs
Species	:	Rat
NOAEL	:	15 mg/kg
LOAEL	:	60 mg/kg
Application Route	:	Oral
Exposure time	:	104 Weeks
Target Organs	:	Liver, Kidney, Blood
Species	:	Monkey
NOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Imidocarb:**

Inhalation	:	Target Organs: Central nervous system Symptoms: Salivation, muscle twitching, Tremors, Lachrymation, ataxia, lethargy Remarks: Based on Animal Evidence
------------	---	---------------------------------------------------------------------------------------------------------------------------------------------------------------

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
------------------	---	--------------------------------------------------------------------------------

**Imidocarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

**Persistence and degradability****Components:****Propylene glycol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---------------------------------------------------------------------------------------------------------------------

**Bioaccumulative potential****Components:****Propylene glycol:**

Partition coefficient: n-octanol/water	:	log Pow: -1.07 Method: Regulation (EC) No. 440/2008, Annex, A.8
----------------------------------------	---	--------------------------------------------------------------------

**Imidocarb:**

Partition coefficient: n-octanol/water	:	log Pow: 3.88
----------------------------------------	---	---------------

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**Imidocarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****TDG**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****The ingredients of this product are reported in the following inventories:**

DSL : not determined

AICS : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	7677539-00009	Date of first issue: 12/15/2020

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8