

## Imidocarb Injection Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.9                10/01/2022                632240-00015            Date of first issue: 05/02/2016

---

### SECTION 1. IDENTIFICATION

Product name                                : Imidocarb Injection Formulation  
Other means of identification            : No data available

#### Manufacturer or supplier's details

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                      : 1-908-423-6000  
E-mail address                              : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use                         : Veterinary product  
  
Restrictions on use                        : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity                      : Category 2  
  
Specific target organ toxicity            : Category 1 (Central nervous system)  
- single exposure (Oral)  
  
Specific target organ toxicity            : Category 1 (Liver, Kidney)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms                        :



Signal Word                                : Danger

Hazard Statements                        : H361d Suspected of damaging the unborn child.  
H370 Causes damage to organs (Central nervous system) if  
swallowed.  
H372 Causes damage to organs (Liver, Kidney) through  
prolonged or repeated exposure if swallowed.

Precautionary Statements               : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection

## Imidocarb Injection Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
 Date of first issue: 05/02/2016

and face protection.

**Response:**

P308 + P311 IF exposed or concerned: Call a doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Imidocarb	No data available	27885-92-3	$\geq 10 - < 30$ *
Propionic acid	No data available	79-09-4	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
 Causes damage to organs if swallowed.  
 Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	632240-00015	Date of first issue: 05/02/2016

---

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

## Imidocarb Injection Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
 Date of first issue: 05/02/2016

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Imidocarb	27885-92-3	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Propionic acid	79-09-4	TWA	10 ppm 30 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm 30 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	632240-00015	Date of first issue: 05/02/2016

---

Filter type	:	exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Combined particulates and organic vapor type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	4.5
Melting point/freezing point	:	100 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available

**Imidocarb Injection Formulation**

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
Date of first issue: 05/02/2016

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Imidocarb Injection Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 04/09/2022  
2.9            10/01/2022            632240-00015      Date of first issue: 05/02/2016

---

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity                    : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute dermal toxicity                : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Imidocarb:**

Acute oral toxicity                    : LD50 (Rat): 1,216 - 1,652 mg/kg  
LD50 (Mouse): 544 - 702 mg/kg  
LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity            : Remarks: No data available

Acute dermal toxicity                : Remarks: No data available

Acute toxicity (other routes of    : LD50 (Rat): 32.7 mg/kg  
administration)                    : Application Route: Intravenous  
LD50 (Mouse): 22.3 mg/kg  
Application Route: Intravenous

**Propionic acid:**

Acute inhalation toxicity            : LC50 (Rat): > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity                : LD50 (Rat, female): 3,235 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Imidocarb:**

Remarks                                : No data available

**Propionic acid:**

Species                                 : Rabbit  
Result                                  : Corrosive after 3 minutes to 1 hour of exposure

**Serious eye damage/eye irritation**

Not classified based on available information.

**Imidocarb Injection Formulation**

Version          Revision Date:          SDS Number:          Date of last issue: 04/09/2022  
2.9                10/01/2022                632240-00015          Date of first issue: 05/02/2016

---

**Components:****Imidocarb:**

Remarks                                : No data available

**Propionic acid:**

Species                                 : Rabbit  
Result                                  : Irreversible effects on the eye

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Imidocarb:**

Remarks                                : No data available

**Propionic acid:**

Test Type                                : Maximization Test  
Routes of exposure                     : Skin contact  
Species                                  : Guinea pig  
Result                                    : negative  
Remarks                                 : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Imidocarb:**

Genotoxicity in vitro                 : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo                 : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse



**Imidocarb Injection Formulation**

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
Date of first issue: 05/02/2016

---

Application Route: Oral

Result: negative

**Propionic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Hamster  
Application Route: Intraperitoneal injection  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Imidocarb:**

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 240 mg/kg body weight  
Result : negative  
Target Organs : Mammary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

**Propionic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Imidocarb:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 135 mg/kg body weight  
Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study  
Species: Rat

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	632240-00015	Date of first issue: 05/02/2016

---

Application Route: Oral  
Fertility: NOAEL: 45 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 76 mg/kg body weight  
Result: Effects on fetal development., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Propionic acid:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

#### Components:

##### Imidocarb:

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

##### Propionic acid:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

#### Components:

##### Imidocarb:

Target Organs : Liver, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Imidocarb Injection Formulation**

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
Date of first issue: 05/02/2016

---

**Propionic acid:**

Assessment : No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

**Repeated dose toxicity****Components:****Imidocarb:**

Species : Rat  
LOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Rat  
NOAEL : 76 mg/kg  
LOAEL : 415 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Dog  
LOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, Kidney  
Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat  
NOAEL : 15 mg/kg  
LOAEL : 60 mg/kg  
Application Route : Oral  
Exposure time : 104 Weeks  
Target Organs : Liver, Kidney, Blood

Species : Monkey  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

**Propionic acid:**

Species : Dog  
NOAEL : 733.4 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 409

Species : Mouse, female  
LOAEL : 136.9 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

## Imidocarb Injection Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 632240-00015      Date of last issue: 04/09/2022  
Date of first issue: 05/02/2016

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Imidocarb:

Inhalation : Target Organs: Central nervous system  
Symptoms: Salivation, muscle twitching, Tremors, Lachrymation, ataxia, lethargy  
Remarks: Based on Animal Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Propionic acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 96 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EbC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 44.6 mg/l  
Exposure time: 17 h  
Method: DIN 38 412 Part 8

### Persistence and degradability

#### Components:

#### Propionic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 30 d

### Bioaccumulative potential

#### Components:

#### Imidocarb:

Partition coefficient: n- : log Pow: 3.88

---



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	632240-00015	Date of first issue: 05/02/2016

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	10/01/2022
Date format	:	mm/dd/yyyy

# SAFETY DATA SHEET



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	632240-00015	Date of first issue: 05/02/2016

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8