

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
Date of first issue: 2014/10/24

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Indoxacarb Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : 1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 1 (Blood, Nervous system, Heart)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
Date of first issue: 2014/10/24

Hazard statements : H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

Other hazards which do not result in classification

Important symptoms and out- : Vapours may form explosive mixture with air.
 lines of the emergency as-
 sumed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propan-2-ol	67-63-0	>= 30 - < 40	2-207
Indoxacarb (ISO)	173584-44-6	19.53	

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

Unsuitable extinguishing media	:	Dry chemical High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

7. HANDLING AND STORAGE**Handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
 If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
 Do not breathe vapours or spray mist.
 Do not swallow.
 Do not get in eyes.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Non-sparking tools should be used.
 Keep container tightly closed.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
 Oxidizing solids
 Oxidizing liquids
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	ACL	200 ppm	JP OEL ISHL
		OEL-C	400 ppm 980 mg/m ³	JP OEL JSOH

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	20 µg/m ³	Internal
Further information: Skin sensitisation				
		Wipe limit	100 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Target sub-stance	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
 If sufficient ventilation is unavailable, use with local exhaust ventilation.
 If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type
 Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
 Wear the following personal protective equipment:
 If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
Date of first issue: 2014/10/24

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	White to light yellow
Odour	:	sweet
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	18 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.12 g/cm ³
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
 Chemical stability : Stable under normal conditions.
 Possibility of hazardous reactions : Highly flammable liquid and vapour.
 Vapours may form explosive mixture with air.
 Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
 Incompatible materials : Oxidizing agents
 Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 916.54 mg/kg
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: Calculation method

Components:**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l
 Exposure time: 6 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg
 Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
 Exposure time: 4 h

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
Date of first issue: 2014/10/24

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Propan-2-ol:**

Species : Rabbit
Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Propan-2-ol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Propan-2-ol:**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Indoxacarb (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Result : positive

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
Date of first issue: 2014/10/24

Germ cell mutagenicity

Not classified based on available information.

Components:**Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: mammalian cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Propan-2-ol:**

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 104 weeks
Method : OECD Test Guideline 451
Result : negative

Indoxacarb (ISO):

Species : Rat, male and female
Application Route : oral (feed)
Exposure time : 2 Years
Frequency of Treatment : daily
Result : negative

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

Species : Mouse, male and female
 Application Route : oral (feed)
 Exposure time : 18 Months
 Frequency of Treatment : daily
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity F1: NOAEL: 1.3 mg/kg body weight
 Result: negative

Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity - Parent: NOAEL: 1.3 mg/kg body weight
 General Toxicity F1: NOAEL: > 6.7 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Effects on foetal development : Test Type: Development
 Species: Rat
 Developmental Toxicity: NOAEL: 2 mg/kg body weight
 Result: No teratogenic effects

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 500 mg/kg body weight
 Result: No adverse effects

Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 10 mg/kg body weight

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT - single exposure

May cause drowsiness or dizziness.

Components:**Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:**Indoxacarb (ISO):**

Target Organs : Blood, Nervous system, Heart
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Propan-2-ol:**

Species : Rat
 NOAEL : 12.5 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 104 Weeks

Indoxacarb (ISO):

Species : Rat, male and female
 NOAEL : 1.7 mg/kg
 LOAEL : 4.1 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Blood, Central nervous system

Species : Rat, male and female
 NOAEL : 50 mg/kg
 LOAEL : 500 mg/kg
 Application Route : Dermal
 Exposure time : 28 d
 Target Organs : Blood

Species : Rat
 NOAEL : 4.6 mg/m³
 LOAEL : 23 mg/m³
 Application Route : Inhalation

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

Exposure time : 4 Weeks
Target Organs : Blood, Lungs

Species : Rat, male and female
NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Blood

Species : Dog
NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Blood

Species : Mouse
NOAEL : 3 mg/kg
LOAEL : 14 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months
Target Organs : Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Indoxacarb (ISO):**

General Information : No human information is available.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l
Exposure time: 16 h

Indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l
 Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l
 Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l
 Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability**Components:****Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

Bioaccumulative potential**Components:****Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

Indoxacarb (ISO):

Partition coefficient: n-octanol/water : log Pow: 4.65

Mobility in soil**Components:****Indoxacarb (ISO):**

Distribution among environmental compartments : log Koc: 3.9

Hazardous to the ozone layer

Not applicable

Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/04/24
6.4 09/13/2019 25528-00015 Date of first issue: 2014/10/24

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
Class : 3
Packing group : II
Labels : 3

IATA-DGR

UN/ID No. : UN 1219
Proper shipping name : Isopropanol solution
Class : 3
Packing group : II
Labels : Flammable Liquids
Packing instruction (cargo : 364
aircraft)
Packing instruction (passen- : 353
ger aircraft)

IMDG-Code

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
 : (Indoxacarb (ISO))
Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Related Regulations**Fire Service Law**

Group 4, Type 1 petroleum, Water insoluble liquid, (200 litre), Hazardous rank II

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Isopropyl alcohol	102

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Propyl alcohol	494	>=30 - <40

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Number
Propyl alcohol	494

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Indoxacarb Formulation

Version 6.4 Revision Date: 09/13/2019 SDS Number: 25528-00015 Date of last issue: 2019/04/24
 Date of first issue: 2014/10/24

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Class I Designated Chemical Substances**

Chemical name	Number	Concentration (%)
Indoxacarb	430	20

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

Sheet cy, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
 JP OEL ISHL : Japan. Administrative Control Levels
 JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
 ACGIH / STEL : Short-term exposure limit
 JP OEL ISHL / ACL : Administrative Control level
 JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/24
6.4	09/13/2019	25528-00015	Date of first issue: 2014/10/24

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN