

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
Date of first issue: 24.10.2014

Section 1: Identification

Product name : Indoxacarb Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Telefax : 908-735-1496

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Section 2: Hazard identification**GHS Classification**

Flammable liquids : Flam. Liq.2

Acute toxicity (Oral) : Acute Tox.4

Serious eye damage/eye irritation : 2A

Skin sensitisation : Skin Sens.1

Specific target organ toxicity - single exposure : STOT SE3

Specific target organ toxicity - repeated exposure : STOT RE1 (Blood, Nervous system, Heart)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
Date of first issue: 24.10.2014

H336 May cause drowsiness or dizziness.
H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Precautionary statements

- Prevention:**
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 - P233 Keep container tightly closed.
 - P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
 - P242 Use only non-sparking tools.
 - P243 Take precautionary measures against static discharge.
 - P260 Do not breathe mist or vapours.
 - P264 Wash skin thoroughly after handling.
 - P270 Do not eat, drink or smoke when using this product.
 - P271 Use only outdoors or in a well-ventilated area.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
 - P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 - P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
 - P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P314 Get medical advice/ attention if you feel unwell.
 - P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 - P337 + P313 If eye irritation persists: Get medical advice/ attention.
 - P363 Wash contaminated clothing before reuse.
- Storage:**
- P403 + P235 Store in a well-ventilated place. Keep cool.
 - P405 Store locked up.
- Disposal:**
- P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
 Date of first issue: 24.10.2014

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 -< 60
Indoxacarb (ISO)	173584-44-6	>= 10 -< 30

Section 4: First-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
 Flash back possible over considerable distance.
 Vapours may form explosive mixtures with air.
 Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : 2YE

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
 Date of first issue: 24.10.2014

- Do not swallow.
 Do not get in eyes.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Non-sparking tools should be used.
 Keep container tightly closed.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
- Conditions for safe storage : Wash contaminated clothing before re-use.
 Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
- Materials to avoid : Keep away from heat and sources of ignition.
 Do not store with the following product types:
 Self-reactive substances and mixtures
 Organic peroxides
 Oxidizing agents
 Flammable gases
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Poisonous gases
 Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	WES-TWA	400 ppm 983 mg/m ³	NZ OEL
		WES-STEL	500 ppm 1,230 mg/m ³	NZ OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	20 µg/m ³	Internal
Further information: Skin sensitisation				
		Wipe limit	100 µg/100 cm ²	Internal

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
 Date of first issue: 24.10.2014

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
 If sufficient ventilation is unavailable, use with local exhaust ventilation.
 If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
 Wear the following personal protective equipment:
 If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

Appearance : liquid

Colour : White to light yellow

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 916.54 mg/kg Method: Calculation method
---------------------	---	---

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

Components:**Propan-2-ol:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Acute inhalation toxicity	:	LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour
---------------------------	---	--

Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg
-----------------------	---	------------------------------

Indoxacarb (ISO):

Acute oral toxicity	:	LD50 (Rat, female): 179 mg/kg Symptoms: Loss of reflexes, Breathing difficulties, Tremors
---------------------	---	--

	:	LD50 (Rat, male): 843 mg/kg
--	---	-----------------------------

Acute inhalation toxicity	:	LC50 (Rat, female): 4.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	---	--

Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
-----------------------	---	--

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
Date of first issue: 24.10.2014

Skin corrosion/irritation

Not classified based on available information.

Components:**Propan-2-ol:**

Species : Rabbit
Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Propan-2-ol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Propan-2-ol:**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Indoxacarb (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Result : positive

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: mammalian cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 104 weeks
Method : OECD Test Guideline 451
Result : negative

Indoxacarb (ISO):

Species : Rat, male and female
Application Route : oral (feed)
Exposure time : 2 Years
Frequency of Treatment : daily
Result : negative

Species : Mouse, male and female
Application Route : oral (feed)

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Exposure time : 18 Months
 Frequency of Treatment : daily
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity F1: NOAEL: 1.3 mg/kg body weight
 Result: negative

Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity - Parent: NOAEL: 1.3 mg/kg body weight
 General Toxicity F1: NOAEL: > 6.7 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Effects on foetal development : Test Type: Development
 Species: Rat
 Developmental Toxicity: NOAEL: 2 mg/kg body weight
 Result: No teratogenic effects

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 500 mg/kg body weight
 Result: No adverse effects

Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development
 Species: Rat
 Application Route: Oral

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
Date of first issue: 24.10.2014

Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT - single exposure

May cause drowsiness or dizziness.

Components:**Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:**Indoxacarb (ISO):**

Target Organs : Blood, Nervous system, Heart
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Propan-2-ol:**

Species : Rat
NOAEL : 12.5 mg/l
Application Route : inhalation (vapour)
Exposure time : 104 Weeks

Indoxacarb (ISO):

Species : Rat, male and female
NOAEL : 1.7 mg/kg
LOAEL : 4.1 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Blood, Central nervous system

Species : Rat, male and female
NOAEL : 50 mg/kg
LOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 28 d
Target Organs : Blood

Species : Rat
NOAEL : 4.6 mg/m³
LOAEL : 23 mg/m³
Application Route : Inhalation
Exposure time : 4 Weeks
Target Organs : Blood, Lungs

Indoxacarb Formulation

Version 4.8 Revision Date: 09/13/2019 SDS Number: 25535-00015 Date of last issue: 24.04.2019
 Date of first issue: 24.10.2014

Species : Rat, male and female
 NOAEL : 1 mg/kg
 LOAEL : 2 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Target Organs : Blood

Species : Dog
 NOAEL : 1 mg/kg
 LOAEL : 2 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Target Organs : Blood

Species : Mouse
 NOAEL : 3 mg/kg
 LOAEL : 14 mg/kg
 Application Route : oral (feed)
 Exposure time : 18 Months
 Target Organs : Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Indoxacarb (ISO):**

General Information : No human information is available.

Section 12: Ecological information**Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
 Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l
 Exposure time: 16 h

Indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l
 Exposure time: 96 h

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l
Exposure time: 21 d

Persistence and degradability**Components:****Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

Bioaccumulative potential**Components:****Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

Indoxacarb (ISO):

Partition coefficient: n-octanol/water : log Pow: 4.65

Mobility in soil**Components:****Indoxacarb (ISO):**

Distribution among environmental compartments : log Koc: 3.9

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	: UN 1219
Proper shipping name	: ISOPROPANOL SOLUTION
Class	: 3
Packing group	: II
Labels	: 3

IATA-DGR

UN/ID No.	: UN 1219
Proper shipping name	: Isopropanol solution
Class	: 3
Packing group	: II
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 364
Packing instruction (passenger aircraft)	: 353

IMDG-Code

UN number	: UN 1219
Proper shipping name	: ISOPROPANOL SOLUTION (Indoxacarb (ISO))
Class	: 3
Packing group	: II
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	: UN 1219
Proper shipping name	: ISOPROPANOL SOLUTION
Class	: 3
Packing group	: II
Labels	: 3
Hazchem Code	: 2YE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard 2017

HSW Controls

Certified handler certificate not required.
Tracking hazardous substance not required.
Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEEL	:	Workplace Exposure Standard - Short-Term Exposure Limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.8	09/13/2019	25535-00015	Date of first issue: 24.10.2014

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN