



## Indoxacarb Formulation

Version 6.2      Revision Date: 09/13/2019      SDS Number: 25539-00015      Date of last issue: 04/24/2019  
 Date of first issue: 10/24/2014

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P314 Get medical advice/ attention if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P363 Wash contaminated clothing before reuse.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 - < 50
Indoxacarb (ISO)	173584-44-6	>= 10 - < 20

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

		advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**Indoxacarb Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/24/2019  
6.2                09/13/2019                25539-00015            Date of first issue: 10/24/2014

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the

## Indoxacarb Formulation

Version 6.2      Revision Date: 09/13/2019      SDS Number: 25539-00015      Date of last issue: 04/24/2019  
 Date of first issue: 10/24/2014

- environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1
Indoxacarb (ISO)	173584-44-6	TWA	20 µg/m <sup>3</sup>	Internal
Further information: Skin sensitization				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

- Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.  
 If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

ventilation.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : White to light yellow

Odor : sweet

# SAFETY DATA SHEET



## Indoxacarb Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04/24/2019  
6.2                09/13/2019              25539-00015            Date of first issue: 10/24/2014

---

Odor Threshold                            : No data available

pH    : No data available

Melting point/freezing point            : No data available

Initial boiling point and boiling range : No data available

Flash point                                : 64 °F / 18 °C

Evaporation rate                         : No data available

Flammability (solid, gas)                : Not applicable

Flammability (liquids)                 : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure                            : No data available

Relative vapor density                  : No data available

Density                                    : 1.12 g/cm<sup>3</sup>

Solubility(ies)  
    Water solubility                        : No data available

Partition coefficient: n-octanol/water    : No data available

Autoignition temperature                : No data available

Decomposition temperature               : No data available

Viscosity  
    Viscosity, kinematic                  : No data available

Explosive properties                     : Not explosive

Oxidizing properties                     : The substance or mixture is not classified as oxidizing.

Molecular weight                        : No data available

Particle size                              : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity                                : Not classified as a reactivity hazard.

**Indoxacarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 839.49 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 21.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Indoxacarb (ISO):**

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg  
Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg



**Indoxacarb Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/24/2019  
6.2                09/13/2019                25539-00015            Date of first issue: 10/24/2014

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propan-2-ol:**

Species                                : Rabbit  
Result                                 : No skin irritation

**Indoxacarb (ISO):**

Result                                 : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Propan-2-ol:**

Species                                : Rabbit  
Result                                 : Irritation to eyes, reversing within 21 days

**Indoxacarb (ISO):**

Result                                 : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Propan-2-ol:**

Test Type                              : Buehler Test  
Routes of exposure                 : Skin contact  
Species                                 : Guinea pig  
Method                                 : OECD Test Guideline 406  
Result                                 : negative

**Indoxacarb (ISO):**

Test Type                              : Maximization Test  
Species                                 : Guinea pig  
Result                                 : positive

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### Indoxacarb (ISO):

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Frequency of Treatment : daily  
Result : negative

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 18 Months  
Frequency of Treatment : daily  
Result : negative

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

- IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Indoxacarb (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 1.3 mg/kg body weight  
Result: negative

Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 1.3 mg/kg body weight  
General Toxicity F1: NOAEL: > 6.7 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Effects on fetal development : Test Type: Development  
Species: Rat  
Developmental Toxicity: NOAEL: 2 mg/kg body weight  
Result: No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 500 mg/kg body weight  
Result: No adverse effects.

Test Type: Development  
Species: Rat

## Indoxacarb Formulation

Version 6.2      Revision Date: 09/13/2019      SDS Number: 25539-00015      Date of last issue: 04/24/2019  
Date of first issue: 10/24/2014

---

Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight

**STOT-single exposure**

May cause drowsiness or dizziness.

**Components:****Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**STOT-repeated exposure**

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

**Components:****Indoxacarb (ISO):**

Target Organs : Blood, Nervous system, Heart  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Propan-2-ol:**

Species : Rat  
NOAEL : 12.5 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 104 Weeks

**Indoxacarb (ISO):**

Species : Rat, male and female  
NOAEL : 1.7 mg/kg  
LOAEL : 4.1 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Blood, Central nervous system

Species : Rat, male and female  
NOAEL : 50 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Dermal  
Exposure time : 28 d  
Target Organs : Blood

Species : Rat

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

NOAEL : 4.6 mg/m<sup>3</sup>  
 LOAEL : 23 mg/m<sup>3</sup>  
 Application Route : Inhalation  
 Exposure time : 4 Weeks  
 Target Organs : Blood, Lungs

Species : Rat, male and female  
 NOAEL : 1 mg/kg  
 LOAEL : 2 mg/kg  
 Application Route : Oral  
 Exposure time : 1 y  
 Target Organs : Blood

Species : Dog  
 NOAEL : 1 mg/kg  
 LOAEL : 2 mg/kg  
 Application Route : Oral  
 Exposure time : 1 y  
 Target Organs : Blood

Species : Mouse  
 NOAEL : 3 mg/kg  
 LOAEL : 14 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 18 Months  
 Target Organs : Nervous system, Heart

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Indoxacarb (ISO):**

General Information : No human information is available.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
 Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l  
 Exposure time: 16 h

**Indoxacarb (ISO):**

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l Exposure time: 72 h
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d

### Persistence and degradability

#### Components:

##### Propan-2-ol:

Biodegradability	:	Result: rapidly degradable
BOD/COD	:	BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

### Bioaccumulative potential

#### Components:

##### Propan-2-ol:

Partition coefficient: n-octanol/water	:	log Pow: 0.05
--	---	---------------

##### Indoxacarb (ISO):

Partition coefficient: n-octanol/water	:	log Pow: 4.65
--	---	---------------

### Mobility in soil

#### Components:

##### Indoxacarb (ISO):

Distribution among environmental compartments	:	log Koc: 3.9
---	---	--------------

### Other adverse effects

No data available

**Indoxacarb Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/24/2019  
6.2                09/13/2019              25539-00015            Date of first issue: 10/24/2014

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues            : Dispose of in accordance with local regulations.  
Contaminated packaging        : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number                        : UN 1219  
Proper shipping name            : ISOPROPANOL SOLUTION  
Class                                : 3  
Packing group                    : II  
Labels                              : 3

**IATA-DGR**

UN/ID No.                         : UN 1219  
Proper shipping name            : Isopropanol solution  
Class                                : 3  
Packing group                    : II  
Labels                              : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

**IMDG-Code**

UN number                        : UN 1219  
Proper shipping name            : ISOPROPANOL SOLUTION  
(Indoxacarb (ISO))  
Class                                : 3  
Packing group                    : II  
Labels                              : 3  
EmS Code                         : F-E, S-D  
Marine pollutant                 : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number                : UN 1219  
Proper shipping name            : Isopropanol SOLUTION  
Class                                : 3  
Packing group                    : II  
Labels                              : FLAMMABLE LIQUID

## Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

ERG Code : 129  
 Marine pollutant : yes(Indoxacarb (ISO))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
 Acute toxicity (any route of exposure)  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Propan-2-ol	67-63-0	>= 30 - < 50 %
-------------	---------	----------------

### US State Regulations

#### Pennsylvania Right To Know

Propan-2-ol	67-63-0
Ethyl Acetoacetate	141-97-9
Triacetin	102-76-1
Indoxacarb (ISO)	173584-44-6

#### California List of Hazardous Substances

Propan-2-ol	67-63-0
-------------	---------

#### California Permissible Exposure Limits for Chemical Contaminants

Propan-2-ol	67-63-0
-------------	---------

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined




## Indoxacarb Formulation

Version 6.2      Revision Date: 09/13/2019      SDS Number: 25539-00015      Date of last issue: 04/24/2019  
 Date of first issue: 10/24/2014

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>3</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

**Indoxacarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
6.2	09/13/2019	25539-00015	Date of first issue: 10/24/2014

---

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/13/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8