

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
Date of first issue: 04.11.2014

Section 1: Identification

Product name : Indoxacarb / Permethrin Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Telefax : 908-735-1496

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Section 2: Hazard identification**GHS Classification**

Flammable liquids : Flam. Liq.3

Acute toxicity (Oral) : Acute Tox.4

Acute toxicity (Inhalation) : Acute Tox.4

Skin sensitisation : Skin Sens.1

Specific target organ toxicity -
single exposure : STOT SE3

Specific target organ toxicity -
repeated exposure : STOT RE1 (Blood, Nervous system, Heart)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H372 Causes damage to organs (Blood, Nervous system,

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Heart) through prolonged or repeated exposure.

Precautionary statements :

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Permethrin (ISO)	52645-53-1	>= 30 -< 60
1-Methoxy-2-propanol	107-98-2	>= 30 -< 60
Indoxacarb (ISO)	173584-44-6	>= 10 -< 30

Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2018
3.0	09/16/2019	27899-00013	Date of first issue: 04.11.2014

Section 4: First-aid measures

- | | | |
|---|---|--|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention if symptoms occur. |
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed or if inhaled.
May cause an allergic skin reaction.
May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |
-

Section 5: Fire-fighting measures

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire-fighting | : | Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Chlorine compounds |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |

Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2018
3.0	09/16/2019	27899-00013	Date of first issue: 04.11.2014

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Hazchem Code : 2Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

- Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
- Conditions for safe storage** : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
 Keep away from heat and sources of ignition.
- Materials to avoid** : Do not store with the following product types:
 Self-reactive substances and mixtures
 Organic peroxides
 Oxidizing agents
 Flammable gases
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Poisonous gases
 Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Permethrin (ISO)	52645-53-1	TWA	80 µg/m ³ (OEB 3)	Internal
		Wipe limit	800 µg/100 cm ²	Internal
1-Methoxy-2-propanol	107-98-2	WES-TWA	100 ppm 369 mg/m ³	NZ OEL
		WES-STEL	150 ppm 553 mg/m ³	NZ OEL
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	20 µg/m ³	Internal
		Further information: Skin sensitisation		
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Minimize workplace exposure concentrations.
 If sufficient ventilation is unavailable, use with local exhaust ventilation.
 If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Filter type	: Recommended guidelines, use respiratory protection.
Hand protection	: Combined particulates and organic vapour type
Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety glasses
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: Clear white to yellow.
Odour	: ether-like
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 33.5 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2018
3.0	09/16/2019	27899-00013	Date of first issue: 04.11.2014

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.096
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Acute oral toxicity : Acute toxicity estimate: 609.38 mg/kg
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4.48 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: Calculation method

Components:

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

1-Methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat): 4,016 mg/kg

Acute inhalation toxicity : LC50 (Mouse): < 22.2 mg/l
 Exposure time: 6 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

Indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg
 Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

1-Methoxy-2-propanol:

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
Date of first issue: 04.11.2014

Species : Rabbit
Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Permethrin (ISO):**

Species : Rabbit
Result : No eye irritation

1-Methoxy-2-propanol:

Species : Rabbit
Result : No eye irritation

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Permethrin (ISO):**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1-Methoxy-2-propanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Indoxacarb (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Result : positive

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Permethrin (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Result: negative Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

1-Methoxy-2-propanol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	--

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Result: negative

Test Type: Chromosome aberration test in vitro
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
 Result: equivocal

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
 Method: OECD Test Guideline 482
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosomal aberration
 Test system: mammalian cells
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Test system: Chinese hamster ovary cells
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Cell type: Bone marrow
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Permethrin (ISO):**

Species : Rat
 Result : negative

Species : Mouse
 Result : negative

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

1-Methoxy-2-propanol:

Species : Rat
 Application Route : inhalation (vapour)
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : negative

Indoxacarb (ISO):

Species : Rat, male and female
 Application Route : oral (feed)
 Exposure time : 2 Years
 Frequency of Treatment : daily
 Result : negative

Species : Mouse, male and female
 Application Route : oral (feed)
 Exposure time : 18 Months
 Frequency of Treatment : daily
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Permethrin (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Result: negative

1-Methoxy-2-propanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: inhalation (vapour)
 Method: OECD Test Guideline 416
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
 Species: Rat

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

	Application Route: Oral General Toxicity F1: NOAEL: 1.3 mg/kg body weight Result: negative
	Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 1.3 mg/kg body weight General Toxicity F1: NOAEL: > 6.7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected.
Effects on foetal development	: Test Type: Development Species: Rat Developmental Toxicity: NOAEL: 2 mg/kg body weight Result: No teratogenic effects
	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 500 mg/kg body weight Result: No adverse effects
	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight
	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT - single exposure

May cause drowsiness or dizziness.

Components:**1-Methoxy-2-propanol:**

|| Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:**Indoxacarb (ISO):**

|| Target Organs : Blood, Nervous system, Heart
 || Assessment : Causes damage to organs through prolonged or repeated exposure.

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Repeated dose toxicity**Components:****Permethrin (ISO):**

Species : Rat
 NOAEL : 0.2201 mg/l
 Application Route : Inhalation
 Exposure time : 90 Days

Species : Rat
 NOAEL : 175 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

1-Methoxy-2-propanol:

Species : Rat
 NOAEL : 919 mg/kg
 Application Route : Ingestion
 Exposure time : 35 Days

Species : Rat
 NOAEL : 1.1 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 2 yr
 Method : OECD Test Guideline 453

Species : Rabbit
 NOAEL : 1,838 mg/kg
 Application Route : Skin contact
 Exposure time : 90 Days

Indoxacarb (ISO):

Species : Rat, male and female
 NOAEL : 1.7 mg/kg
 LOAEL : 4.1 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Blood, Central nervous system

Species : Rat, male and female
 NOAEL : 50 mg/kg
 LOAEL : 500 mg/kg
 Application Route : Dermal
 Exposure time : 28 d
 Target Organs : Blood

Species : Rat
 NOAEL : 4.6 mg/m³
 LOAEL : 23 mg/m³
 Application Route : Inhalation
 Exposure time : 4 Weeks
 Target Organs : Blood, Lungs

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Species : Rat, male and female
 NOAEL : 1 mg/kg
 LOAEL : 2 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Target Organs : Blood

Species : Dog
 NOAEL : 1 mg/kg
 LOAEL : 2 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Target Organs : Blood

Species : Mouse
 NOAEL : 3 mg/kg
 LOAEL : 14 mg/kg
 Application Route : oral (feed)
 Exposure time : 18 Months
 Target Organs : Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Indoxacarb (ISO):**

General Information : No human information is available.

Section 12: Ecological information**Ecotoxicity****Components:****Permethrin (ISO):**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0001 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l
 Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l
 Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.00041 mg/l
 Exposure time: 35 d
 Method: OECD Test Guideline 210

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0047 µg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l
 Exposure time: 3 h

1-Methoxy-2-propanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6,812 mg/l
 Exposure time: 96 h
 Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 23,300 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 6,745 mg/l
 Exposure time: 72 h
 Method: ISO 10253

Toxicity to microorganisms : IC50: > 1,000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l
 Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l
 Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l
 Exposure time: 21 d

Persistence and degradability**Components:****Permethrin (ISO):**

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

Biodegradability : Result: Not readily biodegradable.
 Method: OECD Test Guideline 301F

1-Methoxy-2-propanol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 96 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301E

Bioaccumulative potential**Components:****Permethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

1-Methoxy-2-propanol:

Partition coefficient: n-octanol/water : log Pow: < 1

Indoxacarb (ISO):

Partition coefficient: n-octanol/water : log Pow: 4.65

Mobility in soil**Components:****Indoxacarb (ISO):**

Distribution among environmental compartments : log Koc: 3.9

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Empty containers retain residue and can be dangerous.
 Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
 If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations**

Indoxacarb / Permethrin Formulation

Version 3.0 Revision Date: 09/16/2019 SDS Number: 27899-00013 Date of last issue: 05.06.2018
 Date of first issue: 04.11.2014

UNRTDG

UN number : UN 3092
 Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION
 Class : 3
 Packing group : III
 Labels : 3

IATA-DGR

UN/ID No. : UN 3092
 Proper shipping name : 1-Methoxy-2-propanol solution
 Class : 3
 Packing group : III
 Labels : Flammable Liquids
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 3092
 Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION
 (Permethrin (ISO), Indoxacarb (ISO))
 Class : 3
 Packing group : III
 Labels : 3
 EmS Code : F-E, S-D
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 3092
 Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION
 Class : 3
 Packing group : III
 Labels : 3
 Hazchem Code : 2Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard
 2017

Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2018
3.0	09/16/2019	27899-00013	Date of first issue: 04.11.2014

HSW Controls

Certified handler certificate not required.
 Tracking hazardous substance not required.
 Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

Section 16: Other information

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEEL	: Workplace Exposure Standard - Short-Term Exposure Limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.06.2018
3.0	09/16/2019	27899-00013	Date of first issue: 04.11.2014

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN