

according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
4.6	04/06/2024	4741417-00014	Date of first issue: 08/13/2019

SECTION 1. IDENTIFICATION

Product name	:	Isoeugenol Formulation				
Manufacturer or supplier's details						
Company name of supplier	:	Merck & Co., Inc				
Address	:	126 E. Lincoln Avenue				
		Rahway, New Jersey U.S.A. 07065				
Telephone	:	908-740-4000				
Emergency telephone	:	1-908-423-6000				
E-mail address	:	EHSDATASTEWARD@merck.com				
Recommended use of the c	hen	nical and restrictions on use				
Recommended use	:	Veterinary product				
Restrictions on use	:	Not applicable				

SECTION 2. HAZARDS IDENTIFICATION

	_	
GHS classification in accord 1910.1200)	lar	ace with the OSHA Hazard Communication Standard (29 CFR
Acute toxicity (Inhalation)	:	Category 4
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation.
Precautionary Statements	:	Prevention: P261 Avoid breathing vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of

according to the OSHA Hazard Communication Standard



Isoeugenol Formulation

Revision Date: 04/06/2024	SDS Number: 4741417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019
	the workplace. P280 Wear pro tion.	tective gloves, eye protection and face protec-
	P304 + P340 + and keep comfunwell. P305 + P351 + for several min to do. Continue P333 + P313 If tion. P337 + P313 If	F ON SKIN: Wash with plenty of soap and water. P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a doctor if you feel P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. skin irritation or rash occurs: Get medical atten- eye irritation persists: Get medical attention. ake off contaminated clothing and wash it before
	Storage: P405 Store loc	ked up.
	Disposal: P501 Dispose disposal plant.	of contents and container to an approved waste
		04/06/2024 4741417-00014 the workplace. P280 Wear protion. Response: P302 + P352 IF P304 + P340 + and keep comfourwell. P305 + P351 + for several minitor do. Continue P333 + P313 If tion. P337 + P313 If P362 + P364 T P405 Store lock Disposal: P501 Dispose of P501 Dispose of

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Isoeugenol	97-54-1	50

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

Version 4.6	Revision Date: 04/06/2024	SDS Number: 4741417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019			
If swallowed		 for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 				
Most important symptoms and effects, both acute and delayed		: Causes skin irrit May cause an a Causes serious Harmful if inhale	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. 			
	ction of first-aiders s to physician	: First Aid respon and use the rec when the potent	ders should pay attention to self-protection, ommended personal protective equipment tial for exposure exists (see section 8). atically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Soak up with inert absorbent material.

according to the OSHA Hazard Communication Standard



Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
4.6	04/06/2024	4741417-00014	Date of first issue: 08/13/2019
contai	nment and cleaning up	containment to can be pumped container. Clean up remai absorbent. Local or nationa disposal of this employed in the determine whic Sections 13 and	provide diking or other appropriate keep material from spreading. If diked material l, store recovered material in appropriate ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Isoeugenol	97-54-1	TWA	250 µg/m3 (OEB 2)	Internal



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

/ersion 1.6	Revision Date: 04/06/2024	SDS Number:Date of last issue: 09/30/20234741417-00014Date of first issue: 08/13/2019						
		Further information: DSEN						
		Wipe limit 100 µg/100 cm ² Interna	ıl					
Engi	neering measures	 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. 						
Pers	onal protective equip	ment						
Resp	iratory protection	 No personal respiratory protective equipment normally required. 						
	l protection aterial	: Chemical-resistant gloves						
Eye ç	protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	\$,					
	and body protection ene measures	 Work uniform or laboratory coat. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of th workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 	f t,					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	yellow
Odor	:	floral
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	511 °F / 266 °C



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

Ver 4.6	sion	Revision Date: 04/06/2024		S Number: 1417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019
	Flash p	oint	:	No data available	9
	Evapor	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	9
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	< 0.02 mmHg (77	7 °F / 25 °C)
	Relative	e vapor density	:	No data available	9
	Relative	e density	:	No data available)
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	dispersible	
	Solu	bility in other solvents	:	soluble Solvent: Ethanol	
	Partition octanol	n coefficient: n-	:	Not applicable	
		hition temperature	:	No data available)
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty osity, kinematic	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	characteristics size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.

according to the OSHA Hazard Communication Standard



Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
4.6	04/06/2024	4741417-00014	Date of first issue: 08/13/2019
Incom	itions to avoid npatible materials rdous decomposition icts	: None known. : Oxidizing agent : No hazardous o	ts decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	s of	exposure
Acute toxicity Harmful if inhaled.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 2,580 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 3,824 mg/kg Method: Calculation method
Components:		
Isoeugenol:		
Acute oral toxicity	:	LD50 (Rat): 1,290 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 1 - 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgment
Acute dermal toxicity	:	LD50 (Rabbit): 1,912 mg/kg
Skin corrosion/irritation Causes skin irritation. Components:		
Isoeugenol: Species Result	:	Rabbit Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

sion	Revision Date: 04/06/2024	SDS Number: 4741417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019
<u>Com</u>	oonents:		
Isoeu	igenol:		
Resu	-	: Irritation to eve	s, reversing within 21 days
		· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Resp	iratory or skin sensi	tization	
Skin	sensitization		
May c	ause an allergic skin	reaction.	
Resp	iratory sensitization		
Not cl	assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
Isoeu	igenol:		
Test	Гуре	: Maximization T	est
	es of exposure	: Skin contact	
Speci		: Humans	
Metho		: OECD Test Gu	deline 406
Resul	lt	: positive	
Test	Гуре	: Maximization T	est
	es of exposure	: Skin contact	
Speci		: Guinea pig	
Metho		: OECD Test Gu	deline 406
Resul	lt	: positive	
Asses	ssment	: Probability or e humans	vidence of high skin sensitization rate in
	cell mutagenicity		
Not cl	assified based on ava	ailable information.	
<u>Com</u>	<u>oonents:</u>		
Isoeu	igenol:		
Geno	toxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES)
		Test Type: Chro Result: negative	omosome aberration test in vitro
~		: Test Type: Mar	nmalian erythrocyte micronucleus test (in v av)
Geno	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou Result: negative	e ite: Ingestion
Geno	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou	e ite: Ingestion
Carci	nogenicity	cytogenetic ass Species: Mouse Application Rou Result: negative	e ite: Ingestion
Carci Not cl	nogenicity lassified based on ava	cytogenetic ass Species: Mouse Application Rou Result: negative	e ite: Ingestion e
Carci	nogenicity lassified based on ava	cytogenetic ass Species: Mouse Application Rou Result: negative ailable information. Possibly carcinogenic t	e ite: Ingestion e



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

/ersi 1.6	ion	Revisio 04/06/2	on Date: 2024		S Number: 41417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019		
	OSHA		on OSHA's lis	t of	regulated carcinog			
	NTP	No ingredient of this product present at levels greater than or equal to 0.1% identified as a known or anticipated carcinogen by NTP.						
	-	luctive t ssified b	toxicity ased on availa	ble	information.			
	Compo	nents:						
	Isoeug e Effects	enol: on fertili	ity	:	Test Type: Two-ge Species: Rat Application Route Result: negative	eneration reproduction toxicity study		
I	Effects on fetal development :			:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative			
I	May ca	use resp	xposure piratory irritatio	n.				
<u>.</u>	Compo	onents:						
	Isoeug				N			
	Assessi Remark			:	May cause respira Based on data fro	atory irritation. m similar materials		
		-	d exposure ased on availa	ble	information.			
ļ	Repeat	ed dose	e toxicity					
9	Compo	onents:						
ļ	Isoeug	enol:						
	Species			:	Rat			
	NOAEL LOAEL			÷	75 mg/kg 150 mg/kg			
		tion Rou	ute	:	Ingestion 14 Weeks			
	Aspirat	tion tox	icity					





Isoeugenol Formulation

rsion	Revision Date: 04/06/2024	SDS Number: 4741417-00014		Date of last issue: 09/30/2023 Date of first issue: 08/13/2019
OTION				
CTION	12. ECOLOGICAL INFO	JRI	ATION	
Ecoto	oxicity			
<u>Comp</u>	oonents:			
Isoeu	igenol:			
Toxici	ity to fish	:	EC50 (Oncorhy Exposure time:	nchus mykiss (rainbow trout)): 5.1 mg/l 96 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time:	magna (Water flea)): 7.5 mg/l 48 h
Toxici plants	ity to algae/aquatic	:	ErC50 (Skeletor Exposure time:	nema costatum (marine diatom)): 3.76 n 72 h
			NOEC (Skeletor Exposure time:	nema costatum (marine diatom)): 1.7 m 72 h
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time:	a magna (Water flea)): 0.4 mg/l 21 d Test Guideline 211
Persi	stence and degradabili	ity		
<u>Comp</u>	oonents:			
Isoeu	igenol:			
Biode	gradability	:	Result: Readily Biodegradation: Exposure time: Method: OECD	79 %
Bioad	ccumulative potential			
<u>Comp</u>	oonents:			
	igenol:			
	ion coefficient: n- ol/water	:	log Pow: 3.04	
	l ity in soil ata available			
	r adverse effects ata available			

Diama and models and

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations.



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
4.6	04/06/2024	4741417-00014	Date of first issue: 08/13/2019
Conta	minated packaging	handling site for	s should be taken to an approved waste recycling or disposal. specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure) Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Polyethylene glycol sorbitan monooleate Isoeugenol

9005-65-6 97-54-1



according to the OSHA Hazard Communication Standard


Isoeugenol Formulation

Version 4.6	Revision Date: 04/06/2024	SDS Number: 4741417-00014	Date of last issue: 09/30/2023 Date of first issue: 08/13/2019		
The ingredients of this product are reported in the following inventories:					
DSL		: not determine	-		
IECS	C	: not determine	ed		

SECTION 16. OTHER INFORMATION



NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Oth-



according to the OSHA Hazard Communication Standard

Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
4.6	04/06/2024	4741417-00014	Date of first issue: 08/13/2019

erwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
--	---	--

Revision Date : 04/06/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8