according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

SECTION 1. IDENTIFICATION

Product name : Levamisole / Oxyclozanide Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

:

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure (Oral)

: Category 2 (Central nervous system)

Specific target organ toxicity :

- repeated exposure

Category 2 (Brain, Liver)

Specific target organ toxicity

- repeated exposure (Oral)

Category 2 (Blood, Testis)

GHS label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

H371 May cause damage to organs (Central nervous system) if

swallowed.

H373 May cause damage to organs (Brain, Liver) through pro-

longed or repeated exposure.

H373 May cause damage to organs (Blood, Testis) through

prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P311 IF exposed or concerned: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Kaolin	Hydrated alumi- num silicate	1332-58-7	6
Oxyclozanide	3,3',5,5',6- Pentachloro-2'- hydroxysalicy- lanilide	2277-92-1	3
Levamisole hydrochlo- ride	No data availa- ble	16595-80-5	1.5
Citric acid	2- hydroxypro- pane-1,2,3- tricarboxylic acid	77-92-9	1.37

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

: Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

: If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

If swallowed

Suspected of damaging the unborn child. May cause damage to organs if swallowed.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

. •	•			-
Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Kaolin	1332-58-7	TWA (Res-	2 mg/m ³	CA AB OEL

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

		pirable)			
		TWA (Res-	2 mg/m³	CA BC OEL	
		pirable)			
		TWAEV	2 mg/m³	CA QC OEL	
		(respirable			
		dust)			
		TWA	2 mg/m³	ACGIH	
		(Respirable			
		particulate			
		matter)			
Oxyclozanide	2277-92-1	TWA	0.4 mg/m3 (OEB	Internal	
			2)		
Levamisole hydrochloride	16595-80-5	TWA	20 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	200 μg/100 cm ²	Internal	

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Autoignition temperature : No data available

Not applicable

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/30/2023 09/28/2024 5360093-00012 Date of first issue: 12/19/2019 1.11

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

No data available Molecular weight

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

products

Hazardous decomposition : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Kaolin:

LD50 (Rat): > 5,000 mg/kgAcute oral toxicity

Acute dermal toxicity LD50 (Rat): > 5,000 mg/kg

Oxyclozanide:

Acute oral toxicity LD50 (Rat): 3,519 mg/kg

Target Organs: Central nervous system

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Acute toxicity (other routes of :

administration)

LDLo (sheep): 10 mg/kg

Application Route: Intravenous

Levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Kaolin:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Oxyclozanide:

Remarks : Not classified due to lack of data.

Levamisole hydrochloride:

Remarks : No data available

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Components:

Kaolin:

Species : Rabbit

Result : No eye irritation

Oxyclozanide:

Remarks : Not classified due to lack of data.

Levamisole hydrochloride:

Remarks : No data available

Citric acid:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Oxyclozanide:

Routes of exposure : Dermal

Remarks : Not classified due to lack of data.

Levamisole hydrochloride:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Oxyclozanide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: Mouse Lymphoma

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

> Species: Mouse Application Route: Oral Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat Cell type: Liver cells Application Route: Oral Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Oxyclozanide:

Remarks : Not classified due to lack of data.

Levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Oxyclozanide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofetal

and postnatal development. Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: LOAEL: 75 - 100 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofetal

and postnatal development. Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 75 - 100 mg/kg body

weight

Result: No fetotoxicity., No teratogenic effects.

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity., No teratogenic effects., No effects on

fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 200 mg/kg body weight

Result: No fetotoxicity., No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 100 mg/kg body weight

Result: No fetotoxicity., No teratogenic effects.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 32 mg/kg body weight

Result: Fetotoxicity., Skeletal malformations.

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:

Oxyclozanide:

Routes of exposure : Oral

Target Organs : Central nervous system
Assessment : May cause damage to organs.

Citric acid:

Assessment : May cause respiratory irritation.

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

STOT-repeated exposure

May cause damage to organs (Brain, Liver) through prolonged or repeated exposure. May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

Components:

Oxyclozanide:

Target Organs : Brain, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Oxyclozanide:

Species : Rat
NOAEL : 9 mg/kg
LOAEL : 44.5 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Brain, Liver, spleen, Adrenal gland

Symptoms : Liver effects

Species : Dog
NOAEL : 5 mg/kg
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Brain, Liver

Symptoms : blood effects, alteration in liver enzymes

Levamisole hydrochloride:

Species : Rat
NOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species : Dog LOAEL : 20 mg/kg Application Route : Oral Exposure time : 18 Months Target Organs : Blood

Species : Dog

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

LOAEL 40 mg/kg Application Route Oral 3 Months Exposure time

Citric acid:

Species Rat

NOAEL 4,000 mg/kg LOAEL : 8,000 mg/kg Application Route : Ingestion Exposure time 10 Days

Aspiration toxicity

Not classified based on available information.

Components:

Oxyclozanide:

Not applicable

Experience with human exposure

Components:

Oxyclozanide:

Ingestion Symptoms: May cause, Gastrointestinal disturbance, Central

nervous system depression

Levamisole hydrochloride:

Ingestion Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

tension

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Oxyclozanide:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.69 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Levamisole hydrochloride:

LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h

Persistence and degradability

Components:

Oxyclozanide:

Stability in water : Hydrolysis: 50 %(156 d)

Method: OECD Test Guideline 111

Citric acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Oxyclozanide:

Partition coefficient: n- : log Pow: 3.99

octanol/water pH: 7

Method: OECD Test Guideline 107

Citric acid:

Partition coefficient: n-

octanol/water

log Pow: -1.72

Mobility in soil

Components:

Oxyclozanide:

Distribution among environ-

: log Koc: 4.83

mental compartments Method: OECD Test Guideline 106

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxyclozanide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Oxyclozanide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Oxyclozanide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Oxyclozanide)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Oxyclozanide)

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Hazardous Products Regulations



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.11 09/28/2024 5360093-00012 Date of first issue: 12/19/2019

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/28/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8