

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

SECTION 1. IDENTIFICATION

Product name : Milbemycin Oxime / Lufenuron Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1
Reproductive toxicity : Category 1B
Specific target organ toxicity : Category 1 (Central nervous system)
- repeated exposure
Specific target organ toxicity : Category 1 (Central nervous system, Lungs, Liver, Stomach)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H372 Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

and understood.
P260 Do not breathe dust, fume, gas, mist, vapors or spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Lufenuron (ISO)	No data available	103055-07-8	30.7
Cellulose	No data available	9004-34-6	16
Starch	Sago starch	9005-25-8	5
Milbemycin Oxime	No data available	129496-10-2	1.6

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

In case of eye contact	:	Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust, fume, gas, mist, vapors or spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Lufenuron (ISO)	103055-07-8	TWA	60 µg/m ³ (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Cellulose	9004-34-6	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Starch	9005-25-8	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m ³ (OEB2)	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Color	:	brown
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact

Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
-----------------------	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,350 mg/m³
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Milbemycin Oxime:

Acute oral toxicity : LD50 (Rat): 532 - 863 mg/kg
LD50 (Mouse): 722 - 946 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1,200 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Lufenuron (ISO):

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Milbemycin Oxime:

Species : Rabbit
Method : OECD Test Guideline 404

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Lufenuron (ISO):

Species : Rabbit
Result : No eye irritation
Method : Draize Test

Starch:

Species : Rabbit
Result : No eye irritation

Milbemycin Oxime:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Lufenuron (ISO):

Test Type : Maximization Test
Species : Guinea pig
Assessment : May cause sensitization by skin contact.
Result : Sensitizer

Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Milbemycin Oxime:

Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

- Genotoxicity in vitro : Test Type: Ames test
Result: negative
- Test Type: Mouse Lymphoma
Test system: Chinese hamster cells
Result: negative
- Test Type: Cytogenetic assay
Test system: Chinese hamster ovary cells
Result: negative
- Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative
- Test system: Human lymphocytes
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Result: negative
- Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells
Species: Rat
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Cellulose:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Starch:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Milbemycin Oxime:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Lufenuron (ISO):

Species : Rat
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Lufenuron (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 8.3 mg/kg wet weight
Early Embryonic Development: NOAEL: 20.9 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Symptoms: No adverse effects.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Remarks: No significant adverse effects were reported

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight
Embryo-fetal toxicity.: 8.3 mg/kg body weight
Result: Fetal abnormalities.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Milbemycin Oxime:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Dog
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

Test Type: Embryo-fetal development
Species: Dog
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Lufenuron (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

Components:

Lufenuron (ISO):

Routes of exposure : Oral
Target Organs : Central nervous system, Lungs, Liver, Stomach
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Milbemycin Oxime:

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Lufenuron (ISO):

Species : Rat
NOAEL : 5.34 mg/kg
Application Route : oral (feed)
Exposure time : 4 Months
Target Organs : Central nervous system, digestive system
Symptoms : central nervous system effects

Species : Rat
NOAEL : 1.93 mg/kg
Application Route : oral (feed)
Exposure time : 2 y
Symptoms : central nervous system effects, Convulsions

Species : Mouse
NOAEL : 2.12 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months
Target Organs : Central nervous system, Liver, Prostate
Symptoms : central nervous system effects, Convulsions

Species : Dog
NOAEL : 7.02 mg/kg
Application Route : oral (feed)
Exposure time : 1 y
Target Organs : Central nervous system, Liver, Lungs
Symptoms : Convulsions, Fatality, Irregularities

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Starch:

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Milbemycin Oxime:

Species : Rat
NOAEL : 3 mg/kg
LOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Symptoms : Liver disorders, Blood disorders

Species : Dog
LOAEL : 8.6 mg/kg
Application Route : Ingestion
Exposure time : 3 Days
Symptoms : Tremors

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Lufenuron (ISO):

General Information : Remarks: May be harmful if swallowed.
May cause neurotoxic effects.

Milbemycin Oxime:

Ingestion : Symptoms: Salivation, Convulsions, Diarrhea, Weakness,
Vomiting, Tremors, Coma
Remarks: Based on Animal Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Lufenuron (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): $> 73,100$ $\mu\text{g/l}$
Exposure time: 96 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.042 µg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

EC50 (Daphnia magna (Water flea)): 0.41 µg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Scenedesmus subspicatus): 17 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l
Exposure time: 33 d
Method: OECD Test Guideline 210

NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l
Exposure time: 359 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8.38 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 90 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Chironomus riparius (harlequin fly)): 2 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Milbemycin Oxime:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.16 µg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.03 µg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50: > 87 µg/l
plants Exposure time: 72 h

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.01 µg/l
aquatic invertebrates (Chronic toxicity)

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Lufenuron (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 28
Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 5.12
octanol/water

Milbemycin Oxime:

Bioaccumulation : Bioconcentration factor (BCF): 440

Partition coefficient: n- : log Pow: 7
octanol/water

Mobility in soil

Components:

Lufenuron (ISO):

Distribution among environ- : log Koc: 5.38
mental compartments Method: OECD Test Guideline 106

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version 2.7 Revision Date: 09/28/2024 SDS Number: 6365215-00009 Date of last issue: 09/30/2023
Date of first issue: 09/21/2020

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Milbemycin Oxime, Lufenuron (ISO))
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Milbemycin Oxime, Lufenuron (ISO))
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Milbemycin Oxime, Lufenuron (ISO))
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Milbemycin Oxime, Lufenuron (ISO))
Class : 9
Packing group : III
Labels : 9
ERG Code : 171

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

Marine pollutant : yes(Milbemycin Oxime, Lufenuron (ISO))

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA QC OEL / TWAEV : Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.7	09/28/2024	6365215-00009	Date of first issue: 09/21/2020

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8