

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

SECTION 1. IDENTIFICATION

Product name : Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 1A
Specific target organ toxicity : Category 1 (Kidney, inner ear)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 7.0 Revision Date: 07/06/2024 SDS Number: 772755-00023 Date of last issue: 04/06/2024
Date of first issue: 06/23/2016

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Gentamicin	1403-66-3	$\geq 1 - < 5$
Posaconazole	171228-49-2	$\geq 0.1 - < 1$
Mometasone	83919-23-7	$\geq 0.1 - < 1$
3-Mercaptopropane-1,2-diol	96-27-5	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child. Suspected of damaging fertility.
Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 7.0 Revision Date: 07/06/2024 SDS Number: 772755-00023 Date of last issue: 04/06/2024
Date of first issue: 06/23/2016

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				
Posaconazole	171228-49-2	TWA	300 µg/m ³ (OEB 2)	Internal
Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

- Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Essentially no open handling permitted.
Use closed processing systems or containment technologies.
If handled in a laboratory, use a properly designed biosafety

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: No data available
Odor	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
-----------------------	---	--

Components:

Gentamicin:

Acute oral toxicity	:	LD50 (Rat): 8,000 - 10,000 mg/kg LD50 (Mouse): 10,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	:	LD50 (Rat): 67 - 96 mg/kg Application Route: Intravenous LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Posaconazole:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 3,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg
Application Route: Subcutaneous
Symptoms: Breathing difficulties

3-Mercaptopropane-1,2-diol:

Acute oral toxicity : LD50 (Rat): 648 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 673 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

Posaconazole:

Species : Rabbit
Result : No skin irritation

Mometasone:

Species : Rabbit
Result : No skin irritation

3-Mercaptopropane-1,2-diol:

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

||Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Gentamicin:

||Species : Rabbit
||Result : Mild eye irritation

Posaconazole:

||Species : Rabbit
||Result : Mild eye irritation

Mometasone:

||Species : Rabbit
||Result : No eye irritation

3-Mercaptopropane-1,2-diol:

||Species : Rabbit
||Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Gentamicin:

||Remarks : No data available

Posaconazole:

||Test Type : Magnusson-Kligman-Test
||Routes of exposure : Skin contact
||Species : Guinea pig
||Result : negative

Mometasone:

||Test Type : Maximization Test
||Routes of exposure : Dermal
||Species : Guinea pig
||Assessment : Does not cause skin sensitization.
||Result : negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

3-Mercaptopropane-1,2-diol:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Gentamicin:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative

Posaconazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intravenous Result: negative

Mometasone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster lung cells
-----------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

		Result: negative
		Test Type: Chromosomal aberration
		Test system: Chinese hamster ovary cells
		Result: positive
		Test Type: Mouse Lymphoma
		Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Mouse
		Application Route: Oral
		Result: negative
		Test Type: Chromosomal aberration
		Species: Rat
		Cell type: Bone marrow
		Result: negative
		Test Type: unscheduled DNA synthesis assay
		Species: Rat
		Cell type: Liver cells
		Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

3-Mercaptopropane-1,2-diol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Method: OECD Test Guideline 471
		Result: negative
		Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test
		Method: OECD Test Guideline 476
		Result: negative
		Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro
		Method: OECD Test Guideline 473
		Result: negative
		Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Gentamicin:

Carcinogenicity - Assessment	:	No data available
------------------------------	---	-------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Posaconazole:

Species	: Rat
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: positive
Remarks	: The mechanism or mode of action is not relevant in humans.

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
Result	: positive
Remarks	: The mechanism or mode of action is not relevant in humans.

Mometasone:

Species	: Rat
Application Route	: Inhalation
Exposure time	: 2 Years
Dose	: 0.067 mg/kg body weight
Result	: negative

Species	: Mouse
Application Route	: Inhalation
Exposure time	: 19 Months
Dose	: 0.160 mg/kg body weight
Result	: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Gentamicin:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Fertility: NOAEL: 20 mg/kg body weight Result: No significant adverse effects were reported
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit Developmental Toxicity: NOAEL: 3.6 mg/kg body weight Result: No embryo-fetal toxicity.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

	Test Type: Embryo-fetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 75 mg/kg body weight Result: Embryo-fetal toxicity. Test Type: Embryo-fetal development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed. Test Type: Embryo-fetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Fetal mortality., No malformations were observed.
Reproductive toxicity - Assessment	: Positive evidence of adverse effects on development from human epidemiological studies.

Posaconazole:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male General Toxicity Parent: NOAEL: 180 mg/kg body weight Symptoms: No effects on mating performance. Result: negative
	Test Type: Fertility/early embryonic development Species: Rat, female General Toxicity Parent: NOAEL: 45 mg/kg body weight Symptoms: No effects on mating performance. Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat, female Application Route: Oral Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity., Malformations were observed.
	Test Type: Embryo-fetal development Species: Rabbit, female Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Mometasone:

Effects on fertility	: Test Type: Fertility Species: Rat
----------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 7.0 Revision Date: 07/06/2024 SDS Number: 772755-00023 Date of last issue: 04/06/2024
Date of first issue: 06/23/2016

	Application Route: Subcutaneous Fertility: NOAEL: 0.015 mg/kg body weight Symptoms: Reduced embryonic survival, Reduced fetal weight. Result: No effects on fertility., Effect on reproduction capacity.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Subcutaneous Embryo-fetal toxicity.: LOAEL: 0.06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmental toxicity Test Type: Embryo-fetal development Species: Rat Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0.3 mg/kg body weight Result: Embryo-fetal toxicity. Test Type: Embryo-fetal development Species: Rabbit Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed. Test Type: Embryo-fetal development Species: Rat Application Route: Subcutaneous Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight Result: Effects on newborn. Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Embryo-fetal toxicity.: LOAEL: 0.7 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

3-Mercaptopropane-1,2-diol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Posaconazole:

Routes of exposure : Ingestion
Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Mometasone:

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Immune system, Liver, Kidney, Skin
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Vomiting, Salivation

Species : Monkey

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

LOAEL	: 50 mg/kg
Application Route	: Subcutaneous
Exposure time	: 3 Weeks
Target Organs	: Kidney, inner ear

Species	: Monkey
LOAEL	: 6 mg/kg
Application Route	: Intramuscular
Exposure time	: 3 Weeks
Target Organs	: Blood, Kidney, inner ear, Liver

Species	: Rat
NOAEL	: 5 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Intramuscular
Exposure time	: 52 Weeks
Target Organs	: Kidney, Blood

Species	: Rat
NOAEL	: 12.5 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Intramuscular
Exposure time	: 13 Weeks
Target Organs	: Kidney

Posaconazole:

Species	: Rat, female
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 392 Days
Target Organs	: Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue

Species	: Monkey
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Bone marrow, Adrenal gland, Lymph nodes, Blood

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 56 Weeks
Target Organs	: Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 7.0 Revision Date: 07/06/2024 SDS Number: 772755-00023 Date of last issue: 04/06/2024
Date of first issue: 06/23/2016

Species : Monkey
LOAEL : 180 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey
LOAEL : 8 mg/kg
Application Route : Intravenous
Exposure time : 1 Months
Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Mometasone:

Species : Rat
NOAEL : 0.005 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat
NOAEL : 0.00013 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog
NOAEL : 0.0005 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

3-Mercaptopropane-1,2-diol:

Species : Rat
LOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 55 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

|| Not applicable

Experience with human exposure

Components:

Gentamicin:

|| Ingestion : Target Organs: Kidney
Target Organs: inner ear
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

Posaconazole:

|| Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhea, hypertension, neutropenia, electrolyte imbalance

Mometasone:

|| Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion
|| Skin contact : Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

|| Remarks : Dermal absorption possible

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Gentamicin:

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

|| Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

plants		Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Posaconazole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.276 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.244 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility.
Toxicity to microorganisms	:	EC50 (Natural microorganism): > 1,000 mg/l Exposure time: 3 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Mometasone:

- | | |
|--|--|
| Toxicity to fish | : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility. |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

EC50 (Americamysis): > 5 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
Remarks: No toxicity at the limit of solubility. |
| Toxicity to algae/aquatic plants | : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility. |
| Toxicity to fish (Chronic toxicity) | : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.34 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility. |
| Toxicity to microorganisms | : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility.

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility. |

3-Mercaptopropane-1,2-diol:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 - 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Persistence and degradability

Components:

Gentamicin:

Biodegradability	: Result: rapidly degradable Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---

Posaconazole:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 28 h Method: OECD Test Guideline 314
Stability in water	: Degradation half life (DT50): > 30 d Method: OECD Test Guideline 111

Mometasone:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Stability in water : Hydrolysis: 50 %(12 d)
Method: OECD Test Guideline 111

3-Mercaptopropane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 20
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 107.1
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

3-Mercaptopropane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -0.84
Method: OECD Test Guideline 117

Mobility in soil

Components:

Posaconazole:

Distribution among environmental compartments : log Koc: 5.52

Mometasone:

Distribution among environmental compartments : log Koc: 4.02

Other adverse effects

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Mometasone)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Gentamicin, Mometasone)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Mometasone)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Gentamicin, Mometasone)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Gentamicin, Mometasone)
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
-----------------------------	---

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

US State Regulations

Pennsylvania Right To Know

Triacetin

102-76-1

California Prop. 65

WARNING: This product can expose you to chemicals including Gentamicin, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation


Version	Revision Date:	SDS Number:	Date of last issue:
7.0	07/06/2024	772755-00023	04/06/2024
			Date of first issue: 06/23/2016

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
7.0	07/06/2024	772755-00023	Date of first issue: 06/23/2016

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 07/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8