

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Multivitamin (with Sunflower Oil) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : JL Raya Pandaan KM. 48  
Pandaan, Jawa Timur - Indonesia

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

### 2. HAZARDS IDENTIFICATION


#### GHS Classification

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Retinyl propionate	7069-42-3	$\geq 2.5$ -< 10
(dl)-a-Tocopheryl acetate	7695-91-2	< 10
Benzyl alcohol	100-51-6	< 10
2,6-Di-tert-butyl-p-cresol	128-37-0	$\geq 0.25$ -< 2.5
Colecalciferol	67-97-0	$\geq 0.025$ -< 0.25

**4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**Multivitamin (with Sunflower Oil) Formulation**

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
Date of first issue: 2020/10/15

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust
-

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

- ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m <sup>3</sup> (OEB 1)	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Essentially no open handling permitted.  
 Use closed processing systems or containment technologies.  
 If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Organic vapour type
- Hand protection
- Material : Chemical-resistant gloves

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

---

Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	transparent amber
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

**Multivitamin (with Sunflower Oil) Formulation**

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
Date of first issue: 2020/10/15

---

flammability limit

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.925 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

---

**Multivitamin (with Sunflower Oil) Formulation**

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
Date of first issue: 2020/10/15

---

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Retinyl propionate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**(dl)-a-Tocopheryl acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Colecalciferol:**

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg  
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

**Skin corrosion/irritation**

Not classified based on available information.

**Multivitamin (with Sunflower Oil) Formulation**

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
Date of first issue: 2020/10/15

---

**Components:****Retinyl propionate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**(dl)-a-Tocopheryl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Retinyl propionate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**(dl)-a-Tocopheryl acetate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials



## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

### || Colecalciferol:

|| Species : Rabbit  
 || Result : No eye irritation

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.

#### Components:

### || Retinyl propionate:

|| Test Type : Maximisation Test  
 || Exposure routes : Skin contact  
 || Species : Guinea pig  
 || Method : OECD Test Guideline 406  
 || Result : negative

### || (dl)-a-Tocopheryl acetate:

|| Test Type : Draize Test  
 || Exposure routes : Skin contact  
 || Species : Humans  
 || Result : negative

### || Benzyl alcohol:

|| Test Type : Maximisation Test  
 || Exposure routes : Skin contact  
 || Species : Guinea pig  
 || Method : OECD Test Guideline 406  
 || Result : negative

### || 2,6-Di-tert-butyl-p-cresol:

|| Test Type : Human repeat insult patch test (HRIPT)  
 || Exposure routes : Skin contact  
 || Species : Humans  
 || Result : negative

### || Colecalciferol:

|| Test Type : Maurer optimisation test  
 || Exposure routes : Skin contact  
 || Species : Guinea pig  
 || Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

### || Retinyl propionate:

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative  
 Remarks: Based on data from similar materials

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Remarks: Based on data from similar materials

### **(dl)-a-Tocopheryl acetate:**

**Genotoxicity in vitro** : Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

### **Benzyl alcohol:**

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

### **2,6-Di-tert-butyl-p-cresol:**

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Result: negative

**Genotoxicity in vivo** : Test Type: Mutagenicity (in vivo mammalian bone-marrow cyto-genetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

### Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
 cytogenetic assay)  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Result: negative

Test Type: In vivo mammalian alkaline comet assay  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ  
 cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### (dl)-a-Tocopheryl acetate:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Result : negative

#### Benzyl alcohol:

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 22 Months  
 Result : negative

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

### Reproductive toxicity

May damage the unborn child.

### Components:

#### **Retinyl propionate:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Monkey  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

#### **(dl)-a-Tocopheryl acetate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: negative

#### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

#### **2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

#### Components:

##### Retinyl propionate:

Exposure routes : Ingestion  
 Target Organs : Liver  
 Assessment : Causes damage to organs through prolonged or repeated exposure.  
 Remarks : Based on data from similar materials

##### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### Colecalciferol:

Exposure routes : Ingestion  
 Target Organs : Kidney, Blood, Bone  
 Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Retinyl propionate:

Species : Rat  
 LOAEL : > 1 - 10 mg/kg  
 Application Route : Ingestion  
 Exposure time : 3 Months  
 Remarks : Based on data from similar materials

##### (dl)-a-Tocopheryl acetate:

Species : Rat  
 NOAEL : 500 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days

##### Benzyl alcohol:

Species : Rat  
 NOAEL : 1.072 mg/l  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 28 Days  
 Method : OECD Test Guideline 412

##### 2,6-Di-tert-butyl-p-cresol:

Species : Rat

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

NOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 22 Months

### Colecalciferol:

Species	: Rat
NOAEL	: 0.06 mg/kg
LOAEL	: 0.3 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

### Components:

#### Retinyl propionate:

Ingestion	: Symptoms: liver impairment Remarks: Based on data from similar materials Symptoms: Embryo-foetal toxicity Remarks: Based on data from similar materials
-----------	--

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Retinyl propionate:

Toxicity to fish	: LL50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 180 min Method: OECD Test Guideline 209

#### (dl)-a-Tocopheryl acetate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

NOEC (Pseudokirchneriella subcapitata (green algae)):  $\geq$  100 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l  
 Exposure time: 28 d

Toxicity to microorganisms : EC50:  $>$  927 mg/l  
 Exposure time: 30 min  
 Method: ISO 8192

### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

### 2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)):  $>$  0.57 mg/l  
 Exposure time: 96 h  
 Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)):  $>$  0.24 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

## Multivitamin (with Sunflower Oil) Formulation

Version 2.0      Revision Date: 2021/04/09      SDS Number: 6599066-00003      Date of last issue: 2020/12/21  
 Date of first issue: 2020/10/15

M-Factor (Acute aquatic toxicity) : 1  
 Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
 Exposure time: 30 d  
 Method: OECD Test Guideline 210  
 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
 Exposure time: 21 d  
 M-Factor (Chronic aquatic toxicity) : 1  
 Toxicity to microorganisms : EC50: > 10,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

### **Colecalciferol:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 201

### **Persistence and degradability**

#### **Components:**

##### **Retinyl propionate:**

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 40 - 50 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301B

##### **(dl)-a-Tocopheryl acetate:**

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 21.7 - 31 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 92 - 96 %  
 Exposure time: 14 d

##### **2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.



## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

Biodegradation: 4.5 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

### Colecalciferol:

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: <= 7 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

#### Retinyl propionate:

Partition coefficient: n-octanol/water : log Pow: 9.12  
 Remarks: Calculation

#### Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

#### 2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
 Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

#### Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6.2  
 Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

UNRTDG

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

---

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import, Distribution and Supervision : Not applicable

### The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Multivitamin (with Sunflower Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/12/21
2.0	2021/04/09	6599066-00003	Date of first issue: 2020/10/15

---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN