

according to the OSHA Hazard Communication Standard

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	9404844-00007	Date of first issue: 09/02/2021

SECTION 1. IDENTIFICATION

Restrictions on use

Product name	:	Neomycin Formulation		
Manufacturer or supplier's	deta	ails		
Company name of supplier	:	Merck & Co., Inc		
Address	:	126 E. Lincoln Avenue		
		Rahway, New Jersey U.S.A. 07065		
Telephone	:	908-740-4000		
Emergency telephone	:	1-908-423-6000		
E-mail address	:	EHSDATASTEWARD@merck.com		
Recommended use of the chemical and restrictions on use				
Recommended use	:	Veterinary product		

Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)
Combustible dust

 \wedge

Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney, inner ear)
GHS label elements Hazard pictograms	:	

:

Signal Word

Hazard Statements

:	Warning
:	If small particles are generated during further processing, han- dling or by other means, may form combustible dust concentra- tions in air.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

Precautionary Statements : Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust.

according to the OSHA Hazard Communication Standard



Neomycin Formulation

ersion 1	Revision Date: 09/30/2023	SDS Number: 9404844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021			
		the workplace.	nated work clothing must not be allowed out of tective gloves, protective clothing, eye protection tection.			
		P308 + P313 IF P333 + P313 If tion.	 ON SKIN: Wash with plenty of soap and water exposed or concerned: Get medical attention. skin irritation or rash occurs: Get medical atten- 			
	Storage: P405 Store loc	Storage: P405 Store locked up.				
		Disposal: P501 Dispose of contents and container to an approved waste disposal plant.				

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: N	lixture	
Components			
Chemical name		CAS-No.	Concentration (% w/w)
Neomycin, sulfate (salt)		1405-10-3	50

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	:	May cause an allergic skin reaction. Suspected of damaging the unborn child.



according to the OSHA Hazard Communication Standard

Neomycin Formulation

Versio 2.1	on	Revision Date: 09/30/2023		S Number: 04844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021		
delayed Protection of first-aiders		:	May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,				
N	Notes to physician		:	and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.			
SECTION 5. FIRE-FIGHTING ME		ASU	RES				
S	Suitable extinguishing media		:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical			
	Unsuitable extinguishing media		:	None known.			
S	Specific hazards during fire fighting		:	concentrations, ar potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. pustion products may be a hazard to health.		
	Hazardous combustion prod- ucts		:	Carbon oxides			
	Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so.			
		protective equipment ighters	Evacuate area. rotective equipment : In the event of fire, wear self-contained breathing appara thers Use personal protective equipment.				

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

according to the OSHA Hazard Communication Standard



Version 2.1	Revision Date: 09/30/2023	SDS Number: 9404844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
		disposal of this employed in the determine whic Sections 13 and	al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	TORAGE	
Techr	nical measures	causing an exp Provide adequa	may accumulate and ignite suspended dust osion. Ite precautions, such as electrical grounding inert atmospheres.
Local/Total ventilation Advice on safe handling Conditions for safe storage		 Use only with a Do not get on s Do not breathe Do not swallow Avoid contact w Handle in accord practice, based assessment Minimize dust g Keep container Keep away from Take precaution 	dequate ventilation. kin or clothing. dust.
		: Keep in properl Store locked up	y labeled containers. ance with the particular national regulations.
Mater	rials to avoid		h the following product types:

philol parameters
50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
15 mg/m³ Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
5 mg/m³ Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3



according to the OSHA Hazard Communication Standard

ersion 1	Revision Date: 09/30/2023	SDS Number: 9404844-00007		st issue: 04/04/2023 st issue: 09/02/2021		
Dust, ticulat	nuisance dust and par- es	10 mg/m³ Value type (Fo Basis: CAL PE): PEL (Total dust)		
		5 mg/m³ Value type (Fo Basis: CAL PE): PEL (respirable du	st fraction)	
Comp	onents	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Neom	iycin, sulfate (salt)	1405-10-3	TWA	1 mg/m3 (OEB 1)	Internal	
110011			ation: DSEN, O		internal	
			Wipe limit	0.1 mg/100 cm ²	Internal	
Porer	onal protective equipm	compound. All engineerin design and op protect produc				
	ratory protection					
	protection	: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Wh concentrations are above recommended limits or are unknown, appropriate respiratory protection should be we Follow OSHA respirator regulations (29 CFR 1910.134) a use NIOSH/MSHA approved respirators. Protection provides y air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.				
	aterial	: Chemical-resi	stant gloves			
	rotection	If the work en mists or aeros Wear a facesh potential for d aerosols.	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of 			
	and body protection ne measures	: If exposure to eye flushing s working place When using d Contaminated workplace. Wash contam				





Version 2.1	Revision Date: 09/30/2023		S Number:)4844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
			appropriate degov industrial hygiene use of administrat	
SECTION	I 9. PHYSICAL AND CH	EMIC	CAL PROPERTIES	S
Арре	earance	:	powder	
Colo	r	:	White to light yell	low
Odor		:	No data available	9
Odor	Threshold	:	No data available	9
pН		:	No data available	9
Melti	ng point/freezing point	:	No data available	9
Initia rang	l boiling point and boiling e	:	No data available	9
Flash	n point	:	Not applicable	
Evap	poration rate	:	Not applicable	
Flam	mability (solid, gas)	:	May form combu ssing, handling o	stible dust concentrations in air during proce- r other means.
Flam	imability (liquids)	:	Not applicable	
	er explosion limit / Upper mability limit	:	No data available	9
	er explosion limit / Lower mability limit	:	No data available	9
Vapo	or pressure	:	Not applicable	
Rela	tive vapor density	:	Not applicable	
Rela	tive density	:	No data available	9
Dens	sity	:	No data available	9
	bility(ies) /ater solubility	:	No data available	9
	tion coefficient: n-	:	Not applicable	
	nol/water ignition temperature	:	No data available	9
Deco	omposition temperature	:	No data available	9



according to the OSHA Hazard Communication Standard

Neomycin Formulation

Version 2.1	Revision Date: 09/30/2023	SDS Number: 9404844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
	sity scosity, kinematic sive properties	: Not applicable : Not explosive	
	zing properties cular weight	: The substanc : No data availa	e or mixture is not classified as oxidizing.
	cle size	: No data availa	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	•	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Components:		
Neomycin, sulfate (salt):		
Acute oral toxicity	:	LD50 (Mouse): 2,880 mg/kg
		LD50 (Rat): 2,750 mg/kg



according to the OSHA Hazard Communication Standard

rsion	Revision Date: 09/30/2023		S Number:)4844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
			LD50 (Mouse): 1 ² Application Route	
			LD50 (Mouse): 27 Application Route	
			LD50 (Mouse): 27 Application Route	
_	corrosion/irritation assified based on ava	ilable i	nformation.	
Comp	oonents:			
Neom	ycin, sulfate (salt):			
Speci Resul		-	Rabbit Mild skin irritation	
	us eye damage/eye i assified based on ava			
<u>Comp</u>	oonents:			
Neom	nycin, sulfate (salt):			
Specie Resul		-	Rabbit No eye irritation	
Respi	iratory or skin sensit	tizatior	ı	
	sensitization ause an allergic skin i	reactio	n.	
•	iratory sensitization assified based on ava	ilable i	nformation.	
<u>Comp</u>	oonents:			
	nycin, sulfate (salt):			
Route Specie	es of exposure es		Dermal Humans	
Resul			positive	
	cell mutagenicity assified based on ava	ilable i	nformation.	
<u>Comp</u>	oonents:			
Neom	nycin, sulfate (salt):			
Genot	toxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
				o mammalian cell gene mutation test nese hamster ovary cells



according to the OSHA Hazard Communication Standard

/ersion 2.1	Revision Date: 09/30/2023		DS Number: 104844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
			Result: negative	9
				omosomal aberration uman lymphocytes
			Test Type: in vit Result: negative	tro micronucleus test
Genot	toxicity in vivo	:	Test Type: Cyto Species: Mouse Cell type: Bone Application Rou Result: negative	marrow te: Intravenous injection
	nogenicity assified based on a	available	information.	
Comp	oonents:			
Neom	ycin, sulfate (salf	t):		
Speci Expos Resul	sure time	:	Rat 2 Years negative	
IARC				ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.
OSHA			f this product pres f regulated carcine	sent at levels greater than or equal to 0.1% is ogens.
NTP				ent at levels greater than or equal to 0.1% is d carcinogen by NTP.
Repro	oductive toxicity			
-	ected of damaging	the unbo	orn child.	
<u>Comp</u>	oonents:			
Neom	ycin, sulfate (salf	t):		
Effect	s on fertility	:	Species: Rat Application Rou General Toxicity	y Parent: NOAEL: 25 mg/kg body weight ts on fertility and early embryonic
Effect	s on fetal developr	ment :	Species: Rat Application Rou Embryo-fetal to:	oryo-fetal development te: Oral xicity.: NOAEL: 275 mg/kg body weight orse effects., No teratogenic effects.





rsion	Revision Date: 09/30/2023	SDS Number: 9404844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
			ute: Subcutaneous Toxicity: LOAEL: 6 mg/kg body weight
Repro sessm	ductive toxicity - As- nent	: Some evidence animal experim	e of adverse effects on development, based or nents.
стот	-single exposure		
Not cl	assified based on ava	ilable information.	
STOT	-repeated exposure		
	• •	ns (Kidney inner ear)	through prolonged or repeated exposure.
	0 0		anough protongou of repeated expeditor
Comp	oonents:		
	ycin, sulfate (salt):		
	t Organs ssment	: Kidney, inner e : May cause dan exposure.	ear nage to organs through prolonged or repeated
Rema	rks	: Based on huma	an experience.
-	ated dose toxicity		
Comp	ated dose toxicity <u>ponents:</u> nycin, sulfate (salt):		
Comp Neom Specie	oonents: nycin, sulfate (salt): es	: Mouse	
Comp Neom Specie LOAE	oonents: nycin, sulfate (salt): es L	: 30 mg/kg	
Comp Neom Specie LOAE Applic	oonents: aycin, sulfate (salt): es L ation Route	: 30 mg/kg : Subcutaneous	
Comp Neom Specie LOAE Applic Expos	oonents: nycin, sulfate (salt): es L	: 30 mg/kg	
Comp Neom Specie LOAE Applic Expos Targe	oonents: aycin, sulfate (salt): es L cation Route sure time t Organs	: 30 mg/kg : Subcutaneous : 14 d : Kidney	
Comp Neom Specia LOAE Applic Expos Targe Specia	oonents: aycin, sulfate (salt): es L cation Route sure time t Organs	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 	
Comp Neom Specie LOAE Applic Expos Targe	ponents: pycin, sulfate (salt): es L sation Route sure time t Organs es L	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic	ponents: pycin, sulfate (salt): es L cation Route sure time t Organs es EL L cation Route	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L L sation Route sure time sation Route sure time	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos	ponents: pycin, sulfate (salt): es L cation Route sure time t Organs es EL L cation Route	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L L sation Route sure time t Organs es	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L L sation Route sure time t Organs es t Organs es	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg 	
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Organs	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 	
Comp Neom Specia LOAE Applic Expos Targe Specia NOAE LOAE Applic Expos Targe	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Organs	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Organs	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic Expos Rema	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Organs es sure time t organs es	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d No significant a Guinea pig 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic Expos Rema Specie	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Argans es L sation Route sure time t Argans es L	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d No significant a Guinea pig 100 mg/kg 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic Expos Targe	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time t Organs es sure time t organs es	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d No significant a Guinea pig 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic Expos Rema Specie LOAE Applic Expos	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time rks es L sation Route sure time rks	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d No significant a Guinea pig 100 mg/kg Subcutaneous 34 d 	adverse effects were reported
Comp Neom Specie LOAE Applic Expos Targe Specie NOAE LOAE Applic Expos Targe Specie NOAE Applic Expos Targe	ponents: aycin, sulfate (salt): es L sation Route sure time t Organs es L sation Route sure time t Organs es L sation Route sure time rks es L sation Route sure time rks es	 30 mg/kg Subcutaneous 14 d Kidney Guinea pig 50 mg/kg 100 mg/kg Intramuscular 30 - 60 Weeks ear Guinea pig 10 mg/kg Oral 90 d No significant a Guinea pig 100 mg/kg Subcutaneous 	adverse effects were reported



according to the OSHA Hazard Communication Standard

Neomycin Formulation

Vers 2.1	sion	Revision Date: 09/30/2023		OS Number: 04844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
	Exposu	ition Route are time Organs	:	Intramuscular 30 d Kidney	
	Exposu	ition Route ure time Organs oms		Rat 25 mg/kg oral (feed) 84 Weeks ear hearing loss mortality observed	d
	Exposu			Dog 20 mg/kg Subcutaneous 90 d Kidney	
	Not cla	tion toxicity ssified based on availa ence with human exp			
	Compo	onents:			
	-	cin, sulfate (salt):			
	Skin co Eye co Ingestio	ntact	:	Symptoms: Sensi Remarks: May irri Remarks: May ca Symptoms: Nause Loss of balance	tate skin.
SEC	TION 1	2. ECOLOGICAL INFO	ORI	MATION	
	Ecotox	licity			
		onents:			
	Toxicity	vcin, sulfate (salt): / to daphnia and other : invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
				LC50 (Americamy Exposure time: 96 Method: US-EPA	
	Toxicity plants	/ to algae/aquatic	:	EC50 (Anabaena Exposure time: 72 Method: OECD T	

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



according to the OSHA Hazard Communication Standard

/ersion 2.1	Revision Date: 09/30/2023	-	DS Number: 04844-00007	Date of last issue: 04/04/2023 Date of first issue: 09/02/2021
			mg/l Exposure time:	kirchneriella subcapitata (green algae)): 0.009 72 h Test Guideline 201
			0.0022 mg/l Exposure time:	kirchneriella subcapitata (green algae)): 72 h Test Guideline 201
Toxici	ity to microorganisms	:	Exposure time: Test Type: Res	microorganism): 107.6 mg/l 3 h piration inhibition Test Guideline 209
			Exposure time: Test Type: Res	microorganism): 2.8 mg/l 3 h piration inhibition Test Guideline 209
Persi	stence and degradabi	ility		
<u>Comp</u>	oonents:			
	nycin, sulfate (salt): gradability	:	Result: rapidly Biodegradation Exposure time: Method: OECD	: 50 %
Bioad	cumulative potential			
Comp	oonents:			
Partiti	nycin, sulfate (salt): ion coefficient: n- ol/water	:	log Pow: < -2	
	l ity in soil ata available			
	r adverse effects ata available			
ECTION	13. DISPOSAL CONS	IDEF	RATIONS	
Diarra	and motherin			
-	osal methods e from residues	:	Dispose of in a	ccordance with local regulations.

Waste from residues	:	Dispose of in accordance with local regulations.
		Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.





Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	9404844-00007	Date of first issue: 09/02/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations		
UNRTDG UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class Packing group Labels Environmentally hazardous	:	9 III 9 yes
IATA-DGR UN/ID No. Proper shipping name	:	UN 3077 Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		9 III Miscellaneous 956
Environmentally hazardous	:	yes
IMDG-Code UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class Packing group Labels EmS Code Marine pollutant		(Neomycin, sulfate (salt)) 9 III 9 F-A, S-F yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR		
UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Neomycin, sulfate (salt))
Remarks	:	Above applies only to containers over 119 gallons or 450 liters.
		Shipment by ground under DOT is non-regulated; however it



according to the OSHA Hazard Communication Standard

Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	9404844-00007	Date of first issue: 09/02/2021

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Combustible dust Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know				
Lactose	63-42-3			
Neomycin, sulfate (salt)	1405-10-3			

California Prop. 65

WARNING: This product can expose you to chemicals including Neomycin, sulfate (salt), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined


SECTION 16. OTHER INFORMATION

Further information



according to the OSHA Hazard Communication Standard

Neomycin Formulation



Full text of other abbreviations

CAL PEL	:	California permissible exposure limits for chemical contami- nants (Title 8, Article 107)
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
CAL PEL / PEL	:	Permissible exposure limit
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;





Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	9404844-00007	Date of first issue: 09/02/2021

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8