

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### SECTION 1. IDENTIFICATION

Product name : Oxfendazole Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Combustible dust : Category 1  
Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 2 (Liver, Testis)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May form combustible dust concentrations in air.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version 8.0      Revision Date: 09/30/2023      SDS Number: 253193-00022      Date of last issue: 04/04/2023  
Date of first issue: 08/28/2015

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
oxfendazole	No data available	53716-50-0	$\geq 45 - \leq 80$
Cellulose	No data available	9004-34-6	$\geq 5 - \leq 20$
Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex	C.I. Pigment Blue 63	16521-38-3	$\leq 2$
Magnesium stearate	Octadecanoic acid, magnesium salt (2:1)	557-04-0	1.48

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Most important symptoms and effects, both acute and delayed	:	May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version 8.0      Revision Date: 09/30/2023      SDS Number: 253193-00022      Date of last issue: 04/04/2023  
Date of first issue: 08/28/2015

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
------------	---------	----------------------------------	--	-------

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version 8.0      Revision Date: 09/30/2023      SDS Number: 253193-00022      Date of last issue: 04/04/2023  
Date of first issue: 08/28/2015

oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex	16521-38-3	TWAEV (respirable dust)	5 mg/m <sup>3</sup>	CA QC OEL
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Skin and body protection	: potential for direct contact to the face with dusts, mists, or aerosols. : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

**oxfendazole:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rat): > 2,500 mg/kg  
Remarks: Based on data from similar materials

### Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### oxfendazole:

Species : Rabbit  
Result : No skin irritation

#### Magnesium stearate:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### Components:

#### **oxfendazole:**

Species	:	Rabbit
Result	:	No eye irritation

#### **Magnesium stearate:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### Components:

#### **Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

#### **Magnesium stearate:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **oxfendazole:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Oral Result: positive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

II

### Cellulose:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials  Test Type: Chromosome aberration test in vitro Result: equivocal Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

### Magnesium stearate:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials  Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### Components:

#### **oxfendazole:**

Species	: Rat
Application Route	: Oral
Exposure time	: 1 Years
Symptoms	: No adverse effects.
Target Organs	: Liver

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Symptoms	: No adverse effects.
Target Organs	: Liver

#### **Cellulose:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

#### **Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

### **Reproductive toxicity**

May damage fertility. May damage the unborn child.

### Components:

#### **oxfendazole:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Oral Fertility: NOAEL: 17 mg/kg body weight Target Organs: Testes Result: Effects on fertility.  Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 0.9 mg/kg body weight Target Organs: Liver Result: No effects on fertility.  Test Type: Fertility Species: Mouse Application Route: Oral
----------------------	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

	Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight Target Organs: Testes Result: Effects on fertility.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Fetal effects.  Test Type: Embryo-fetal development Species: Rat Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Embryo-fetal toxicity.  Test Type: Embryo-fetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-fetal toxicity., Fetal abnormalities.  Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 0.625 mg/kg body weight
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### Cellulose:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.

### Components:

#### oxfendazole:

Routes of exposure : Oral  
Target Organs : Liver, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### oxfendazole:

Species : Rat  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Blood, Liver, Testis

Species : Rat  
NOAEL : 3.8 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver, Testis

Species : Mouse  
NOAEL : 750 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Liver

Species	: Mouse
NOAEL	: 37.5 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Liver

Species	: Dog
NOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Lymph nodes, thymus gland

Species	: Dog
NOAEL	: 13.5 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Liver

### Cellulose:

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Species	: Mouse, male
NOAEL	: 8,259 mg/kg
Application Route	: Ingestion
Exposure time	: 23 Months
Remarks	: Based on data from similar materials

### Magnesium stearate:

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **oxfendazole:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.059 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.023 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

##### **Cellulose:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	--

##### **Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:**

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Remarks: Based on data from similar materials

### Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### oxfendazole:

Stability in water : Hydrolysis: < 5 % (4 d)

##### Cellulose:

Biodegradability : Result: Readily biodegradable.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301C Remarks: Based on data from similar materials
------------------	---	---

### Magnesium stearate:

Biodegradability	:	Result: Not biodegradable Remarks: Based on data from similar materials
------------------	---	--

### Bioaccumulative potential

#### Components:

##### oxfendazole:

Partition coefficient: n-octanol/water	:	log Pow: 1.95
--	---	---------------

### Aluminum, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2-ylidene)-2,3-dihydro-3-oxo-1H-indole-5-sulfonic acid complex:

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): < 2.5 Method: OECD Test Guideline 305C Remarks: Based on data from similar materials
-----------------	---	--

### Magnesium stearate:

Partition coefficient: n-octanol/water	:	log Pow: > 4
--	---	--------------

### Mobility in soil

#### Components:

##### oxfendazole:

Distribution among environmental compartments	:	log Koc: 3.2
---	---	--------------

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

##### IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (oxfendazole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(oxfendazole)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWA EV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
8.0	09/30/2023	253193-00022	Date of first issue: 08/28/2015

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8