

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

SECTION 1. IDENTIFICATION

Product name : Prednisolone / Chloramphenicol Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Carcinogenicity : Category 2
Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical attention.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents and container to an approved waste

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

Version 1.8 Revision Date: 09/30/2023 SDS Number: 5710723-00009 Date of last issue: 04/04/2023
Date of first issue: 04/23/2020

disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form combustible dust concentrations in air during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|------------------|---------------------|---------|-----------------------|
| Propylene glycol | 1,2-Propanediol | 57-55-6 | $\geq 5 - < 10$ * |
| Chloramphenicol | No data available | 56-75-7 | $\geq 1 - < 5$ * |
| prednisolone | No data available | 50-24-8 | $\geq 0.1 - < 1$ * |

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.
May damage fertility or the unborn child.
Contact with dust can cause mechanical irritation or drying of the skin.

Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

Version 1.8 Revision Date: 09/30/2023 SDS Number: 5710723-00009 Date of last issue: 04/04/2023
Date of first issue: 04/23/2020

- Advice on safe handling : ventilation.
Do not get on skin or clothing.
Do not breathe dust.
Do not breathe vapors.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|---------|-------------------------------|--|-----------|
| Propylene glycol | 57-55-6 | TWA (Vapour and aerosols) | 50 ppm 155 mg/m ³ | CA ON OEL |
| | | TWA (aerosol) | 10 mg/m ³ | CA ON OEL |
| Chloramphenicol | 56-75-7 | TWA | 300 µg/m ³ (OEB 2) | |
| | | TWA | 0.5 mg/m ³ | US WEEL |
| prednisolone | 50-24-8 | TWA | 10 µg/m ³ (OEB 3) | Internal |
| | | Wipe limit | 100 µg/100 cm ² | Internal |

- Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Personal protective equipment

| | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapor type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|-------------------|
| Appearance | : | cream |
| Color | : | No data available |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

| | | |
|--|---|---|
| Flammability (solid, gas) | : | May form combustible dust concentrations in air during processing, handling or other means. |
| Flammability (liquids) | : | Not applicable |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | Not applicable |
| Relative vapor density | : | Not applicable |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle size | : | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents. |
| Conditions to avoid | : | Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition | : | No hazardous decomposition products are known. |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Chloramphenicol:

Acute oral toxicity : LD50 Oral (Rat): 2,500 mg/kg

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg
LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous
LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Components:

Propylene glycol:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

prednisolone:

| | | |
|---------|---|-------------------|
| Remarks | : | No data available |
|---------|---|-------------------|

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |

Chloramphenicol:

| | | |
|---------|---|---------------------|
| Remarks | : | Mild eye irritation |
|---------|---|---------------------|

prednisolone:

| | | |
|---------|---|-------------------|
| Remarks | : | No data available |
|---------|---|-------------------|

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

| | | |
|--------------------|---|-------------------|
| Test Type | : | Maximization Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

prednisolone:

| | | |
|---------|---|-------------------|
| Remarks | : | No data available |
|---------|---|-------------------|

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Chloramphenicol:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: human diploid fibroblasts
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse
Cell type: Bone marrow
Result: positive

Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Result: negative

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Test Type: Mouse Lymphoma

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay

Species: Humans

Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Chloramphenicol:

Remarks : IARC: (International Agency for Research on Cancer)

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

Reproductive toxicity

May damage fertility or the unborn child.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Application Route: Ingestion
Result: negative

Chloramphenicol:

Effects on fetal development : Species: Monkey, female
Result: No significant adverse effects were reported

Species: Mouse
Developmental Toxicity: LOAEL: 500 mg/kg body weight
Result: Embryo-fetal toxicity., Fetal growth retardation

Species: Rat
Developmental Toxicity: LOAEL: 500 - 2,000 mg/kg body weight
Result: Embryo-fetal toxicity., Fetal growth retardation, Teratogenic effects.

Species: Rabbit
Developmental Toxicity: LOAEL: 1,000 mg/kg body weight
Result: Embryo-fetal toxicity., Fetal growth retardation

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

STOT-single exposure

Not classified based on available information.

Components:

Chloramphenicol:

| | |
|--------------------|----------------------|
| Routes of exposure | : Oral |
| Target Organs | : Blood, Bone marrow |

STOT-repeated exposure

Not classified based on available information.

Components:

Chloramphenicol:

| | |
|--------------------|-----------------------------|
| Routes of exposure | : Oral, Inhalation |
| Target Organs | : Blood, Bone marrow, Liver |

prednisolone:

| | |
|---------------|---|
| Target Organs | : Bone marrow, Adrenal gland, Liver |
| Assessment | : Causes damage to organs through prolonged or repeated exposure. |

Repeated dose toxicity

Components:

Propylene glycol:

| | |
|-------------------|----------------------|
| Species | : Rat, male |
| NOAEL | : $\geq 1,700$ mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 2 y |

Chloramphenicol:

| | |
|---------------|---|
| Species | : Dog |
| Target Organs | : Blood, Bone marrow |
| Symptoms | : decrease in appetite, Reduced body weight |

prednisolone:

| | |
|-------------------|---------------|
| Species | : Rat |
| LOAEL | : 0.6 mg/kg |
| Application Route | : Oral |
| Exposure time | : 63 Days |
| Target Organs | : Bone marrow |

| | |
|-------------------|-----------------|
| Species | : Dog |
| LOAEL | : 2.5 mg/kg |
| Application Route | : Oral |
| Exposure time | : 6 Weeks |
| Target Organs | : Adrenal gland |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

| | | |
|-------------------|---|----------|
| Species | : | Rabbit |
| LOAEL | : | 1 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 24 Weeks |
| Target Organs | : | Liver |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Chloramphenicol:

| | | |
|---------------------|---|--|
| General Information | : | Target Organs: Blood Target Organs: Bone marrow Symptoms: aplastic anemia, confusion, Diarrhea, Fever, Headache, Nausea, Vomiting |
|---------------------|---|--|

prednisolone:

| | | |
|-----------|---|---|
| Ingestion | : | Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities |
|-----------|---|---|

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

| | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d |
| Toxicity to microorganisms | : | NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h |

prednisolone:

| | | |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 85 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l
Exposure time: 7 d

Persistence and degradability

Components:

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1.46

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Prednisolone / Chloramphenicol Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04/04/2023 |
| 1.8 | 09/30/2023 | 5710723-00009 | Date of first issue: 04/23/2020 |

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8