according to the Hazardous Products Regulations



# Prednisone (<10%) Formulation (Brazil)

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 04/14/2025 11451091-00002 Date of first issue: 10/18/2024 2.0

#### **SECTION 1. IDENTIFICATION**

Prednisone (<10%) Formulation (Brazil) Product name

Other means of identification No data available

### Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc 37 McCarville Street Address

Charlottetown, PE C1E 2A7

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

### Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity Category 2

Specific target organ toxicity : Category 1 (Immune system, lymphatic system, Adrenal gland, Skin, Blood)

- repeated exposure (Oral)

#### **GHS** label elements

Hazard pictograms



Signal Word Danger

**Hazard Statements** H361d Suspected of damaging the unborn child.

> H372 Causes damage to organs (Immune system, lymphatic system, Adrenal gland, Skin, Blood) through prolonged or re-

peated exposure if swallowed.

**Precautionary Statements** Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Starch	Sago starch	9005-25-8	>= 30 - < 60 *
Prednisone	No data availa- ble	53-03-2	>= 5 - < 10 *
Magnesium stearate	Octadecanoic acid, magnesi- um salt (2:1)	557-04-0	>= 1 - < 5 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

according to the Hazardous Products Regulations



# Prednisone (<10%) Formulation (Brazil)

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

according to the Hazardous Products Regulations



# Prednisone (<10%) Formulation (Brazil)

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (respirable dust	3 mg/m³	CA BC OEL

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

	I	1.6	ľ	1 1
		fraction)		
		TWAEV (to-	10 mg/m³	CA QC OEL
		tal dust)		
		TWA	10 mg/m <sup>3</sup>	ACGIH
Prednisone	53-03-2	TWA	30 μg/m³	Internal
		Wipe limit	300 μg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Inhal-	10 mg/m <sup>3</sup>	CA BC OEL
		able)		
		TWA (Res-	3 mg/m³	CA BC OEL
		pirable)		
		TWAEV (in-	10 mg/m <sup>3</sup>	CA QC OEL
		halable dust)		
		TWAEV	3 mg/m³	CA QC OEL
		(respirable		
		aerosol frac-		
		tion)		
		TWA	10 mg/m <sup>3</sup>	ACGIH
		(Inhalable		
		particulate		
		matter)		
		TWA	3 mg/m³	ACGIH
		(Respirable		
		particulate		
		matter)		

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : 312 mg/l

Solubility in other solvents : slightly soluble

Solvent: Methanol

5 g/ISolvent: Chloroform

slightly soluble Solvent: Dioxane

6.7 g/ISolvent: Alcohol

Partition coefficient: n-

octanol/water

log Pow: 1.46

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

: No hazardous decomposition products are known.

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Components:**

#### Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Prednisone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

Remarks: Based on data from similar materials

Acute toxicity (other routes of:

administration)

LD50 (Mouse): 600 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 135 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 101 mg/kg

Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

#### Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

Starch:

Species : Rabbit

Result : No eye irritation

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

## **Components:**

### Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

### Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

#### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

## Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Prednisone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

#### Carcinogenicity

Not classified based on available information.

### **Components:**

#### Prednisone:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

LOAEL : 0.368 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : Oral
Exposure time : 18 Months

NOAEL : 9 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

#### Reproductive toxicity

Suspected of damaging the unborn child.

### **Components:**

### Prednisone:

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Remarks: Based on data from similar materials

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight

Result: Fetal mortality., Reduced fetal weight. Remarks: Based on data from similar materials

Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: LOAEL: 20 mg/kg body weight

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Immune system, lymphatic system, Adrenal gland, Skin, Blood) through prolonged or repeated exposure if swallowed.

### **Components:**

#### Prednisone:

Target Organs : Immune system, lymphatic system, Adrenal gland, Skin, Blood

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

# **Components:**

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

### Prednisone:

 Species
 : Rat

 NOAEL
 : 2 mg/kg

 LOAEL
 : 6 mg/kg

 Application Route
 : Oral

 Exposure time
 : > 151 d

Target Organs : lymphatic system, Adrenal gland, Skin, Blood

Remarks : Based on data from similar materials

### Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

## **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

## **Components:**

## Prednisone:

Ingestion : Target Organs: Adrenal gland

Symptoms: Fever, muscle pain, hypertension, Hypoglycemia

Target Organs: Immune system

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

## **Components:**

### Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

### Persistence and degradability

### Components:

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

### **Bioaccumulative potential**

### **Components:**

Prednisone:

Partition coefficient: n-

log Pow: 1.46

octanol/water

Magnesium stearate:

Partition coefficient: n-

: log Pow: > 4

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

according to the Hazardous Products Regulations



# **Prednisone (<10%) Formulation (Brazil)**

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

TDG

Not regulated as a dangerous good

## Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

according to the Hazardous Products Regulations



# Prednisone (<10%) Formulation (Brazil)

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Data Sheet

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified

according to the Hazardous Products Regulations



# Prednisone (<10%) Formulation (Brazil)

Version Revision Date: SDS Number: Date of last issue: 10/18/2024 2.0 04/14/2025 11451091-00002 Date of first issue: 10/18/2024

in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8