

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Spiramycin Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	616-45-5	≥ 30 -< 50
Benzyl alcohol	100-51-6	≥ 1 -< 5
Spiramycin	8025-81-8	< 0.1

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	: May cause an allergic skin reaction. Causes serious eye irritation.

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

delayed	May damage fertility. May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Nitrogen oxides (NO _x) Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7947479-00012 Date of last issue: 28.09.2024
Date of first issue: 19.03.2021

		exposure)	concentration	
Spiramycin	8025-81-8	TWA	1000 ug/m3 (OEB 1)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type : Organic vapor Type
Hand protection
Material : Chemical-resistant gloves
Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution
Color : light yellow
Odor : No data available
Odor Threshold : No data available
pH : 8.0 - 10.0
Melting point/freezing point : No data available
Initial boiling point and boiling range : No data available
Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Flammability (liquids) : No data available
Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET



Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.950 - 1.150 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Spiramycin:

Acute oral toxicity : LD50 (Mouse, adult): 2,900 mg/kg
LD50 (Rat, adult): 3,550 mg/kg
LD50 (Dog, adult): 5,200 mg/kg
LD50 (Rabbit, adult): 4,300 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Mouse): 130 mg/kg
Application Route: Intravenous
LD50 (Rat): 170 mg/kg
Application Route: Intravenous
LD50 (Rabbit): 182 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Components:**2-Pyrrolidone:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**2-Pyrrolidone:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**2-Pyrrolidone:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
------------	--

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Spiramycin:

Test Type	: Magnusson-Kligman-Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:**2-Pyrrolidone:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Spiramycin:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative Test Type: Cytogenetic assay Test system: Chinese hamster ovary cells Result: negative Test Type: In vitro mammalian cell gene mutation test
-----------------------	--

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Test system: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**2-Pyrrolidone:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 18 month(s)
Result	: negative
Remarks	: Based on data from similar materials

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Spiramycin:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**2-Pyrrolidone:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
----------------------	--

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: positive
------------------------------	---

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	--

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development
----------------------	--

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Spiramycin:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Target Organs: Reproductive organs
Result: alteration in sperm morphology, Effects on male reproductive organs

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: 100 mg/kg body weight
Developmental Toxicity: LOAEL: 200 mg/kg body weight
Embryo-fetal toxicity.: LOAEL: 200 mg/kg body weight

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****2-Pyrrolidone:**

Species : Rat
NOAEL : 207 mg/kg
Application Route : Ingestion
Exposure time : 3 Months
Method : OECD Test Guideline 408

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Spiramycin:

Species : Rat, male and female
NOAEL : 140 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Target Organs	: Immune system
Species	: Rat, male and female
LOAEL	: 5.6 mg/kg
Application Route	: Intravenous
Exposure time	: 32 d
Target Organs	: Central nervous system
Species	: Dog, male and female
NOAEL	: 75 mg/kg
Application Route	: Oral
Exposure time	: 2 y
Target Organs	: Kidney, male reproductive organs, optic nerve
Species	: Dog, male and female
LOAEL	: 169 mg/kg
Application Route	: Intravenous
Exposure time	: 4 Weeks
Number of exposures	: 2 injections per day
Target Organs	: spleen, Kidney
Species	: Dog, male and female
LOAEL	: 50 mg/kg
Application Route	: Intravenous
Exposure time	: 4 Weeks
Target Organs	: Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Spiramycin:**

General Information	: May cause Symptoms: Nausea, Vomiting, Diarrhea
---------------------	---

Further information**Components:****Spiramycin:**

Remarks	: No data available
---------	---------------------

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****2-Pyrrolidone:**

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h
------------------	---

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability**Components:****2-Pyrrolidone:**

Biodegradability	: Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---

Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Bioaccumulative potential**Components:****2-Pyrrolidone:**

Partition coefficient: n-octanol/water	:	log Pow: -0.71
		Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water	:	log Pow: 1.05
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for
producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Material Safety eChem Portal search results and European Chemicals Agency,
Data Sheet <http://echa.europa.eu/>

SAFETY DATA SHEET



Spiramycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	14.04.2025	7947479-00012	Date of first issue: 19.03.2021

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8