

**Sulfamethoxazole / Trimethoprim Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/14/2022  
2.8                10/01/2022              6289820-00010        Date of first issue: 08/25/2020

---

**SECTION 1. IDENTIFICATION**

Product name                    : Sulfamethoxazole / Trimethoprim Formulation  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier    : Merck & Co., Inc  
Address                         : 126 E. Lincoln Avenue  
                                      : Rahway, New Jersey U.S.A. 07065  
Telephone                      : 908-740-4000  
Emergency telephone         : 1-908-423-6000  
E-mail address                 : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**


Recommended use              : Veterinary product  
  
Restrictions on use             : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Skin corrosion                 : Category 1A  
  
Serious eye damage            : Category 1  
  
Reproductive toxicity         : Category 2  
  
Specific target organ toxicity : Category 1 (Bone marrow)  
- repeated exposure

**GHS label elements**

Hazard pictograms             : 

Signal Word                    : Danger

Hazard Statements             : H314 Causes severe skin burns and eye damage.  
                                      : H361d Suspected of damaging the unborn child.  
                                      : H372 Causes damage to organs (Bone marrow) through  
                                      : prolonged or repeated exposure.

Precautionary Statements    : **Prevention:**  
                                      : P201 Obtain special instructions before use.  
                                      : P202 Do not handle until all safety precautions have been read  
                                      : and understood.  
                                      : P260 Do not breathe mist or vapors.  
                                      : P264 Wash skin thoroughly after handling.  
                                      : P270 Do not eat, drink or smoke when using this product.  
                                      : P280 Wear protective gloves, protective clothing, eye protection

---

## Sulfamethoxazole / Trimethoprim Formulation

Version 2.8      Revision Date: 10/01/2022      SDS Number: 6289820-00010      Date of last issue: 04/14/2022  
 Date of first issue: 08/25/2020

and face protection.

**Response:**

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P308 + P313 IF exposed or concerned: Get medical attention.

P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

Corrosive to the respiratory tract.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sulfamethoxazole	No data available	723-46-6	33.9271
Trimethoprim	2,4-Pyrimidinediamine, 5-[(3,4,5-trimethoxyphenyl)methyl]-	738-70-5	6.7854
Sodium hydroxide	Caustic soda	1310-73-2	5.0891

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

- |                                                             |   |                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact                                     | : | Get medical attention immediately.<br>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.<br>Get medical attention immediately.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact                                      | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention immediately.                                                                                                             |
| If swallowed                                                | : | If swallowed, DO NOT induce vomiting.<br>If vomiting occurs have person lean forward.<br>Call a physician or poison control center immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.                                            |
| Most important symptoms and effects, both acute and delayed | : | Causes serious eye damage.<br>Suspected of damaging the unborn child.<br>Causes damage to organs through prolonged or repeated exposure.<br>Causes severe burns.<br>Causes digestive tract burns.<br>Corrosive to respiratory system.                                                      |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                                                                                                |
| Notes to physician                                          | : | Treat symptomatically and supportively.                                                                                                                                                                                                                                                    |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                                |   |                                                                                                                                                                                                                                                 |
|------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                      |
| Unsuitable extinguishing media                 | : | None known.                                                                                                                                                                                                                                     |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.                                                                                                                                                                                      |
| Hazardous combustion products                  | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sulfur oxides<br>Metal oxides                                                                                                                                                            |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.                                                                                                                                            |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                  |   |                                    |
|----------------------------------|---|------------------------------------|
| Personal precautions, protection | : | Use personal protective equipment. |
|----------------------------------|---|------------------------------------|

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

- tive equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

## Sulfamethoxazole / Trimethoprim Formulation

Version 2.8      Revision Date: 10/01/2022      SDS Number: 6289820-00010      Date of last issue: 04/14/2022  
 Date of first issue: 08/25/2020

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulfamethoxazole	723-46-6	TWA	OEB 2 (>= 100 < 1000 µg/m <sup>3</sup> )	Internal
Trimethoprim	738-70-5	TWA	400 µg/m <sup>3</sup> (OEB 2)	Internal
Sodium hydroxide	1310-73-2	(c)	2 mg/m <sup>3</sup>	CA AB OEL
		C	2 mg/m <sup>3</sup>	CA BC OEL
		C	2 mg/m <sup>3</sup>	CA QC OEL
		C	2 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

**Hand protection**  
 Material : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

**Sulfamethoxazole / Trimethoprim Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

Color	:	white to off-white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	9.5 - 12.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.179 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

## Sulfamethoxazole / Trimethoprim Formulation

Version 2.8      Revision Date: 10/01/2022      SDS Number: 6289820-00010      Date of last issue: 04/14/2022  
Date of first issue: 08/25/2020

---

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Acids  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Sulfamethoxazole:**

Acute oral toxicity : LD50 (Mouse): 2,300 mg/kg

##### **Trimethoprim:**

Acute oral toxicity : LD50 (Rat): 1,500 - 5,300 mg/kg  
LD50 (Mouse): 1,910 - 7,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 400 - 500 mg/kg  
Application Route: Intraperitoneal

LD50 (Dog): 90 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 132 mg/kg  
Application Route: Intravenous

##### **Sodium hydroxide:**

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

**Sulfamethoxazole / Trimethoprim Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/14/2022  
2.8                10/01/2022                6289820-00010            Date of first issue: 08/25/2020

---

**Skin corrosion/irritation**

Causes severe burns.

**Components:****Sulfamethoxazole:**

Species                                : Rabbit  
Result                                 : No skin irritation

**Sodium hydroxide:**

Result                                 : Corrosive after 3 minutes or less of exposure

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Sodium hydroxide:**

Result                                 : Irreversible effects on the eye  
Remarks                               : Based on skin corrosivity.

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Sulfamethoxazole:**

Test Type                                : Magnusson-Kligman-Test  
Routes of exposure                    : Skin contact  
Species                                 : Guinea pig  
Result                                 : negative

**Trimethoprim:**

Test Type                                : Maximization Test  
Routes of exposure                    : Dermal  
Species                                 : Guinea pig  
Result                                 : Not a skin sensitizer.

**Sodium hydroxide:**

Test Type                                : Human repeat insult patch test (HRIPT)  
Routes of exposure                    : Skin contact  
Result                                 : negative

**Germ cell mutagenicity**

Not classified based on available information.



**Sulfamethoxazole / Trimethoprim Formulation**

Version 2.8      Revision Date: 10/01/2022      SDS Number: 6289820-00010      Date of last issue: 04/14/2022  
Date of first issue: 08/25/2020

---

**Components:****Sulfamethoxazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Humans  
Result: negative

**Trimethoprim:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Result: negative

Test Type: Chromosomal aberration  
Species: Humans  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Sulfamethoxazole:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 26 weeks  
Result : negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Trimethoprim:**

Effects on fertility : Test Type: Fertility

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 70 mg/kg body weight  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 70 mg/kg body weight  
 Result: Effects on newborn.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 70 mg/kg body weight  
 Result: Embryotoxic effects.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 15 mg/kg body weight  
 Result: Embryotoxic effects., Teratogenic effects.

Test Type: Development  
 Species: Hamster  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1.7 mg/kg body weight  
 Result: Embryotoxic effects., No teratogenic effects.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 100 mg/kg body weight  
 Result: Embryotoxic effects., No teratogenic effects.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Bone marrow) through prolonged or repeated exposure.

### Components:

#### Trimethoprim:

Target Organs : Bone marrow  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

### Repeated dose toxicity

#### Components:

##### Trimethoprim:

Species	:	Rat
NOAEL	:	100 mg/kg
LOAEL	:	300 mg/kg
Application Route	:	Oral
Exposure time	:	6 Months
Target Organs	:	Bone marrow, Liver, Pituitary gland, Thyroid

Species	:	Rat
LOAEL	:	300 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Bone marrow

Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	45 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Blood, Thyroid

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Trimethoprim:

Ingestion	:	Target Organs: Bone marrow Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion
-----------	---	-------------------------------------------------------------------------------------------------------------------------------------------

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Sulfamethoxazole:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 562.5 mg/l Exposure time: 96 h
------------------	---	-----------------------------------------------------------------------------

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 0.21 mg/l Exposure time: 48 h
-----------------------------------------------------	---	--------------------------------------------------------------------------

Toxicity to algae/aquatic plants	:	EC50 (Synechococcus leopoliensis (blue-green algae)): 0.0268 mg/l Exposure time: 96 h
----------------------------------	---	------------------------------------------------------------------------------------------

NOEC (Synechococcus leopoliensis (blue-green algae)):

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

0.0059 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.533 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l  
Exposure time: 30 d

Toxicity to microorganisms : NOEC (activated sludge): 3.76 mg/l  
Method: OECD Test Guideline 301D

### Trimethoprim:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): 92 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3 mg/l  
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l  
Exposure time: 72 h

EC50 (Anabaena flos-aquae): 253 mg/l  
Exposure time: 72 h

EC10 (Anabaena flos-aquae): 26 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): 0.157 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10: 16.7 mg/l  
Exposure time: 3 hrs  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50: > 1,000 mg/l  
Exposure time: 3 hrs  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### **Sulfamethoxazole:**

**Sulfamethoxazole / Trimethoprim Formulation**

Version 2.8      Revision Date: 10/01/2022      SDS Number: 6289820-00010      Date of last issue: 04/14/2022  
Date of first issue: 08/25/2020

---

**Biodegradability** : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Trimethoprim:**

**Biodegradability** : Result: Not readily biodegradable.  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B

**Bioaccumulative potential****Components:****Sulfamethoxazole:**

**Bioaccumulation** : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 120

**Partition coefficient: n-octanol/water** : log Pow: 0.89

**Trimethoprim:**

**Partition coefficient: n-octanol/water** : log Pow: 0.91

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

**Waste from residues** : Dispose of in accordance with local regulations.  
**Contaminated packaging** : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

**UN number** : UN 1824  
**Proper shipping name** : SODIUM HYDROXIDE SOLUTION  
**Class** : 8  
**Packing group** : II

---

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

Labels : 8

### IATA-DGR

UN/ID No. : UN 1824  
 Proper shipping name : Sodium hydroxide solution  
 Class : 8  
 Packing group : II  
 Labels : Corrosive  
 Packing instruction (cargo aircraft) : 855  
 Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 1824  
 Proper shipping name : SODIUM HYDROXIDE SOLUTION  
 (Sulfamethoxazole)  
 Class : 8  
 Packing group : II  
 Labels : 8  
 EmS Code : F-A, S-B  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 1824  
 Proper shipping name : SODIUM HYDROXIDE SOLUTION  
 Class : 8  
 Packing group : II  
 Labels : 8  
 ERG Code : 154  
 Marine pollutant : yes(Sulfamethoxazole)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

DSL : not determined  
 AICS : not determined  
 IECSC : not determined

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / C	:	Ceiling limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / C	:	ceiling limit
CA QC OEL / C	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--------------------------------------------------------------------	---	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Revision Date	:	10/01/2022
Date format	:	mm/dd/yyyy

## Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2022
2.8	10/01/2022	6289820-00010	Date of first issue: 08/25/2020

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8