

## Trenbolone Acetate Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.9                10/01/2022                916786-00016            Date of first issue: 09/30/2016

---

### SECTION 1. IDENTIFICATION

Product name                                : Trenbolone Acetate Formulation  
Other means of identification            : No data available

#### Manufacturer or supplier's details

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                      : 1-908-423-6000  
E-mail address                               : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use                          : Veterinary product  
  
Restrictions on use                         : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Carcinogenicity                            : Category 2  
  
Reproductive toxicity                      : Category 2  
  
Specific target organ toxicity            : Category 1 (Endocrine system, Blood)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms                        :



Signal Word                                : Danger

Hazard Statements                        : H351 Suspected of causing cancer.  
    : H361fd Suspected of damaging fertility. Suspected of damaging  
    : the unborn child.  
    : H372 Causes damage to organs (Endocrine system, Blood)  
    : through prolonged or repeated exposure if swallowed.

Precautionary Statements               : **Prevention:**  
    : P201 Obtain special instructions before use.  
    : P202 Do not handle until all safety precautions have been read  
    : and understood.  
    : P260 Do not breathe dust.  
    : P264 Wash skin thoroughly after handling.  
    : P270 Do not eat, drink or smoke when using this product.  
    : P280 Wear protective gloves, protective clothing, eye protection  
    : and face protection.

---

## Trenbolone Acetate Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
 Date of first issue: 09/30/2016

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	No data available	10161-34-9	$\geq 60 - < 80$ *
Talc	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	$\geq 1 - < 5$ *
Magnesium stearate	Octadecanoic acid, magnesium salt (2:1)	557-04-0	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.

Most important symptoms : Suspected of causing cancer.

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

and effects, both acute and delayed		Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

## Trenbolone Acetate Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
 Date of first issue: 09/30/2016

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
 Do not swallow.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	2 $\mu\text{g}/100 \text{ cm}^2$	Internal
Talc	14807-96-6	TWAEV (respirable dust)	2 $\text{mg}/\text{m}^3$	CA QC OEL

## Trenbolone Acetate Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
 Date of first issue: 09/30/2016

		TWA (Respirable particulates)	2 mg/m <sup>3</sup>	CA AB OEL
		TWA (Respirable)	2 mg/m <sup>3</sup>	CA BC OEL
		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m <sup>3</sup>	CA ON OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
 Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
 Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions,

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

**Color** : No data available

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : Not applicable

**Evaporation rate** : No data available

**Flammability (solid, gas)** : May form explosive dust-air mixture during processing, handling or other means.

**Flammability (liquids)** : No data available

**Upper explosion limit / Upper flammability limit** : No data available

**Lower explosion limit / Lower flammability limit** : No data available

**Vapor pressure** : No data available

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

**17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

**Trenbolone Acetate Formulation**

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
Date of first issue: 09/30/2016

---

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): 2,700 mg/kg

**Talc:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Talc:**

Species : Rabbit  
Result : No skin irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Talc:**

Species : Rabbit  
Result : No eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.



## Trenbolone Acetate Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
Date of first issue: 09/30/2016

---

**Respiratory sensitization**

Not classified based on available information.

**Components:****Talc:**

Routes of exposure : Skin contact  
Species : Humans  
Result : negative

**Magnesium stearate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Test system: Salmonella typhimurium  
Result: negative

Test Type: Micronucleus test  
Test system: Chinese hamster fibroblasts  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Test Type: Micronucleus test  
Species: Rat  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Talc:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Rat  
Application Route: Ingestion  
Result: negative

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

### Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Suspected of causing cancer.

### Components:

#### **17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Mouse, male and female  
Application Route : Oral  
Result : positive  
Target Organs : Liver

Species : Rat, male and female  
Application Route : Oral  
Result : positive  
Target Organs : Pancreas

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### **Talc:**

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### **17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 0.18 mg/kg body weight  
Result: Postimplantation loss.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: oral (feed)

**Trenbolone Acetate Formulation**

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
Date of first issue: 09/30/2016

---

Developmental Toxicity: LOAEL: 20 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Talc:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Routes of exposure : Ingestion  
Target Organs : Endocrine system, Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Pig  
NOAEL : 0.004 mg/kg  
LOAEL : 0.08 mg/kg  
Exposure time : 14 Weeks

## Trenbolone Acetate Formulation

Version 2.9      Revision Date: 10/01/2022      SDS Number: 916786-00016      Date of last issue: 04/09/2022  
 Date of first issue: 09/30/2016

---

Target Organs : Testis, Ovary, Liver, Uterus (including cervix)

Species : Rat  
 NOAEL : 0.04 mg/kg  
 LOAEL : 3.6 mg/kg  
 Application Route : Oral  
 Exposure time : 23 Weeks  
 Target Organs : Blood

Species : Monkey, female  
 NOAEL : 0.01 mg/kg  
 LOAEL : 0.04 mg/kg  
 Application Route : Oral  
 Exposure time : 122 Days  
 Target Organs : female reproductive organs

Species : Monkey, male  
 NOAEL : 0.002 mg/kg  
 LOAEL : 0.04 mg/kg  
 Application Route : Oral  
 Exposure time : 30 Days  
 Target Organs : male reproductive organs

Species : Rat  
 NOAEL : 0.05 mg/kg  
 LOAEL : 0.1 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : male reproductive organs, Ovary, Uterus (including cervix)

### Magnesium stearate:

Species : Rat  
 NOAEL : > 100 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Ingestion : Symptoms: male reproductive effects, gynecomastia, changes in libido

**Trenbolone Acetate Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.9                10/01/2022                916786-00016            Date of first issue: 09/30/2016

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 229  
Remarks: Based on data from similar materials

**Talc:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l  
Exposure time: 24 h

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

### Persistence and degradability

#### Components:

##### Magnesium stearate:

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Partition coefficient: n-octanol/water : log Pow: 3.77

##### Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo) : 956

**Trenbolone Acetate Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.9                10/01/2022              916786-00016            Date of first issue: 09/30/2016

---

aircraft)  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****TDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****The ingredients of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	10/01/2022
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and



## Trenbolone Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.9	10/01/2022	916786-00016	Date of first issue: 09/30/2016

---

shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8