

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

### SECTION 1. IDENTIFICATION

Product name : Trenbolone / Estradiol LA Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Carcinogenicity : Category 1A  
Reproductive toxicity : Category 1A  
Specific target organ toxicity : Category 1 (Liver, Bone, Blood, Endocrine system)  
- repeated exposure  
Specific target organ toxicity : Category 1 (Endocrine system, Blood)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.  
H372 Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version 7.2      Revision Date: 11/16/2023      SDS Number: 26094-00023      Date of last issue: 09/29/2023  
Date of first issue: 10/28/2014

P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	No data available	10161-34-9	$\geq 60 - < 80$ *
Estradiol	No data available	50-28-2	$\geq 5 - < 10$ *
Magnesium stearate	Octadecanoic acid, magnesium salt (2:1)	557-04-0	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version 7.2      Revision Date: 11/16/2023      SDS Number: 26094-00023      Date of last issue: 09/29/2023  
Date of first issue: 10/28/2014

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu$ g/m <sup>3</sup> (OEB 5)	Internal
		Wipe limit	2 $\mu$ g/100 cm <sup>2</sup>	Internal
Estradiol	50-28-2	TWA	0.05 $\mu$ g/m <sup>3</sup> (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 $\mu$ g/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
No open handling permitted.  
Totally enclosed processes and materials transport systems are required.  
Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Skin and body protection	: aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
---------------------	---	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Method: Calculation method

### Components:

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): 2,700 mg/kg

#### **Estradiol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

#### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Estradiol:**

Result : No eye irritation

#### **Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Estradiol:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Result	:	negative

##### Magnesium stearate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Test system: Salmonella typhimurium Result: negative
-----------------------	---	---

	:	Test Type: Micronucleus test Test system: Chinese hamster fibroblasts Result: negative
--	---	--

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	---	--

	:	Test Type: Micronucleus test Species: Rat Result: negative
--	---	--

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

##### Estradiol:

Genotoxicity in vitro	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: mammalian cells
-----------------------	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Result: positive

Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells  
Result: positive

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Chromosomal aberration  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

### Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

May cause cancer.

### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : Mouse, male and female  
Application Route : Oral  
Result : positive  
Target Organs : Liver

Species : Rat, male and female  
Application Route : Oral  
Result : positive  
Target Organs : Pancreas

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

### Estradiol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
LOAEL : 100 µg/kg  
Result : positive  
Target Organs : female reproductive organs

Species : Rat  
Application Route : Subcutaneous  
Exposure time : 13 weeks  
LOAEL : 20 mg/kg body weight  
Result : positive  
Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 0.18 mg/kg body weight  
Result: Postimplantation loss.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: oral (feed)  
Developmental Toxicity: LOAEL: 20 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### Estradiol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Fertility: LOAEL: 0.5 mg/kg body weight  
Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Duration of Single Treatment: 90 d  
Fertility: LOAEL: 0.69 mg/kg body weight  
Result: Effects on fertility.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Test Type: Two-generation study  
Species: Mouse  
Application Route: Oral  
Fertility: LOAEL: 0.1 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse, female  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 4 mg/kg body weight  
Symptoms: Malformations were observed.  
Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 2.5 µg/kg body weight  
Symptoms: Reduced body weight  
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight  
Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

### **Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Routes of exposure	: Ingestion
Target Organs	: Endocrine system, Blood
Assessment	: Causes damage to organs through prolonged or repeated exposure.

#### **Estradiol:**

Target Organs	: Liver, Bone, Blood, Endocrine system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species	: Pig
NOAEL	: 0.004 mg/kg
LOAEL	: 0.08 mg/kg
Exposure time	: 14 Weeks
Target Organs	: Testis, Ovary, Liver, Uterus (including cervix)

Species	: Rat
NOAEL	: 0.04 mg/kg
LOAEL	: 3.6 mg/kg
Application Route	: Oral
Exposure time	: 23 Weeks
Target Organs	: Blood

Species	: Monkey, female
NOAEL	: 0.01 mg/kg
LOAEL	: 0.04 mg/kg
Application Route	: Oral
Exposure time	: 122 Days
Target Organs	: female reproductive organs

Species	: Monkey, male
NOAEL	: 0.002 mg/kg
LOAEL	: 0.04 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Target Organs	: male reproductive organs

Species	: Rat
NOAEL	: 0.05 mg/kg
LOAEL	: 0.1 mg/kg
Application Route	: Oral
Exposure time	: 3 Months

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Target Organs : male reproductive organs, Ovary, Uterus (including cervix)

### Estradiol:

Species : Rat  
LOAEL :  $\geq 0.17$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

### Magnesium stearate:

Species : Rat  
NOAEL :  $> 100$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Ingestion : Symptoms: male reproductive effects, gynecomastia, changes in libido

#### Estradiol:

Inhalation : Symptoms: tingling, Nose bleeding  
Skin contact : Symptoms: Skin irritation, Redness, pruritis  
Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 229  
Remarks: Based on data from similar materials

#### Estradiol:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l  
Exposure time: 160 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.2 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- NOEC: 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

---

mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Estradiol:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

##### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Partition coefficient: n-octanol/water : log Pow: 3.77

##### **Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4.01

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

### Mobility in soil

#### Components:

##### **Estradiol:**

Distribution among environmental compartments : log Koc: 3.81

##### **Other adverse effects**

No data available



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

##### IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

##### IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

	N.O.S. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Trenbolone / Estradiol LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2023
7.2	11/16/2023	26094-00023	Date of first issue: 10/28/2014

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/16/2023  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8