

**Zeranol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Section 1: Identification**

Product name : Zeranol Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Serious eye damage/eye irritation : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1

Specific target organ toxicity - repeated exposure : Category 1 (Endocrine system, Liver)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
zeranol	26538-44-3	>= 70 -< 90
Magnesium stearate	557-04-0	>= 10 -< 20
Boric acid	10043-35-3	>= 10 -< 20

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

In case of eye contact	:	Wash clothing before reuse. Thoroughly clean shoes before reuse. If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Causes serious eye irritation. Suspected of causing cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Boron oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**Section 6: Accidental release measures**

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
zeranol	26538-44-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal
Boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m <sup>3</sup> (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m <sup>3</sup> (Borate)	ACGIH
Magnesium stearate	557-04-0	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

**Personal protective equipment**

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Particulates type  |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Consider double gloving.   |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.                    |

**Section 9: Physical and chemical properties**

- |   |   |                   |
|---|---|-------------------|
| Appearance                              | : | powder            |
| Colour                                  | : | yellow            |
| Odour                                   | : | odourless         |
| Odour Threshold                         | : | No data available |
| pH                                      | : | No data available |
| Melting point/freezing point            | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point                             | : | Not applicable    |

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Dust deflagration index (Kst)	:	180 m.b_/s
Minimum ignition energy	:	5 - 10 mJ
Particle characteristics	:	
Particle size	:	No data available

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

Possibility of hazardous reactions	:	May form combustible dust concentrations in air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Section 11: Toxicological information**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Not classified based on available information.

**Components:****zeranol:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

**Magnesium stearate:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Remarks: Based on data from similar materials

**Boric acid:**

Acute oral toxicity	:	LD50 (Rat): 3,450 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2.03 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity



## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****zeranol:**

Remarks : No data available

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Boric acid:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****zeranol:**

Remarks : No data available

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Boric acid:**

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****zeranol:**

Remarks : No data available

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Magnesium stearate:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

**Boric acid:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****zeranol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
Genotoxicity in vivo	: Test Type: Cytogenetic assay Species: Mouse Cell type: Bone marrow Result: negative

**Magnesium stearate:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials  Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Boric acid:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: equivocal
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

**Carcinogenicity**

Suspected of causing cancer.

**Components:****zeranol:**

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	positive
Target Organs	:	female reproductive organs, Pituitary gland

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Dog
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

**Boric acid:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Components:****zeranol:**

- Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported
- Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 3 mg/kg body weight  
Symptoms: Reduced body weight  
Result: Effects on reproduction parameters
- Test Type: Fertility  
Species: Rat, males  
Application Route: Oral  
Fertility: LOAEL: 1.25 mg/kg body weight  
Symptoms: Reduced fertility
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Symptoms: Reduced number of viable fetuses  
Result: Embryolethal effects, No teratogenic effects
- Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL:  $\geq 5$  mg/kg body weight  
Result: No significant adverse effects were reported
- Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Magnesium stearate:**

- Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Boric acid:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.

**Components:****zeranol:**

Target Organs	:	Endocrine system, Liver
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****zeranol:**

Species	:	Rat
NOAEL	:	0.175 mg/kg
LOAEL	:	1.225 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	0.25 mg/kg
LOAEL	:	1.25 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	male reproductive organs
Species	:	Rat
NOAEL	:	0.1 mg/kg
LOAEL	:	0.8 mg/kg

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

Application Route : Oral  
Exposure time : 26 Weeks  
Symptoms : Liver disorders

Species : Dog  
NOAEL : 0.025 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 29 Weeks  
Target Organs : Reproductive organs, Bone marrow, Bladder  
Symptoms : hair loss

Species : Dog, female  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 7 yr  
Target Organs : female reproductive organs  
Symptoms : Changes in the blood count

Species : Monkey, female  
Application Route : Oral  
Exposure time : 10 yr  
Target Organs : female reproductive organs

**Magnesium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Boric acid:**

Species : Rat  
NOAEL : 100 mg/kg  
LOAEL : 334 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****zeranol:**

Ingestion : Remarks: May cause adverse reproductive effects.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

## Section 12: Ecological information

**Ecotoxicity****Components:****Magnesium stearate:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Boric acid:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 74 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Zeranol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	14.04.2025	682071-00017	03.12.2024
			Date of first issue: 19.05.2016

---

NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 6.4 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10.8 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10: 35.4 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****zeranol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 91 d

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****zeranol:**

Partition coefficient: n-octanol/water : log Pow: 3.13

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

**Boric acid:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): ≤ 3.2  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: -1.09



## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

**Mobility in soil****Components:****zeranol:**

Distribution among environmental compartments : log K<sub>oc</sub>: 2.95

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

**Special precautions for user**

Not applicable

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 14.04.2025

**Further information**

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

**Zeranol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	14.04.2025	682071-00017	03.12.2024
			Date of first issue: 19.05.2016

---

Sheet [cy, http://echa.europa.eu/](http://echa.europa.eu/)

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
6.1	14.04.2025	682071-00017	Date of first issue: 19.05.2016

---

NZ / EN