according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

SECTION 1. IDENTIFICATION

Product name : Caspofungin Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Serious eye damage : Category 1

Effects on or via lactation

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H318 Causes serious eye damage.

H362 May cause harm to breast-fed children.

Supplemental Hazard State- :

ents

Corrosive to the respiratory tract.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy and while nursing.

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 13.0
 06/17/2025
 24302-00030
 Date of first issue: 10/21/2014

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

P308 + P313 IF exposed or concerned: Get medical attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Caspofungin	179463-17-3*	>= 30 - <= 60	TSC
Sucrose	57-50-1*	>= 15 - <= 40	TSC
Acetic acid	64-19-7*	>= 0.5 - <= 1.5	TSC

^{*} Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : Get medical attention.

In case of skin contact : Wash with water and soap.

Get medical attention.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : Get medical attention.

Most important symptoms

Contact with dust can cause mechanical irritation or drying of

and effects, both acute and the skin. delayed Causes s

Causes serious eye damage.

May cause harm to breast-fed children.

Corrosive to the respiratory tract.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m³

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

5 mg/m³

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

15 Million particles per cubic foot

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

Dust, nuisance dust and par-

ticulates

Value type (Form of exposure): PEL (Total dust)

Basis: CAL PEL

10 mg/m³

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

5 mg/m³

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Caspofungin	179463-17-3	TWA	140 μg/m3 (OEB 2)	Internal
Sucrose	57-50-1	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m³	OSHA Z-1
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m³	NIOSH REL
		ST	15 ppm 37 mg/m³	NIOSH REL
		TWA	10 ppm 25 mg/m³	OSHA Z-1

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Minimum ignition energy : 100 - 300 mJ

30 - 100 mJ

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

: No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Caspofungin:

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of : LD50 (Mouse): 19 mg/kg

administration)

Application Route: Intravenous

LD50 (Rat): 38 mg/kg

Application Route: Intravenous

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Acetic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Caspofungin:

Species : Rabbit

Result : Mild skin irritation

Acetic acid:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Caspofungin:

Species : Rabbit

Result : Irreversible effects on the eye Method : Bovine cornea (BCOP)

Acetic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Caspofungin:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Mouse Cell type: Bone marrow

Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

П

Acetic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapor)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Acetic acid:

Species : Mouse
Application Route : Skin contact
Exposure time : 32 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May cause harm to breast-fed children.

Components:

Caspofungin:

Effects on fertility : Test Type: Fertility

Species: Rat, male and female

Application Route: Intravenous injection Fertility: NOAEL Parent: 5 mg/kg body weight

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Result: No effects on fertility and early embryonic

development were detected.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection

General Toxicity Maternal: LOAEL: 5 mg/kg body weight Embryo-fetal toxicity.: NOAEL F1: 2 mg/kg body weight Symptoms: Abnormalities of the musculosketal system. Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Test Type: Development

Species: Rabbit

Application Route: Intravenous injection

General Toxicity Maternal: NOAEL: 3 mg/kg body weight Developmental Toxicity: NOAEL F1: >= 6 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Reproductive toxicity - As-

sessment

Studies indicating a hazard to babies during the lactation

period

Acetic acid:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Corrosive to the respiratory tract.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Caspofungin:

Species : Monkey
NOAEL : 2 mg/kg
LOAEL : 5 mg/kg
Application Route : Intravenous
Exposure time : 27 Weeks
Number of exposures : daily
Target Organs : Liver

Species : Rat
LOAEL : 1.8 mg/kg
Application Route : Intravenous
Exposure time : 27 Weeks
Symptoms : Swelling of tissue

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Species Rat NOAEL 2 mg/kg LOAEL 5 mg/kg Application Route : Intravenous Exposure time 14 Weeks Number of exposures daily

Symptoms Swelling of tissue

Acetic acid:

Species Rat

NOAEL : 290 mg/kg Application Route : Ingestion Exposure time 8 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

Caspofungin:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Caspofungin:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 2.4 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 22.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.1

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.05

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.084 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.67 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Toxicity to microorganisms : EC50: > 127 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 38 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Acetic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Caspofungin:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 71.9 % Exposure time: 28 d

Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 2.8 h

Acetic acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 96 % Exposure time: 20 d

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Bioaccumulative potential

Components:

Caspofungin:

Partition coefficient: n-

octanol/water

Sucrose:

ociai ioi/ watei

Partition coefficient: n-

octanol/water

Acetic acid:

Partition coefficient: n-

octanol/water

log Pow: -0.17

Pow: < 1

log Pow: -1.6

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Caspofungin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Caspofungin)

956

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Caspofungin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Caspofungin)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(Caspofungin)

Remarks : Above applies only to containers over 119 gallons or 450

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Reproductive toxicity

Serious eye damage or eye irritation

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

 Caspofungin
 179463-17-3

 Sucrose
 57-50-1

 D-Mannitol
 69-65-8

 Acetic acid
 64-19-7

California List of Hazardous Substances

Acetic acid 64-19-7

California Permissible Exposure Limits for Chemical Contaminants

Sucrose 57-50-1 Acetic acid 64-19-7

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	1	4
FLAMMABILITY		
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 06/17/2025 24302-00030 Date of first issue: 10/21/2014 13.0

ACGIH USA. ACGIH Threshold Limit Values (TLV)

CAL PEL California permissible exposure limits for chemical contami-

nants (Title 8, Article 107)

NIOSH REL USA. NIOSH Recommended Exposure Limits

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA 8-hour, time-weighted average ACGIH / STEL Short-term exposure limit CAL PEL / PEL Permissible exposure limit

NIOSH REL / TWA Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA 8-hour time weighted average OSHA Z-3 / TWA 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

compile the Material Safety

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

according to the OSHA Hazard Communication Standard



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 13.0 06/17/2025 24302-00030 Date of first issue: 10/21/2014

Data Sheet cy, http://echa.europa.eu/

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8