according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

SECTION 1. IDENTIFICATION

Product name : Ertapenem Formulation Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Respiratory sensitization : Category 1

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

Precautionary Statements : Prevention:

P261 Avoid breathing dust. P284 Wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a doc-

tor.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 04/14/2025 20963-00024 Date of first issue: 11/03/2014 7.0

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common CAS-No.		Concentration (% w/w)	
	Name/Synonym			
Ertapenem	No data availa-	153773-82-1	>= 80 - < 100 *	
	ble			

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

: Wash with water and soap. In case of skin contact

Get medical attention if symptoms occur.

: If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Excessive exposure may aggravate preexisting asthma and

other respiratory disorders (e.g. emphysema, bronchitis,

reactive airways dysfunction syndrome).

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Protection of first-aiders First Aid responders should pay attention to self-protection.

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

according to the Hazardous Products Regulations



Ertapenem Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2024 04/14/2025 20963-00024 Date of first issue: 11/03/2014 7.0

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Metal oxides

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air. Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Ertapenem	153773-82-1	TWA	0.15 mg/m3 (OEB 2)	Internal	
	Further information: RSEN				

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

according to the Hazardous Products Regulations



Ertapenem Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2024 04/14/2025 20963-00024 Date of first issue: 11/03/2014 7.0

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Particulates type

Hand protection

Material Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

> on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection Wear the following personal protective equipment:

Safety goggles

Skin and body protection

Skin should be washed after contact.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance powder

Color white

Odor No data available

Odor Threshold No data available

pН No data available

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

Evaporation rate No data available

May form explosive dust-air mixture during processing, Flammability (solid, gas)

handling or other means.

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Ertapenem:

Acute oral toxicity : LD50 (Mouse): > 500 mg/kg

administration)

Acute toxicity (other routes of : LD50 (Mouse): > 700 mg/kg

Application Route: Intravenous

LD50 (Rat): > 700 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Ertapenem:

Species Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ertapenem:

Species Rabbit

Result Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Ertapenem:

Routes of exposure inhalation (dust/mist/fume)

Assessment Probability of respiratory sensitization in humans based on

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

Result animal testing consitive

Germ cell mutagenicity

Not classified based on available information.

Components:

Ertapenem:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: human lymphoblastoid cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Ertapenem:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Intravenous

Fertility: NOAEL: 700 mg/kg body weight

Result: No effects on fertility and early embryonic

development were detected.

Test Type: Fertility Species: Mouse Fertility: NOAEL: 700

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 700 mg/kg body weight Result: No effects on early embryonic development.

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

Test Type: Development

Species: Mouse

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 350 mg/kg body weight

Symptoms: Reduced body weight

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ertapenem:

Species : Rat
LOAEL : 2 mg/kg
Application Route : Intravenous
Exposure time : 2 Weeks
Target Organs : Blood

Remarks : The mechanism or mode of action may not be relevant in

humans.

Species : Rat
LOAEL : 60 mg/kg
Application Route : Intravenous
Exposure time : 6 Months
Target Organs : Blood

Remarks : The mechanism or mode of action may not be relevant in

humans.

Species: MonkeyNOAEL: 360 mg/kgLOAEL: 500 mg/kgApplication Route: IntravenousExposure time: 27 WeeksTarget Organs: Liver, Kidney

Remarks : The mechanism or mode of action may not be relevant in

humans.

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ertapenem:

Inhalation : Remarks: May cause sensitization by inhalation.

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 04/14/2025 20963-00024 Date of first issue: 11/03/2014 7.0

Ingestion Symptoms: Diarrhea, Nausea, Headache, vaginitis

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ertapenem:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 51

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 51

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.23 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.13 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 2.5 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 82 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC10: 3.9 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Persistence and degradability

Components:

Ertapenem:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 4.7 % Exposure time: 28 d

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

Method: OECD Test Guideline 301B

Stability in water : Degradation half life (DT50): 15.3 d

Bioaccumulative potential

Components:

Ertapenem:

Partition coefficient: n-

octanol/water

: log Pow: -2.22

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ertapenem)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Ertapenem)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

956

956

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ertapenem)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ertapenem)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Ertapenem)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

according to the Hazardous Products Regulations



Ertapenem Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 7.0 04/14/2025 20963-00024 Date of first issue: 11/03/2014

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8