according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 04/14/2025 22491-00024 Date of first issue: 10/16/2014 7.9

SECTION 1. IDENTIFICATION

Posaconazole Injection Formulation Product name

Other means of identification No data available

Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc. Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use **Pharmaceutical** Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization Category 1

Reproductive toxicity Category 2

: - repeated exposure (Oral) ous system, Reproductive organs)

GHS label elements

Hazard pictograms

Specific target organ toxicity





Signal Word Danger

Hazard Statements H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through

Category 1 (Adrenal gland, Bone marrow, Kidney, Liver, Nerv-

prolonged or repeated exposure if swallowed.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

the workplace.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical attention. P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
.betaCyclodextrin,	Betadex Sul-	182410-00-0	
sulfobutyl ethers, sodi-	fobutyl Ether		>= 30 - < 60 *
um salts	Sodium		
Posaconazole	No data availa-	171228-49-2	>= 1 - < 5 *
	ble		>=1-<5

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

In case of eye contact

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Diarrhea Fever Headache Nausea

Vomiting
May cause an allergic skin reaction.

Suspected of damaging the unborn child.
Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides
Sulfur oxides
Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

. assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

•	•			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Posaconazole	171228-49-2	TWA	300 µg/m3 (OEB	Internal

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

2)

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : Colorless to pale yellow

Odor : odorless

Odor Threshold : No data available

pH : 2.6

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.15 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/26/2023

 7.9
 04/14/2025
 22491-00024
 Date of first issue: 10/16/2014

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Posaconazole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 3,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Result : No skin irritation

Posaconazole:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Result : No eye irritation

Posaconazole:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Assessment : Probability or evidence of skin sensitization in humans

Posaconazole:

Test Type : Magnusson-Kligman-Test

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro

Result: negative

Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Intravenous

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Posaconazole:

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male

General Toxicity Parent: NOAEL: 180 mg/kg body weight

Symptoms: No effects on mating performance.

Result: negative

Test Type: Fertility/early embryonic development

Species: Rat, female

General Toxicity Parent: NOAEL: 45 mg/kg body weight

Symptoms: No effects on mating performance.

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat, female Application Route: Oral

Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity., Malformations were observed.

Test Type: Embryo-fetal development

Species: Rabbit, female

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity.

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.

Components:

Posaconazole:

Routes of exposure : Ingestion

Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive

organs, Nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Posaconazole:

Species : Rat, female LOAEL : 5 mg/kg
Application Route : Oral Exposure time : 6 Months

Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species : Dog LOAEL : 3 mg/kg Application Route : Oral Exposure time : 392 Days

Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal

cord, lymphoid tissue

Species : Monkey
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 1 Months

Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species : Dog LOAEL : 3 mg/kg Application Route : Oral Exposure time : 56 Weeks

Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system,

spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey LOAEL : 180 mg/kg Application Route : Oral

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Exposure time : 12 Months

Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey
LOAEL : 8 mg/kg
Application Route : Intravenous
Exposure time : 1 Months

Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Posaconazole:

Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver

effects, Rash, pruritis, Diarrhea, hypertension, neutropenia,

electrolyte imbalance

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 220 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 96 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: The test was conducted according to guideline

Toxicity to microorganisms : NOEC: 100 mg/l

Exposure time: 3 h

Posaconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.276 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/26/2023 04/14/2025 22491-00024 Date of first issue: 10/16/2014 7.9

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

0.509 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l

Exposure time: 33 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.244 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

EC50 (Natural microorganism): > 1,000 mg/l Toxicity to microorganisms

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 2 % Exposure time: 28 d

Posaconazole:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 50 % Exposure time: 28 h

Method: OECD Test Guideline 314

Stability in water Degradation half life (DT50): > 30 d

Method: OECD Test Guideline 111

Bioaccumulative potential

Components:

.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:

Partition coefficient: n-

octanol/water

: log Pow: < -2

Posaconazole:

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 20 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4.15

Mobility in soil

Components:

Posaconazole:

Distribution among environmental compartments

: log Koc: 5.52

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to :

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

according to the Hazardous Products Regulations



Posaconazole Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 09/26/2023 7.9 04/14/2025 22491-00024 Date of first issue: 10/16/2014

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8