according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

SECTION 1. IDENTIFICATION

Product name : Indinavir Formulation Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention.

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)	
	Name/Synonym			
Indinavir	No data availa-	157810-81-6	>= 60 - < 80 *	
	ble		>= 00 - < 80	
Magnesium stearate	Octadecanoic	557-04-0		
	acid, magnesi-		>= 1 - < 5 *	
	um salt (2:1)			

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Causes serious eye irritation.

delaved

Suspected of damaging the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 04/14/2025 42761-00024 Date of first issue: 01/07/2015 4.2

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 04/14/2025 42761-00024 Date of first issue: 01/07/2015 4.2

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Use only with adequate ventilation. Advice on safe handling

Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Keep in properly labeled containers. Conditions for safe storage

Store locked up.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Indinavir	157810-81-6	TWA	1,000 μg/m³	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m ³	CA AB OEL
		TWA (Inhal- able)	10 mg/m ³	CA BC OEL
		TWA (Respirable)	3 mg/m³	CA BC OEL
		TWAEV (in- halable dust)	10 mg/m³	CA QC OEL
		TWAEV (respirable aerosol frac- tion)	3 mg/m³	CA QC OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023
4.2 Date of first issue: 01/07/2015

TWA (Respirable particulate matter)

ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : odorless

Odor Threshold : No data available

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials :

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Indinavir:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Indinavir:

Species : Rabbit

Result : Mild skin irritation Remarks : slight irritation

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Indinavir:

Species : Bovine cornea Remarks : Severe eye irritation

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Indinavir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid ex-

change

Application Route: Intraperitoneal injection

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Indinavir:

Species : Rat Application Route : Oral

NOAEL : 640 mg/kg body weight

Result : negative

Species : Mouse Application Route : Oral Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Indinavir:

Effects on fertility : Test Type: Fertility

Species: Rat

Result: No effects on mating performance.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Monkey

Developmental Toxicity: LOAEL: 160 mg/kg body weight

Result: Effects on fetal development.

Test Type: Embryo-fetal development

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Species: Rat

Developmental Toxicity: NOAEL: 40 mg/kg body weight

Result: Effects on fetal development.

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: 240 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Indinavir:

Species : Rat
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 10 mg/kg Application Route : Oral Exposure time : 53 Weeks

Remarks : No significant adverse effects were reported

Species : Monkey NOAEL : 80 mg/kg

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Application Route : Oral Exposure time : 5 Weeks

Remarks : No significant adverse effects were reported

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Indinavir:

Ingestion : Symptoms: Nausea, Abdominal pain, Headache, Kidney dis-

orders, liver function change

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Indinavir:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 20 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

LC50 (Oncorhynchus mykiss (rainbow trout)): 438 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 20 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.47

mg/l

Exposure time: 10 d

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 20 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Remarks: No toxicity at the limit of solubility.

NOEC: 10 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility.

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

Components:

Indinavir:

Stability in water : Hydrolysis: 50 %(651 d)

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Bioaccumulative potential

Components:

Indinavir:

Partition coefficient: n-

octanol/water

: log Pow: 2.66

Magnesium stearate:

Partition coefficient: n-

octanol/water

: log Pow: > 4

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

according to the Hazardous Products Regulations



Indinavir Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 4.2 04/14/2025 42761-00024 Date of first issue: 01/07/2015

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8