according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### **SECTION 1. IDENTIFICATION**

Guanidine Hydrochloride Formulation Product name

No data available Other means of identification

#### Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc. Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use **Pharmaceutical** Restrictions on use Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) Category 4

Skin irritation Category 2

Eye irritation Category 2A

Specific target organ toxicity

- repeated exposure

Category 1 (Nervous system, Bone marrow, Kidney)

#### **GHS** label elements

Hazard pictograms





Signal Word Danger

H302 Harmful if swallowed. Hazard Statements H315 Causes skin irritation.

:

H319 Causes serious eye irritation.

H372 Causes damage to organs (Nervous system, Bone marrow, Kidney) through prolonged or repeated exposure.

Precautionary Statements Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, eye protection and face protec-

tion.

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

#### Other hazards

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data availa- ble	9004-34-6	>= 30 - < 60 *
Guanidinium chloride	Guanidine, hydrochloride (1:1)	50-01-1	>= 30 - < 60 *
Magnesium stearate	Octadecanoic acid, magnesi- um salt (2:1)	557-04-0	>= 1 - < 5 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed. Causes skin irritation.

Causes serious eye irritation.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Advice on safe handling :

Use only with adequate ventilation.

Do not get on skin or clothing. Do not breathe dust.

Do not swallow.

Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives
Gases

according to the Hazardous Products Regulations



## **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Guanidinium chloride	50-01-1	TWA	600 μg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Inhal- able)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m³	CA BC OEL
		TWAEV (in- halable dust)	10 mg/m³	CA QC OEL
		TWAEV (respirable aerosol frac- tion)	3 mg/m³	CA QC OEL
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

als : Oxidizing agents

Hazardous decomposition

No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

**Acute toxicity** 

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,330 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Guanidinium chloride:

Acute oral toxicity : LD50 (Rat): 474.6 mg/kg

LD50 (Mouse): 571 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.181 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### **Components:**

#### **Guanidinium chloride:**

Species : Rabbit Result : Skin irritation

#### Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Components:**

#### Guanidinium chloride:

Result : Irritation to eyes, reversing within 21 days Remarks : Based on national or regional regulation.

#### Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### **Components:**

#### **Guanidinium chloride:**

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

#### Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### **Components:**

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

**Guanidinium chloride:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Species: RatApplication Route: IngestionExposure time: 72 weeksResult: negative

### Reproductive toxicity

Not classified based on available information.

according to the Hazardous Products Regulations



## **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### **Components:**

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

**Application Route: Ingestion** 

Result: negative

**Guanidinium chloride:** 

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Nervous system, Bone marrow, Kidney) through prolonged or repeated exposure.

**Components:** 

**Guanidinium chloride:** 

Routes of exposure : Ingestion

Target Organs : Nervous system, Kidney, Bone marrow

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

#### Repeated dose toxicity

#### Components:

#### Cellulose:

Species : Rat

NOAEL >= 9,000 mg/kgApplication Route : Ingestion : 90 Days Exposure time

#### Guanidinium chloride:

Species Rat

NOAEL : 100 mg/kg Application Route : Ingestion Exposure time : 90 Days

: OECD Test Guideline 408 Method

#### Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kgApplication Route : Ingestion Exposure time : 90 Days

Remarks : Based on data from similar materials

#### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### **Components:**

**Guanidinium chloride:** 

Ingestion Symptoms: tingling, numbness, anorexia, Diarrhea

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

#### Cellulose:

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Toxicity to fish

Exposure time: 48 h

Remarks: Based on data from similar materials

#### **Guanidinium chloride:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1,758 mg/l

Exposure time: 48 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 70.2 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



## Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 438957-00023 Date of first issue: 01/06/2016 10.0

Remarks: Based on data from similar materials

Toxicity to algae/aquatic ErC50 (Pseudokirchneriella subcapitata (green algae)): 11.8

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.3

mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to fish (Chronic tox-NOEC (Pimephales promelas (fathead minnow)): 181 mg/l

Exposure time: 35 d

Remarks: Based on data from similar materials

aquatic invertebrates (Chron-

ic toxicity)

icity)

plants

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 7,125 mg/l

Exposure time: 18 h

Magnesium stearate:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

> Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

according to the Hazardous Products Regulations



# **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

**Components:** 

Cellulose:

Biodegradability : Result: Readily biodegradable.

Guanidinium chloride:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 56 d

Method: OECD Test Guideline 301C

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

**Components:** 

**Guanidinium chloride:** 

Partition coefficient: n-

octanol/water

:  $\log Pow: < -1.7$ 

Magnesium stearate:

Partition coefficient: n-

octanol/water

: log Pow: > 4

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

UNRTDG

according to the Hazardous Products Regulations



## **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

according to the Hazardous Products Regulations



## **Guanidine Hydrochloride Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 10.0 06/17/2025 438957-00023 Date of first issue: 01/06/2016

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/17/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8