

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

### SECTION 1. IDENTIFICATION

Product name : Raltegravir Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 3  
- single exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

Version 5.1      Revision Date: 11/13/2025      SDS Number: 741568-00021      Date of last issue: 05/09/2025  
Date of first issue: 06/06/2016

and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name      | Common Name/Synonym                     | CAS-No.     | Concentration (% w/w) |
|--------------------|---|-------------|-----------------------|
| Raltegravir        | No data available                       | 871038-72-1 | $\geq 60 - < 80$ *    |
| Cellulose          | No data available                       | 9004-34-6   | $\geq 10 - < 30$ *    |
| Magnesium stearate | Octadecanoic acid, magnesium salt (2:1) | 557-04-0    | $\geq 1 - < 5$ *      |

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

|   |  |
|---|--|
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.  |
| Most important symptoms and effects, both acute and delayed | : Causes serious eye damage.<br>May cause respiratory irritation.<br>Suspected of damaging the unborn child.<br>Contact with dust can cause mechanical irritation or drying of the skin. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).            |
| Notes to physician  | : Treat symptomatically and supportively.  |

### SECTION 5. FIRE-FIGHTING MEASURES

|  |   |
|--|---|
| Suitable extinguishing media                   | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : None known.   |
| Specific hazards during fire fighting          | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health.                   |
| Hazardous combustion products                  | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Fluorine compounds<br>Metal oxides   |
| Specific extinguishing methods                 | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).   |
| Environmental precautions   | : Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid breathing dust. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

Version 5.1      Revision Date: 11/13/2025      SDS Number: 741568-00021      Date of last issue: 05/09/2025  
Date of first issue: 06/06/2016

Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components         | CAS-No.     | Value type<br>(Form of exposure)    | Control parameters / Permissible concentration | Basis     |
|--------------------|-------------|-------------------------------------|--|-----------|
| Raltegravir        | 871038-72-1 | TWA                                 | 1000 (µg/m <sup>3</sup> ) (OEB 1)              | Internal  |
| Cellulose          | 9004-34-6   | TWA                                 | 10 mg/m <sup>3</sup>                           | CA AB OEL |
|                    |             | TWA (Total dust)                    | 10 mg/m <sup>3</sup>                           | CA BC OEL |
|                    |             | TWA (respirable dust fraction)      | 3 mg/m <sup>3</sup>                            | CA BC OEL |
|                    |             | TWAEV (total dust)                  | 10 mg/m <sup>3</sup>                           | CA QC OEL |
|                    |             | TWA                                 | 10 mg/m <sup>3</sup>                           | ACGIH     |
| Magnesium stearate | 557-04-0    | TWA                                 | 10 mg/m <sup>3</sup>                           | CA AB OEL |
|                    |             | TWA (Inhalable)                     | 10 mg/m <sup>3</sup>                           | CA BC OEL |
|                    |             | TWA (Respirable)                    | 3 mg/m <sup>3</sup>                            | CA BC OEL |
|                    |             | TWAEV (inhalable dust)              | 10 mg/m <sup>3</sup>                           | CA QC OEL |
|                    |             | TWAEV (respirable aerosol fraction) | 3 mg/m <sup>3</sup>                            | CA QC OEL |
|                    |             | TWA (Inhalable particulate matter)  | 10 mg/m <sup>3</sup>                           | ACGIH     |
|                    |             | TWA (Respirable particulate matter) | 3 mg/m <sup>3</sup>                            | ACGIH     |

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

|                          |  |
|--------------------------|--|
| Material                 | : Chemical-resistant gloves  |
| Eye protection           | : Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : Work uniform or laboratory coat.   |
| Hygiene measures         | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |
|--|---|
| Appearance                                       | : powder  |
| Color  | : No data available   |
| Odor   | : No data available   |
| Odor Threshold                                   | : No data available   |
| pH   | : No data available   |
| Melting point/freezing point                     | : No data available   |
| Initial boiling point and boiling range          | : No data available   |
| Flash point                                      | : Not applicable  |
| Evaporation rate                                 | : No data available   |
| Flammability (solid, gas)                        | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : No data available   |
| Upper explosion limit / Upper flammability limit | : No data available   |
| Lower explosion limit / Lower flammability limit | : No data available   |
| Vapor pressure                                   | : No data available   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

|  |   |  |
|--|---|--|
| Relative vapor density                 | : | No data available  |
| Density                                | : | No data available  |
| Solubility(ies)                        | : |  |
| Water solubility                       | : | No data available  |
| Partition coefficient: n-octanol/water | : | No data available  |
| Autoignition temperature               | : | No data available  |
| Decomposition temperature              | : | No data available  |
| Viscosity                              | : |  |
| Viscosity, kinematic                   | : | No data available  |
| Explosive properties                   | : | Not explosive  |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                       | : | No data available  |
| Particle characteristics               | : |  |
| Particle size                          | : | No data available  |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.   |
| Chemical stability                 | : | Stable under normal conditions.  |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.<br>Avoid dust formation.  |
| Incompatible materials             | : | Oxidizing agents   |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.   |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### **Raltegravir:**

Acute oral toxicity : LD50 (Mouse, male and female): > 2,000 mg/kg

#### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Raltegravir:**

Species : Rabbit  
Result : No skin irritation

#### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Components:

#### **Raltegravir:**

Species : Bovine cornea  
Result : Severe irritation



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

---

### Magnesium stearate:

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Remarks | : | Based on data from similar materials |

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Raltegravir:

|           |   |                               |
|-----------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Species   | : | Mouse                         |
| Result    | : | negative                      |

#### Magnesium stearate:

|                    |   |                                      |
|--------------------|---|--------------------------------------|
| Test Type          | : | Maximization Test                    |
| Routes of exposure | : | Skin contact                         |
| Species            | : | Guinea pig                           |
| Method             | : | OECD Test Guideline 406              |
| Result             | : | negative                             |
| Remarks            | : | Based on data from similar materials |

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Raltegravir:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: reverse mutation assay<br>Result: negative<br><br>Test Type: Alkaline elution assay<br>Test system: rat hepatocytes<br>Result: negative<br><br>Test Type: Chromosomal aberration<br>Method: OECD Test Guideline 473<br>Result: negative |
| Genotoxicity in vivo  | : | Test Type: In vivo micronucleus test<br>Species: Mouse<br>Result: negative<br><br>Test Type: Chromosomal aberration<br>Method: OECD Test Guideline 475<br>Result: negative   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

### Cellulose:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative   |
|                       |   | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative  |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Ingestion<br>Result: negative |

### Magnesium stearate:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br>Remarks: Based on data from similar materials                             |
|                       |   | Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials |
|                       |   | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br>Remarks: Based on data from similar materials                                |

### Carcinogenicity

Not classified based on available information.

### Components:

#### Raltegravir:

|               |   |                        |
|---------------|---|------------------------|
| Species       | : | Mouse, male and female |
| Exposure time | : | 104 weeks              |
| Result        | : | negative               |

#### Cellulose:

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| Application Route | : | Ingestion |
| Exposure time     | : | 72 weeks  |
| Result            | : | negative  |

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Raltegravir:

|                      |   |   |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Fertility/early embryonic development<br>Species: Rat, male and female |
|----------------------|---|---|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

- Application Route: Oral  
General Toxicity Parent: NOAEL: 600 mg/kg body weight  
Result: negative
- Effects on fetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL:  $\geq$  600 mg/kg body weight  
Teratogenicity: LOAEL F1: 300 mg/kg body weight  
Symptoms: Skeletal malformations.  
Result: positive
- Species: Rabbit  
General Toxicity Maternal: NOAEL:  $\geq$  1,000 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  1,000 mg/kg body weight  
Result: negative
- Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.
- Cellulose:**
- Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Magnesium stearate:**
- Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials
- STOT-single exposure**  
May cause respiratory irritation.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

---

### **Components:**

#### **Raltegravir:**

|                    |   |                                   |
|--------------------|---|-----------------------------------|
| Routes of exposure | : | Inhalation                        |
| Target Organs      | : | Respiratory Tract                 |
| Assessment         | : | May cause respiratory irritation. |

#### **STOT-repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

### **Components:**

#### **Raltegravir:**

|                   |   |          |
|-------------------|---|----------|
| Species           | : | Dog      |
| NOAEL             | : | 90 mg/kg |
| Application Route | : | Oral     |
| Exposure time     | : | 371 d    |
| Symptoms          | : | Vomiting |

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| NOAEL             | : | 30 mg/kg  |
| LOAEL             | : | 120 mg/kg |
| Application Route | : | Oral      |
| Exposure time     | : | 189 d     |
| Target Organs     | : | Stomach   |

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Mouse     |
| NOAEL             | : | 50 mg/kg  |
| LOAEL             | : | 500 mg/kg |
| Application Route | : | Oral      |
| Exposure time     | : | 14 Weeks  |
| Target Organs     | : | Stomach   |

|                   |   |           |
|-------------------|---|-----------|
| Species           | : | Rat       |
| NOAEL             | : | 50 mg/kg  |
| LOAEL             | : | 200 mg/kg |
| Application Route | : | Oral      |
| Exposure time     | : | 8 Weeks   |
| Target Organs     | : | Stomach   |

#### **Cellulose:**

|                   |   |                |
|-------------------|---|----------------|
| Species           | : | Rat            |
| NOAEL             | : | >= 9,000 mg/kg |
| Application Route | : | Ingestion      |
| Exposure time     | : | 90 Days        |

#### **Magnesium stearate:**

|                   |   |             |
|-------------------|---|-------------|
| Species           | : | Rat         |
| NOAEL             | : | > 100 mg/kg |
| Application Route | : | Ingestion   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

Exposure time : 90 Days  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Raltegravir:

Ingestion : Symptoms: Nausea, Diarrhea, Headache, Fever, Rash, Skin irritation

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Raltegravir:

|  |   |
|--|---|
| Toxicity to fish   | : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br><br>LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203         |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202   |
| Toxicity to algae/aquatic plants                                       | : EC50 (Pseudokirchneriella subcapitata (green algae)): 66 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 3.8 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 201 |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): 9.3 mg/l<br>Exposure time: 33 d<br>Method: OECD Test Guideline 210   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 9.5 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211   |
| Toxicity to microorganisms   | : EC50: > 1,000 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

Method: OECD Test Guideline 209

NOEC: 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

### Cellulose:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### Magnesium stearate:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (*Pseudokirchneriella subcapitata* (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

NOELR (*Pseudokirchneriella subcapitata* (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

#### **Raltegravir:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

Exposure time: 9 d  
Method: OECD Test Guideline 302B

Stability in water : Hydrolysis: < 10 %(5 d)  
Method: OECD Test Guideline 111

### Cellulose:

Biodegradability : Result: Readily biodegradable.

### Magnesium stearate:

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

#### Raltegravir:

Partition coefficient: n-octanol/water : log Pow: -0.328

#### Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

Not regulated as a dangerous good

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

|                    |   |
|--------------------|---|
| ACGIH              | : USA. ACGIH Threshold Limit Values (TLV)   |
| CA AB OEL          | : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)   |
| CA BC OEL          | : Canada. British Columbia OEL  |
| CA QC OEL          | : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA        | : 8-hour, time-weighted average   |
| CA AB OEL / TWA    | : 8-hour Occupational exposure limit  |
| CA BC OEL / TWA    | : 8-hour time weighted average  |
| CA QC OEL / TWA EV | : Time-weighted average exposure value  |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Raltegravir Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/09/2025  |
| 5.1     | 11/13/2025     | 741568-00021 | Date of first issue: 06/06/2016 |

ganization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/13/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8