according to the Hazardous Products Regulations



# **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

### **SECTION 1. IDENTIFICATION**

Product name : Fidaxomicin Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

**GHS** label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

unwell. Rinse mouth.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

according to the Hazardous Products Regulations



# Fidaxomicin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 1732000-00015 Date of first issue: 06/05/2017 5.0

Substance / Mixture Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Fidaxomicin	No data availa- ble	873857-62-6	>= 60 - < 80 *
Cellulose	No data availa- ble	9004-34-6	>= 30 - < 60 *
Starch	Sago starch	9005-25-8	>= 10 - < 30 *

Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution. Get medical attention if symptoms occur.

Flush eyes with water as a precaution.

In case of eye contact Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting unless directed to do

> so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Protection of first-aiders

First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

according to the Hazardous Products Regulations



# **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Advice on safe handling : Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Use only with adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

according to the Hazardous Products Regulations



## Fidaxomicin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 1732000-00015 Date of first issue: 06/05/2017 5.0

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Fidaxomicin	873857-62-6	TWA	200 μg/m3 (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH

Ensure adequate ventilation, especially in confined areas. **Engineering measures** 

Minimize workplace exposure concentrations.

Personal protective equipment

If adequate local exhaust ventilation is not available or Respiratory protection

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type

Material Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

> on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection Wear the following personal protective equipment:

Safety glasses

Skin and body protection

Skin should be washed after contact.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

according to the Hazardous Products Regulations



## **Fidaxomicin Formulation**

Version 5.0 Revision Date: 06/18/2025

SDS Number: 1732000-00015

Date of last issue: 04/14/2025 Date of first issue: 06/05/2017

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : solid

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : Not applicable

Melting point/freezing point : 175 - 185 °C

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

log Pow: 4.4

Active ingredient

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the Hazardous Products Regulations



# Fidaxomicin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 1732000-00015 Date of first issue: 06/05/2017 5.0

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight Not applicable

Particle characteristics

Particle size No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Skin contact Ingestion Eye contact

## **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute toxicity estimate: 833.33 mg/kg Acute oral toxicity

Method: Calculation method

#### **Components:**

### Fidaxomicin:

Acute oral toxicity LD50 (Rat): > 1,000 mg/kg

LD50 (Dog): > 120 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 200 mg/kg

administration)

Application Route: Intravenous

### Cellulose:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

LC50 (Rat): > 5.8 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

according to the Hazardous Products Regulations



# **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Starch:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Fidaxomicin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Intravenous

Result: negative

according to the Hazardous Products Regulations



# **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Test Type: comet assay

Species: Rat Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

## Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

#### Reproductive toxicity

Not classified based on available information.

### **Components:**

### Fidaxomicin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Intravenous injection Fertility: NOAEL: 6.3 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 12.6 mg/kg body weight Remarks: No significant adverse effects were reported

Test Type: Embryo-fetal development

Species: Rabbit

according to the Hazardous Products Regulations



## Fidaxomicin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 7 mg/kg body weight Remarks: No significant adverse effects were reported

Cellulose:

Effects on fertility Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

**Components:** 

Fidaxomicin:

Species Rat NOAEL 90 mg/kg Application Route : Oral Exposure time 28 D

Remarks : No significant adverse effects were reported

Species Rat

NOAEL : 62.5 mg/kg Application Route : Intravenous

Exposure time : 14 D

Doa Species

9,600 mg/kg NOAEL

Application Route Oral Exposure time 3 M Symptoms Vomiting

Remarks No significant adverse effects were reported

Species Monkey NOAEL 90 mg/kg Application Route Oral Exposure time

Remarks No significant adverse effects were reported

**Species** Juvenile rat NOAEL 200 mg/kg Application Route Oral

according to the Hazardous Products Regulations



## **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Exposure time : 28 D

Remarks : No significant adverse effects were reported

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Fidaxomicin:

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, constipation

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

## **Components:**

## Fidaxomicin:

Toxicity to algae/aquatic : EC50 (Anabaena flos-aquae (cyanobacterium)): > 18.4 mg/l

plants Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

NOEC (Anabaena flos-aquae (cyanobacterium)): 5.8 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 8.91 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 19.6 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

according to the Hazardous Products Regulations



## Fidaxomicin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

Toxicity to microorganisms EC50: > 50 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 5.9 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Persistence and degradability

**Components:** 

Cellulose:

Biodegradability Result: Readily biodegradable.

Bioaccumulative potential

**Components:** 

Fidaxomicin:

Partition coefficient: n-

octanol/water

: log Pow: 4.4

Mobility in soil

**Components:** 

Fidaxomicin:

Distribution among environ- : log Koc: 0.80

mental compartments

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



## **Fidaxomicin Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 1732000-00015 Date of first issue: 06/05/2017

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

#### TDG

Not regulated as a dangerous good

### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

## The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

according to the Hazardous Products Regulations



# Fidaxomicin Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 1732000-00015 Date of first issue: 06/05/2017 5.0

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

compile the Material Safety

**Data Sheet** 

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 06/18/2025 Date format mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8