

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### SECTION 1. IDENTIFICATION

Product name : Sitagliptin / Ipragliflozin L-Proline Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Kidney, Liver)  
- repeated exposure

#### GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.  
H361D Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 3.1      Revision Date: 08/11/2025      SDS Number: 3121437-00015      Date of last issue: 04/14/2025  
Date of first issue: 08/28/2018

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data available	9004-34-6	$\geq 30 - < 60$ *
Ipragliflozin L-proline	No data available	951382-34-6	$\geq 10 - < 30$ *
Sitagliptin Phosphate	No data available	654671-77-9	$\geq 10 - < 30$ *
Magnesium stearate	Octadecanoic acid, magnesium salt (2:1)	557-04-0	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

- |   |   |   |
|---|---|---|
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : | Contact with dust can cause mechanical irritation or drying of the skin.<br>Causes serious eye irritation.<br>Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : | Treat symptomatically and supportively.   |

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health.                   |
| Hazardous combustion products                  | : | Carbon oxides<br>Metal oxides   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 3.1      Revision Date: 08/11/2025      SDS Number: 3121437-00015      Date of last issue: 04/14/2025  
Date of first issue: 08/28/2018

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total	10 mg/m <sup>3</sup>	CA BC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 3.1      Revision Date: 08/11/2025      SDS Number: 3121437-00015      Date of last issue: 04/14/2025  
Date of first issue: 08/28/2018

		dust)		
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Ipragliflozin L-proline	951382-34-6	TWA	0.4 mg/m <sup>3</sup> (OEB 2)	Internal
Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m <sup>3</sup> (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (inhalable dust)	10 mg/m <sup>3</sup>	CA QC OEL
		TWAEV (respirable aerosol fraction)	3 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

octanol/water

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

#### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### **Ipragliflozin L-proline:**

Acute oral toxicity : LD50 (Rat): < 1,000 mg/kg  
LDLo (Monkey): >= 1,000 mg/kg

### **Sitagliptin Phosphate:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
LD50 (Mouse): 3,000 mg/kg

### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Sitagliptin Phosphate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Ipragliflozin L-proline:**

Species : Rabbit  
Result : Mild eye irritation



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

---

### Sitagliptin Phosphate:

Species	:	Rabbit
Result	:	Irritating to eyes.
Method	:	Draize Test

### Magnesium stearate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Ipragliflozin L-proline:

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Result	:	Not a skin sensitizer.

#### Sitagliptin Phosphate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

#### Magnesium stearate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Cellulose:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
--	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Ipragliflozin L-proline:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Result: negative

### **Sitagliptin Phosphate:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

### **Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### Carcinogenicity

Not classified based on available information.

### Components:

#### Cellulose:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

#### Ipragliflozin L-proline:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 years
NOAEL	:	500 mg/kg body weight
Result	:	negative

Species	:	Rat, male
Application Route	:	Oral
Exposure time	:	2 years
NOAEL	:	12.5 mg/kg body weight
LOAEL	:	40 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Species	:	Rat, female
Application Route	:	Oral
Exposure time	:	2 years
LOAEL	:	> 125 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

#### Sitagliptin Phosphate:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Rat
Application Route	:	oral (drinking water)
Exposure time	:	2 Years
Result	:	positive
Target Organs	:	Liver
Remarks	:	Significant toxicity observed in testing

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

### Reproductive toxicity

Suspected of damaging the unborn child.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### **Components:**

#### **Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Ipragliflozin L-proline:**

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Result: Maternal toxicity observed., Reduced fetal weight.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Result: Maternal toxicity observed., Reduced fetal weight.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Effects on postnatal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### **Sitagliptin Phosphate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL Parent: 1,000 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Teratogenicity: LOAEL: 250 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rabbit  
Teratogenicity: NOAEL: 125 mg/kg body weight

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

Result: No teratogenic effects.

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

### Components:

#### Ipragliflozin L-proline:

Target Organs : Kidney, Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Cellulose:

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### Ipragliflozin L-proline:

Species : Rat  
NOAEL : 0.1 mg/kg  
Application Route : Oral  
Exposure time : 26 weeks  
Target Organs : Kidney, Liver, Gastrointestinal tract

Species : Monkey, male and female  
NOAEL : 1 - 10 mg/kg  
LOAEL : 10 - 300 mg/kg  
Application Route : Oral  
Exposure time : 52 weeks

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

Target Organs : Kidney, Liver

### Sitagliptin Phosphate:

Species : Mouse  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : > 2 y  
Target Organs : Kidney

Species : Rat  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog  
NOAEL : 10 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Dog  
NOAEL : 2 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 27 Weeks  
Target Organs : Skeletal muscle, Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Remarks : No significant adverse effects were reported

### Magnesium stearate:

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### Experience with human exposure

#### Components:

##### **Ipragliflozin L-proline:**

Skin contact	:	Target Organs: Skin Symptoms: Eczema
Ingestion	:	Target Organs: Kidney Symptoms: constipation, Thirst

##### **Sitagliptin Phosphate:**

Inhalation	:	Symptoms: upper respiratory tract infection, pharyngitis, Headache
Ingestion	:	Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhea

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Cellulose:**

Toxicity to fish	:	LC50 ( <i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

##### **Ipragliflozin L-proline:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

##### **Sitagliptin Phosphate:**

Toxicity to fish	:	LC50 ( <i>Pimephales promelas</i> (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 60 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 39 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
		NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 2.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

### Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### Persistence and degradability

#### Components:

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Sitagliptin Phosphate:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 39.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)  
Method: OECD Test Guideline 111

##### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Sitagliptin Phosphate:**

Partition coefficient: n-octanol/water : log Pow: -0.03

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

### Mobility in soil

#### Components:

##### **Sitagliptin Phosphate:**

Distribution among environmental compartments : log Koc: 4.37

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	08/11/2025	3121437-00015	Date of first issue: 08/28/2018

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 08/11/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8