according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

SECTION 1. IDENTIFICATION

Product name : Palonosetron Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Palonosetron Hydrochloride	135729-62-3*	<= 0.1	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

None known.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

and effects, both acute and delayed

Protection of first-aiders Notes to physician No special precautions are necessary for first aid responders.

: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid

Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Palonosetron Hydrochloride	135729-62-3	TWA	0.4 μg/m3 (OEB 5)	Internal
		Wipe limit	4 μg/100 cm ²	Internal

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into

the workplace.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

Appearance Aqueous solution

Color clear

Odor No data available

Odor Threshold No data available

4.5 - 5.5 рΗ

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Not applicable

No data available

No data available Vapor pressure

Relative vapor density No data available

Relative density No data available

Density 1.015 g/cm³

Solubility(ies)

No data available Water solubility

Partition coefficient: n-

Autoignition temperature

octanol/water

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 04/14/2025 4720329-00014 Date of first issue: 08/02/2019 3.0

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac- :

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Acute oral toxicity LDLo (Rat): 250 mg/kg

LDLo (Mouse): 100 mg/kg

LDLo (Dog): 50 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Remarks No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells

Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Effects on fertility : Test Type: Fertility

Species: Rat, male

Application Route: Intravenous

Fertility: NOAEL: 10 mg/kg body weight

Symptoms: No adverse effects.

Test Type: Fertility Species: Rat

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

Application Route: Oral

Fertility: NOAEL: > 30 mg/kg body weight

Symptoms: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 18 mg/kg body weight Embryo-fetal toxicity.: LOAEL: > 60 mg/kg body weight Symptoms: Reduced body weight, No effects on fetal devel-

opment., Reduced fetal weight.

Test Type: Development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: LOAEL: 120 mg/kg body weight Developmental Toxicity: NOAEL: 90 mg/kg body weight

Symptoms: No effects on fetal development.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Routes of exposure : Ingestion

Target Organs : Gastrointestinal tract, Kidney, Central nervous system, Testis
Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Palonosetron Hydrochloride:

Species : Mouse

NOAEL : 60 mg/kg

LOAEL : 150 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : Kidney, male reproductive organs Remarks : May cause damage to organs.

 Species
 : Rat

 NOAEL
 : 18 mg/kg

 LOAEL
 : > 60 mg/kg

 Application Route
 : Oral

 Exposure time
 : 3 Months

Target Organs : male reproductive organs, Liver
Remarks : Significant toxicity observed in testing

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Central nervous system, Testis
Remarks : Significant toxicity observed in testing

Species : Rat

NOAEL : 7 mg/kg

Application Route : Intravenous

Exposure time : 6 Months

Target Organs : Central nervous system, Gastrointestinal tract

Remarks : Significant toxicity observed in testing

Species: DogNOAEL: 6 mg/kgApplication Route: IntravenousExposure time: 9 Months

Target Organs : Central nervous system, Gastrointestinal tract

Symptoms : Vomiting

Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Not applicable

Experience with human exposure

Components:

Palonosetron Hydrochloride:

Ingestion : Symptoms: The most common side effects are:, Headache,

Diarrhea, Dizziness, Weakness, anxiety

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Palonosetron Hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded, No data available

Chronic aquatic toxicity : Toxic effects cannot be excluded, No data available

Persistence and degradability

No data available

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5 D-Mannitol 69-65-8

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	1	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

according to the OSHA Hazard Communication Standard



Palonosetron Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 3.0 04/14/2025 4720329-00014 Date of first issue: 08/02/2019

tem; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8