according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

### **SECTION 1. IDENTIFICATION**

Product name : Belzutifan Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral)

Specific target organ toxicity : Category 2 (Blood, epididymis, Testis)

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

### **GHS label elements**

Hazard pictograms



Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H373 May cause damage to organs (Blood, epididymis, Testis)

through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version 6.0	Revision Date: 06/18/2025	SDS Number: 5276390-00016	Date of last issue: 04/14/2025 Date of first issue: 11/14/2019			
		P260 Do not breathe dust. P280 Wear protective gloves, protective clothing, eye protection and face protection.				
		<b>Response:</b> P308 + P313 IF 6	Response: P308 + P313 IF exposed or concerned: Get medical attention.			
		Storage: P405 Store locke	Storage: P405 Store locked up.			
		<b>Disposal:</b> P501 Dispose of disposal plant.	contents and container to an approved waste			

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

# Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Cellulose	9004-34-6*	>= 15 - <= 40	TSC
Belzutifan	1672668-24-4*	>= 5 - <= 10	TSC

Indicates that the identifier is a CAS No.

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. Contact with dust can cause mechanical irritation or drying of

Most important symptoms and effects, both acute and

delayed

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m<sup>3</sup>

Value type (Form of exposure): TWA (total dust)

Basis: ÓSHA Z-3

5 mg/m<sup>3</sup>

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

15 Million particles per cubic foot

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

Dust, nuisance dust and par-

ticulates

10 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (Total dust)

Basis: CAL PEL

5 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m³	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m³	OSHA Z-1
Belzutifan	1672668-24- 4	TWA	70 μg/m3 (OEB 3)	Internal
		Wipe limit	70 μg/100 cm2	Internal

**Engineering measures** 

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Flammability (liquids) : Not applicable

Burning number : 5

Upper explosion limit / Upper

flammability limit

No data available

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Minimum ignition energy : 3 - 10 mJ

Method: With inductance

10 - 30 mJ

Method: Without inductance

Particle characteristics

Particle size : 26.13 µm

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during

processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.
: Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

#### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Belzutifan:

Acute oral toxicity : LD0 (Rat): 200 mg/kg

LD0 (Dog): 30 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

# **Components:**

# Belzutifan:

Species : human skin Method : EpiDerm

Result : No skin irritation

Remarks : Not classified due to lack of data.

# Serious eye damage/eye irritation

Not classified based on available information.

# Components:

#### Belzutifan:

Result : No eye irritation

Method : Bovine cornea (BCOP)

Remarks : Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

#### **Components:**

#### Belzutifan:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal Species : Mouse

Result : Not a skin sensitizer.

Remarks : Not classified due to lack of data.

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Belzutifan:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Micronucleus test Test system: mammalian cells

Result: negative

Genotoxicity in vivo : Remarks: Not classified due to lack of data.

### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Species : Rat Application Route : Ingestion

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

Exposure time : 72 weeks
Result : negative

Belzutifan:

Remarks : Not classified due to lack of data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:** 

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Belzutifan:

Effects on fertility : Remarks: Information taken from reference works and the

literature.

Effects on fetal development : Remarks: Information taken from reference works and the

literature.

Reproductive toxicity - As-

sessment

: Suspected of damaging fertility. Suspected of damaging the

unborn child.

**STOT-single exposure** 

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, epididymis, Testis) through prolonged or repeated exposure if swallowed.

**Components:** 

Belzutifan:

Routes of exposure : Ingestion

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 5276390-00016 Date of first issue: 11/14/2019 6.0

Target Organs Blood, epididymis, Testis

Assessment Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Routes of exposure Oral

Blood, epididymis, Testis Target Organs

Assessment May cause damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

#### Cellulose:

Species : Rat

NOAEL >= 9,000 mg/kgApplication Route Ingestion

Exposure time 90 Days

#### Belzutifan:

Species Rat LOAEL 6 mg/kg Application Route Oral Exposure time 28 d

Target Organs Blood, Testis, epididymis

Species Rat, male NOAEL 2 mg/kg NOAEL LOAEL Application Route Exposure time Target Organs 6 mg/kg Oral

13 Weeks

Target Organs Blood, Central nervous system, epididymis, Liver, Testis

Species Rat, female LOAEL 200 mg/kg Application Route : Oral : Exposure time 13 Weeks

Target Organs Blood, Central nervous system, Liver

**Species** Dog LOAEL 1 mg/kg Application Route Oral Exposure time 28 d Target Organs Blood

Species Dog LOAEL 1 mg/kg Application Route : Oral Exposure time : 13 Weeks Target Organs Blood

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 5276390-00016 Date of first issue: 11/14/2019 6.0

### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

#### Belzutifan:

Not applicable

### Experience with human exposure

### **Components:**

Belzutifan:

General Information : Symptoms: Fatigue, flu-like symptoms, fluid retention, Head-

ache, musculoskeletal pain, Nausea

Ingestion Target Organs: Blood

Symptoms: anemia, Changes in the blood count

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

### **Components:**

### Cellulose:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Belzutifan:

Toxicity to algae/aquatic

EC50 (Raphidocelis subcapitata (freshwater green alga)): > plants

10 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Raphidocelis subcapitata (freshwater green alga)): >

10 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.52 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 3.9 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

Persistence and degradability

**Components:** 

Cellulose:

Biodegradability : Result: Readily biodegradable.

Belzutifan:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 18.1 d

Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

Belzutifan:

Partition coefficient: n-

octanol/water

log Pow: 1.11

pH: 7

Mobility in soil

**Components:** 

Belzutifan:

Distribution among environ-

mental compartments

log Koc: 2.52

Method: OECD Test Guideline 106

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

# Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

### Pennsylvania Right To Know

Cellulose 9004-34-6
D-Mannitol 69-65-8
Cellulose, 2-hydroxypropyl methyl ether, acetate hydrogen 71138-97-1

butanedioate

Belzutifan 1672668-24-4 Croscarmellose sodium 74811-65-7

#### **California Permissible Exposure Limits for Chemical Contaminants**

Cellulose 9004-34-6

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

### The ingredients of this product are reported in the following inventories:

CEPA : not determined


AICS : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CAL PEL : California permissible exposure limits for chemical contami-

nants (Title 8, Article 107)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average CAL PEL / PEL : Permissible exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

according to the OSHA Hazard Communication Standard



# **Belzutifan Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 6.0 06/18/2025 5276390-00016 Date of first issue: 11/14/2019

stances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/18/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8