according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

#### **SECTION 1. IDENTIFICATION**

Product name : Molnupiravir Capsule Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Specific target organ toxicity - repeated exposure (Oral)

Specific target organ toxicity : Category 1 (Gastrointestinal tract)

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H372 Causes damage to organs (Gastrointestinal tract) through

prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical attention if you feel unwell.

Disposal:

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 06/20/2025 6199216-00015 Date of first issue: 08/24/2020 9.0

P501 Dispose of contents and container to an approved waste

disposal plant.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Cellulose	9004-34-6*	>= 23.5 - <= 84.75	-
Molnupiravir	2492423-29-5*	>= 8.75 - <= 70	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of contact, immediately flush skin with plenty of water. In case of skin contact

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water. Causes damage to organs through prolonged or repeated

Most important symptoms and effects, both acute and

exposure if swallowed.

delayed Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Specific hazards during fire

fighting

: Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

according to the OSHA Hazard Communication Standard



## Molnupiravir Capsule Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/20/2025 6199216-00015 Date of first issue: 08/24/2020 9.0

Local/Total ventilation Use only with adequate ventilation.

Do not get on skin or clothing. Advice on safe handling

> Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Keep in properly labeled containers. Conditions for safe storage

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

**Explosives** Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m<sup>3</sup>

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

5 ma/m<sup>3</sup>

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

15 Million particles per cubic foot

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

Dust, nuisance dust and par-

10 ma/m<sup>3</sup>

ticulates Value type (Form of exposure): PEL (Total dust)

Basis: CAL PEL

5 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m³	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m³	OSHA Z-1
Molnupiravir	2492423-29- 5	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100cm2	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Not applicable Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### Components:

Cellulose:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Molnupiravir:

Acute oral toxicity : LD0 (Rat): 2,000 mg/kg

LD0 (Dog): 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### Molnupiravir:

Species : reconstructed human epidermis (RhE)

Method : EpiDerm

Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

#### Molnupiravir:

Species : Bovine cornea Result : No eye irritation

Method : Bovine cornea (BCOP)

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Result: negative

Molnupiravir:

Genotoxicity in vitro : Test Type: Ames test

Result: positive

Test Type: Micronucleus test

Test system: human lymphoblastoid cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Cell type: Bone marrow Application Route: Oral Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Cell type: Bone marrow Result: equivocal

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Transgenic rat Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Molnupiravir:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: > 200 mg/kg body weight Symptoms: Effects on embryofetal and postnatal develop-

ment.

Result: No effects on fertility and early embryonic

development were detected.

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

#### **Components:**

### Molnupiravir:

Routes of exposure : Oral

Target Organs : Gastrointestinal tract

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

## Components:

#### Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Molnupiravir:

Species : Rat

LOAEL : 2,000 mg/kg

Exposure time : 7 d
Target Organs : Stomach

Species : Dog

LOAEL : 300 mg/kg Exposure time : 7 d

Target Organs : Gastrointestinal tract

Symptoms : tachycardia, decreased activity, decrease in appetite, Diar-

rhea, Vomiting

Species : Rat

NOAEL : 500 mg/kg Exposure time : 28 d

Species : Dog NOAEL : 6 mg/kg LOAEL : 17 mg/kg Exposure time : 28 d

Target Organs : Gastrointestinal tract

Symptoms : decreased activity, Gastrointestinal tract damage, decrease in

appetite

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

#### **Components:**

Molnupiravir:

General Information : Symptoms: Headache, Gastrointestinal disturbance

Remarks: The most common side effects are:

Symptoms: Back pain

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Molnupiravir:

Toxicity to algae/aquatic

plants

EC10 (Raphidocelis subcapitata (freshwater green alga)): 89

mg/l

End point: Growth Exposure time: 72 h

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

EC10 (Pimephales promelas (fathead minnow)): 5.8 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 8.8 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC10: 143.1 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

**Components:** 

Cellulose:

Biodegradability : Result: Readily biodegradable.

Molnupiravir:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 314

**Bioaccumulative potential** 

**Components:** 

Molnupiravir:

Partition coefficient: n- : log Pow: -0.534

octanol/water pH: 7

Mobility in soil

Components:

Molnupiravir:

Distribution among environ:

mental compartments

OECD Test Guideline 106

log Koc: 1.45

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

#### **US State Regulations**

#### Pennsylvania Right To Know

Cellulose9004-34-6Molnupiravir2492423-29-5Croscarmellose sodium74811-65-7Hydroxypropyl cellulose9004-64-2

#### **California Permissible Exposure Limits for Chemical Contaminants**

Cellulose 9004-34-6

#### The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CAL PEL : California permissible exposure limits for chemical contami-

nants (Title 8, Article 107)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 9.0 06/20/2025 6199216-00015 Date of first issue: 08/24/2020

CAL PEL / PEL : Permissible exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/20/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the

according to the OSHA Hazard Communication Standard



## **Molnupiravir Capsule Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 9.0
 06/20/2025
 6199216-00015
 Date of first issue: 08/24/2020

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8