

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Alendronate / Vitamin D Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Telefax : 908-735-1496

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

---

**2. HAZARDS IDENTIFICATION****Manufacture, Storage and Import of Hazardous Chemicals Rules 1989****Classification**

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3


Specific target organ toxicity - repeated exposure : Category 2 (Bone, Stomach, Kidney)

Short-term (acute) aquatic hazard : Category 3

**GHS label elements**

## Alendronate / Vitamin D Formulation

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
 Date of first issue: 15.10.2014

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H302 Harmful if swallowed.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H361d Suspected of damaging the unborn child.  
 H373 May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.  
 H402 Harmful to aquatic life.
- Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.
- Storage:**  
 P405 Store locked up.
- Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

May form explosive dust-air mixture during processing, handling or other means.

## Alendronate / Vitamin D Formulation

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
 Date of first issue: 15.10.2014

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 - < 50
Alendronate	121268-17-5	>= 25 - < 30
Colecalciferol	67-97-0	>= 0.025 - < 0.1

**4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
 Causes skin irritation.  
 Causes serious eye damage.  
 May cause respiratory irritation.  
 Suspected of damaging the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire- : Avoid generating dust; fine dust dispersed in air in sufficient

## Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

- |   |   |
|---|---|
| fighting                                      | concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health.   |
| Hazardous combustion products                 | : Carbon oxides<br>Nitrogen oxides (NOx)<br>Phosphorus compounds<br>Metal oxides  |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

### 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Follow safe handling advice and personal protective equipment recommendations.   |
| Environmental precautions   | : Discharge into the environment must be avoided.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.  |
| Methods and materials for containment and cleaning up               | : Sweep up or vacuum up spillage and collect in suitable container for disposal.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).<br>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

### 7. HANDLING AND STORAGE

- |                         |  |
|-------------------------|--|
| Technical measures      | : Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling | : Do not get on skin or clothing.<br>Do not breathe dust.  |

## Alendronate / Vitamin D Formulation

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
 Date of first issue: 15.10.2014

- Do not swallow.  
 Do not get in eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Already sensitised individuals should consult their physician regarding working with respiratory irritants or sensitisers.  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Alendronate	121268-17-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.

**Alendronate / Vitamin D Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

---

- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- 

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : powder
- Colour : off-white
- Odour : odourless
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : Not applicable

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,965 mg/kg  
Method: Calculation method

---

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Alendronate:**

Acute oral toxicity : LD50 (Rat): 552 - 626 mg/kg  
LD50 (Mouse): 966 - 1,280 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

**Colecalciferol:**

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg  
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Alendronate:**

Species : Rabbit  
Remarks : Severe skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Alendronate:**

Species : Rabbit  
Result : Severe irritation

**Colecalciferol:**

Species : Rabbit  
Result : No eye irritation



**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Alendronate:**

Remarks : No data available

**Colecalciferol:**

Test Type : Maurer optimisation test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Alendronate:**

Genotoxicity in vitro : Test Type: Alkaline elution assay  
Test system: rat hepatocytes  
Result: negative  
  
Test Type: Bacterial reverse mutation assay (AMES)  
Metabolic activation: with and without metabolic activation  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: equivocal

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Mouse  
Result: negative

**Colecalciferol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Alendronate:**

Species : Rat, male  
Application Route : Oral  
Exposure time : 2 Years  
: 1 mg/kg body weight  
: 3.75 mg/kg body weight  
Target Organs : Thyroid  
Remarks : The mechanism or mode of action may not be relevant in hu-  
mans.

## Alendronate / Vitamin D Formulation

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
 Date of first issue: 15.10.2014

---

### Reproductive toxicity

Suspected of damaging the unborn child.

#### Components:

##### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

##### Alendronate:

Effects on fertility : Test Type: Fertility  
 Species: Rat, male and female  
 Application Route: Oral  
 Fertility: NOAEL: 5 mg/kg body weight  
 Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Development  
 Species: Rat, female  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1 - 15 mg/kg body weight  
 Symptoms: Reduced number of viable fetuses, Reduced body weight, Skeletal malformations  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 40 mg/kg body weight  
 Result: No adverse effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

May cause respiratory irritation.

#### Components:

##### Alendronate:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

**Components:****Alendronate:**

Target Organs : Bone, Stomach, Kidney  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Colecalciferol:**

Exposure routes : Ingestion  
Target Organs : Kidney, Blood, Bone  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Alendronate:**

Species : Rat  
NOAEL : 2.5 mg/kg  
LOAEL :  $> 2.5$  mg/kg  
Application Route : Intravenous  
Exposure time : 53 Weeks  
Target Organs : Stomach

Species : Dog  
LOAEL : 0.01 mg/kg  
Application Route : Intravenous  
Exposure time : 3 yr  
Target Organs : Stomach, Bone, Kidney

Species : Dog  
NOAEL : 2 mg/kg  
LOAEL : 4 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Kidney

**Colecalciferol:**

Species : Rat  
NOAEL : 0.06 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

## Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

---

**Aspiration toxicity**

Not classified based on available information.

**Components:****Alendronate:**

Not applicable

**Experience with human exposure****Components:****Alendronate:**

Inhalation	:	Symptoms: respiratory tract irritation
Skin contact	:	Symptoms: Severe irritation, skin blistering
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, musculoskeletal pain

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

**Alendronate:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 27 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	--

	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Method: FDA 4.11
--	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 170 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	---

Toxicity to algae/aquatic plants	:	ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	---	---

	:	NOEC ( Pseudokirchneriella subcapitata (green algae)): 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
--	---	---

Toxicity to fish (Chronic toxicity)	:	NOEC: 1.1 mg/l Exposure time: 32 d
-------------------------------------	---	---------------------------------------

## Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

---

Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

LOEC: 1.9 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 4.7 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

**Colecalciferol:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 ( Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Alendronate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70.3 %  
Exposure time: 7 d

Stability in water : Degradation half life (DT50): 375 d  
Method: OECD Test Guideline 111

**Colecalciferol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Alendronate / Vitamin D Formulation**

Version 4.2      Revision Date: 09/13/2019      SDS Number: 22051-00015      Date of last issue: 24.04.2019  
Date of first issue: 15.10.2014

---

**Bioaccumulative potential****Components:****Alendronate:**

Partition coefficient: n-octanol/water : log Pow: -1.73

**Colecalciferol:**

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

---

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

---

**Alendronate / Vitamin D Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

IECSC : not determined

**16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their



## Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
4.2	09/13/2019	22051-00015	Date of first issue: 15.10.2014

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN