

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
 Date of first issue: 15.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Alendronate / Vitamin D Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
 Address : Avenida 16 de Septiembre No. 301
 Xaltocan - Xochimilco Mexico 16090
 Telephone : 52 55 57284444
 Telefax : 908-735-1496
 Emergency telephone : 1-908-423-6000
 E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
 Skin irritation : Category 2
 Serious eye damage : Category 1
 Reproductive toxicity : Category 2
 Specific target organ toxicity - single exposure : Category 3
 Specific target organ toxicity - repeated exposure : Category 2 (Bone, Stomach, Kidney)

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H361d Suspected of damaging the unborn child.
 H373 May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Alendronate	121268-17-5	>= 20 -< 30
Colecalciferol	67-97-0	< 0.1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

- | | | |
|---|---|--|
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Nitrogen oxides (NO _x)
Phosphorus compounds
Metal oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Already sensitized individuals should consult their physician regarding working with respiratory irritants or sensitizers. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
 Date of first issue: 15.10.2014

- engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Alendronate	121268-17-5	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
Colecalciferol	67-97-0	TWA	5 µg/m ³ (OEB 4)	Internal
		Wipe limit	50 µg/100 cm ²	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	off-white
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,965 mg/kg
Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Alendronate:

Acute oral toxicity : LD50 (Rat): 552 - 626 mg/kg
LD50 (Mouse): 966 - 1,280 mg/kg

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Colecalciferol:

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgment

Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg
Method: Expert judgment

Skin corrosion/irritation

Causes skin irritation.

Components:**Alendronate:**

Species : Rabbit
Remarks : Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Alendronate:**

Species : Rabbit
Result : Severe irritation

Colecalciferol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Alendronate:**

Remarks : No data available

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Colecalciferol:

Test Type : Maurer optimisation test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Alendronate:

Genotoxicity in vitro : Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse
Result: negative

Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative

Test Type: In vivo mammalian alkaline comet assay
 Species: Rat
 Application Route: Ingestion
 Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 72 weeks
 Result : negative

Alendronate:

Species : Rat, male
 Application Route : Oral
 Exposure time : 2 Years
 : 1 mg/kg body weight
 : 3.75 mg/kg body weight
 Target Organs : Thyroid
 Remarks : The mechanism or mode of action may not be relevant in humans.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

Result: negative

Alendronate:

Effects on fertility : Test Type: Fertility
 Species: Rat, male and female
 Application Route: Oral
 Fertility: NOAEL: 5 mg/kg body weight
 Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development
 Species: Rat, female
 Application Route: Oral
 Developmental Toxicity: LOAEL: 1 - 15 mg/kg body weight
 Symptoms: Reduced number of viable fetuses., Reduced body weight, Skeletal malformations.
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development
 Species: Rabbit, female
 Application Route: Oral
 Developmental Toxicity: NOAEL: 40 mg/kg body weight
 Result: No adverse effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

May cause respiratory irritation.

Components:**Alendronate:**

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.

Components:**Alendronate:**

Target Organs : Bone, Stomach, Kidney
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Colecalciferol:

Routes of exposure : Ingestion
 Target Organs : Kidney, Blood, Bone
 Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Alendronate:

Species : Rat
NOAEL : 2.5 mg/kg
LOAEL : > 2.5 mg/kg
Application Route : Intravenous
Exposure time : 53 Weeks
Target Organs : Stomach

Species : Dog
LOAEL : 0.01 mg/kg
Application Route : Intravenous
Exposure time : 3 y
Target Organs : Stomach, Bone, Kidney

Species : Dog
NOAEL : 2 mg/kg
LOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Kidney

Colecalciferol:

Species : Rat
NOAEL : 0.06 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Components:**Alendronate:**

Not applicable

Experience with human exposure**Components:****Alendronate:**

Inhalation : Symptoms: respiratory tract irritation

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

Skin contact	:	Symptoms: Severe irritation, skin blistering
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, musculoskeletal pain

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:**Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Alendronate:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 27 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 1,000 mg/l
 Exposure time: 96 h
 Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 170 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 10 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 1.1 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210

LOEC (*Pimephales promelas* (fathead minnow)): 1.9 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 4.7 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Colecalciferol:

Toxicity to fish : LL50 (*Danio rerio* (zebra fish)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Alendronate / Vitamin D Formulation

Version 6.2 Revision Date: 09/13/2019 SDS Number: 22056-00015 Date of last issue: 24.04.2019
Date of first issue: 15.10.2014

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Alendronate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.3 %
Exposure time: 7 d

Stability in water : Degradation half life (DT50): 375 d
Method: OECD Test Guideline 111

Colecalciferol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: <= 7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential**Components:****Alendronate:**

Partition coefficient: n-octanol/water : log Pow: -1.73

Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6.2
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

Alendronate / Vitamin D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
6.2	09/13/2019	22056-00015	Date of first issue: 15.10.2014

the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PPT

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/13/2019

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8